

Date: 09/11/2023

To,
The Deputy Director-General of Forests (C),
Ministry of Environment Forest and Climate Change,
Regional Office (WCZ), Ground Floor,
East Wing, New Secretariat Building, Civil Lines,
Nagpur- 440001.

Subject: Regarding the Half-Yearly EC condition compliance report for the period of April-2023 to September-2023

Reference: Environment Clearance obtained from obtained from MoEF&CC of India IA/MH/TND2/206004/2021 dated 27 May 2021

Respected Sir,

In reference to the above mentioned subject, we are enclosing herewith the EC condition compliance report for the period of April-2023 to September-2023 with respect to the above mentioned reference of Environmental Clearance for proposed expansion of industrial project at Plot. No. D-53, MIDC, Phase-II, Dombivli East, Thane. SEAC-I considered the project under screening category S(f) B of EIA Notification 2006.

The Compliance report to the EC conditions is enclosed along with supported documents as per EC conditions

Thanking you,
Yours Faithfully,
for, Aarti Pharmalabs Ltd. (formerly known as Aarti Industries Ltd.)

Authorized Signatory



Encl :

1. EC conditions compliance report
2. Copy of EC -Annexure-I
3. MPCB Consent to Operate - Annexure-II
4. Six Monthly MoEFCC approved lab analysis results - Annexure-III.
5. Six Monthly Air Monitoring report through MoEFCC approved lab - Annexure IV.
6. Noise Monitoring reports- Annexure-V

AARTI PHARMALABS LIMITED

www.aartipharmalabs.com | CIN : U24100GJ2019PLC110964 | Email : info@aartipharmalabs.com

Factory : Unit - I, Plot No. D - 53, M.I.D.C., Phase-II, Kalyan Shi Road, Dombivli (East), District : Thane, PIN 421 204, Maharashtra, INDIA, T : +91 251 2670710 | M : +91 8422881151
Admin Office : 204, Udyog Kshetra, 2nd Floor, Mulund - Goregaon Link Road, Mulund (W), Mumbai, PIN - 400 080, Maharashtra, INDIA, T : +91 22 67976666 | F : +91 22 25653234
Regd. Office : Plot No. 22-C/1 & 22-C/2, 1st Phase, G.I.D.C., Vapi 396 195, District - Valsad, Gujarat, INDIA T : +91 260 2400467, +91 99099 94655

Tracking No.	M28666043	Last Status Date	17 th nov'23
Reference No.	125617756203	Last Status	● Successfully Delivered
Booking Date.	10 th nov'23		


Shipment Details

Origin	Mumbai	Destination	Baroda	Destination Pincode	390023
No. of pieces	1	Service Type	Lite		
Package contents					

Receiver Details

Receiver Name	S Stamps	Relationship email	Office Colleague
----------------------	----------	---------------------------	------------------

Shipment Tracking History +



Date	Activity	From	To
Fri, 17 th Nov'23 19:42 Hrs	Successfully Delivered	● Baroda Branch	
Fri, 17 th Nov'23 11:40 Hrs	Out For Delivery	Baroda Branch(BARODA - ELLORA PARK)	
Mon, 13 th Nov'23 12:08 Hrs	Received At Facility	Baroda Scs Apex	Baroda Branch
Mon, 13 th Nov'23 12:07 Hrs	Received At Facility	Baroda Branch	Baroda Branch
Mon, 13 th Nov'23 10:23 Hrs	Processed & Forwarded ToHub	Baroda Scs Apex	Baroda Branch
Mon, 13 th Nov'23 09:54 Hrs	Rerouted & Forwarded From Facility	Baroda Warehouse	Baroda
Mon, 13 th Nov'23 09:14 Hrs	Received At Hub	Baroda Scs Apex	
Mon, 13 th Nov'23 09:11 Hrs	Received At Hub	Baroda Scs Apex	
Mon, 13 th Nov'23 08:56 Hrs	Received At Hub	Mumbai Sakinaka Apex	Baroda Scs Apex
Sun, 12 th Nov'23 07:42 Hrs	Processed & Forwarded From Facility	Mumbai Sakinaka Apex	Baroda Scs Apex
Sat, 11 th Nov'23 06:04 Hrs	Received At Hub	Kalyan Branch	Mumbai Sakinaka Apex
Sat, 11 th Nov'23 01:52 Hrs	Processed & Forwarded From Facility	Kalyan Branch	Mumbai Sakinaka Apex
Fri, 10 th Nov'23 23:43 Hrs	Processed & Forwarded ToFacility	Kalyan Branch	Mumbai Sakinaka Apex
Fri, 10 th Nov'23 22:48 Hrs	Processed & Forwarded To Facility	Kalyan Branch	Baroda
Fri, 10 th Nov'23 22:48 Hrs	Booked At Facility	Kalyan Branch	Booked To BARODA
Fri, 10 th Nov'23 16:50 Hrs	Softdata Upload	First Mile	Booking Initiated

Tracking No.	M28666045	Last Status Date	16 th nov'23
Reference No.	125617756221	Last Status	● Successfully Delivered
Booking Date.	10 th nov'23		


Shipment Details

Origin	Mumbai	Destination	Nagpur	Destination Pincode	440001
No. of pieces	1	Service Type	Lite		
Package contents					

Receiver Details

Receiver Name	St	Relationship email	Receptionist
----------------------	----	---------------------------	--------------

Shipment Tracking History +



Date	Activity	From	To
Thu, 16 th Nov'23 16:40 Hrs	Successfully Delivered	● ○ Nagpur Khamla Branch	
Thu, 16 th Nov'23 13:00 Hrs	Out For Delivery	■ ○ Nagpur Khamla Branch(NAGPUR - CIVIL LINES)	
Mon, 13 th Nov'23 18:10 Hrs	Received At Facility	■ ○ Nagpur Apex	
Mon, 13 th Nov'23 17:58 Hrs	Received At Facility	■ ○ Nagpur Apex	Nagpur Khamla Branch
Mon, 13 th Nov'23 17:07 Hrs	Received At Facility	■ ○ Nagpur Apex	Nagpur Khamla Branch
Mon, 13 th Nov'23 15:02 Hrs	Processed & Forwarded From Hub	■ ○ Nagpur Apex	Nagpur Khamla Branch
Mon, 13 th Nov'23 14:53 Hrs	Processed & Forwarded ToHub	■ ○ Nagpur Apex	Nagpur Khamla Branch
Mon, 13 th Nov'23 14:43 Hrs	Processed & Forwarded To Hub	■ ○ Nagpur Apex	
Mon, 13 th Nov'23 14:27 Hrs	Received At Hub	■ ○ Kalyan Branch	Nagpur Hub
Mon, 13 th Nov'23 13:31 Hrs	Received At Hub	■ ○ Mumbai Sakinaka Apex	Nagpur Apex
Mon, 13 th Nov'23 08:29 Hrs	Received At Hub	■ ○ Mumbai Sakinaka Apex	Nagpur Apex
Sun, 12 th Nov'23 07:46 Hrs	Processed & Forwarded From Facility	■ ○ Mumbai Sakinaka Apex	Nagpur Apex
Sat, 11 th Nov'23 06:04 Hrs	Received At Hub	■ ○ Kalyan Branch	Mumbai Sakinaka Apex
Sat, 11 th Nov'23 01:52 Hrs	Processed & Forwarded From Facility	■ ○ Kalyan Branch	Mumbai Sakinaka Apex
Fri, 10 th Nov'23 23:43 Hrs	Processed & Forwarded ToFacility	■ ○ Kalyan Branch	Mumbai Sakinaka Apex
Fri, 10 th Nov'23 23:23 Hrs	Processed & Forwarded To Facility	■ ○ Kalyan Branch	Nagpur Hub

Aarti D-53 EC Letter Conditions

A. Specific Conditions

- i. The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the PFR/EMP in respect of environmental management and risk mitigation measures relating to the project shall be implemented. - **Complied**
- ii. Fugitive emissions shall be controlled at 99.98% with effective chillers. Volatile organic compounds (VOCs)/Fugitive emissions shall be controlled at 99.997% with effective chillers/modern technology. Regular VOCs monitoring should be carried out. - **Complied**
- iii. Occupational health centre for surveillance of the worker's health shall be set up. The health data shall be used in deploying the duties of the workers. All workers & employees shall be provided with required safety kits/mask for personal protection.- **Complied**
- iv. As already committed by the project proponent, Zero Liquid Discharge (ZLD) shall be ensured and no waste/treated water shall be discharged outside the premises. Treated effluent shall be reused in the process/utilities. Treated Industrial effluent shall not be used for gardening/greenbelt development/horticulture purpose.- **Complied**
- v. The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire-fighting system shall be as per the norms. - **Complied**
- vi. Training shall be imparted to all employees on safety and health aspects of chemicals handling. Safety and visual reality training shall be provided to employees. - **Complied**



- vii. Total fresh water requirement shall not exceed 42 m³/day will be met from MIDC. Prior permission in this regard shall be obtained from the concerned regulatory authority. - **Noted**
- viii. Storm water from the roof top shall be channelized through pipes to the storage tank constructed for harvesting of rainwater in the premises and harvested water shall be used for various industrial processes in the unit. No recharge shall be permitted within the premises. Process effluent/ any wastewater shall not be allowed to mix with storm water.- **Complied**
- ix. Continuous online (24x7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. For ZLD, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises (if applicable). -**Noted**
- x. Solvent management shall be carried out as follows: (a) Reactor shall be connected to chilled brine condenser system. (b) Reactor and solvent handling pump shall have mechanical seals to prevent leakages. (c) Solvents shall be stored in a separate space provided with all safety measures. (d) Proper earthing shall be provided in all the electrical equipment wherever solvent handling is done. (e) Entire plant shall be flame proof. The solvent storage tanks shall be provided with breather valves to prevent losses. (f) All the solvent storage tanks shall be connected with vent condensers with chilled brine circulation. - **Complied**
- xi. Process organic residue and spent carbon, if any, shall be sent to Cement other suitable industries for its incinerations. ETP sludge, process inorganic & evaporation salt shall be disposed of to the TSDF. There shall be commitment from the brick manufacturer to take the fly ash from the plant. The Unit is to be started after getting the commitment from the brick manufacturer/ cement plant. - **Noted**
- xii. The company shall undertake waste minimization measures as below (a) Metering and control of quantities of active ingredients to minimize waste; (b) Reuse of by-products from the process as raw materials or as raw material substitutes in other



processes.(c) Use of automated filling to minimize spillage. (d) Use of Close Feed system into batch reactors. (e) Venting equipment through vapour recovery system. (f) Use of high pressure hoses for equipment clearing to reduce wastewater generation. - **Noted**

xiii. The green belt of at least 5-10 m width shall be developed in at least 40% of the total project area, mainly along the plant periphery/ additional land. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department. Records of tree canopy shall be monitored through remote sensing map. Trees have to be planted with spacing of 2m x 2m and number of trees have to be increased accordingly. The plant species can be selected that will give better carbon sequestration. All trees must be planted within first year. - **Complied**

xiv. The activities and the action plan proposed by the project proponent to address the socio-economic issues in the study area, shall be completed as per the schedule presented before the Committee and as described in the EMP report in letter and spirit. All the commitments made shall be satisfactorily implemented. - **Noted**

xv. A separate Environmental Management Cell (having qualified person with Environmental Science/Environmental Engineering/specialization in the project area) equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions. - **Complied**



B. General Conditions

- i. No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change/SEIM, as applicable. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry/SEIM, as applicable, to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any. - **Noted**
- ii. The Project proponent shall strictly comply with the rules and guidelines issued under the Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989, as amended time to time, the Chemical Accidents (Emergency Planning, Preparedness and Response) Rules, 1996, and Hazardous and Other Wastes (Management and Trans-Boundary Movement) Rules, 2016 and other rules notified under various Acts. - **Noted**
- iii. The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment. - **Complied**
- iv. The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time). - **Complied**
- v. The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. The activities shall be undertaken by involving local villages and



administration. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment. - **Noted**

- vi. The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose. - **Noted**
- vii. A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat , Zilla Parishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal. - **Noted**
- viii. The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data to the respective Regional Office of MoEF& CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company. - **Noted**
- ix. The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently , shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF&CC by e-mail. - **Complied**
- x. The project proponent shall inform the public that the project has been accorded. Environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB/Committee and may also be seen at Website of the Ministry and at [https://parivesh.nic.in./](https://parivesh.nic.in/) This shall be advertised within seven days from the date of **issue** of the clearance letter,



at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry. - **Noted**

- xi. The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project. - **Noted**

A handwritten signature in blue ink, consisting of a stylized initial 'D' followed by a series of loops and a long horizontal stroke extending to the right.



By Speed Post/Online

F. No. IA- J-11011/140/2021-IA.II (I)
Government of India
Ministry of Environment, Forest and Climate Change
Impact Assessment Division

Indira Paryavaran Bhavan,
Vayu Wing, 3rd Floor, Aliganj,
Jor Bagh Road, New Delhi-110 003

Dated: 27th May, 2021

To,

M/s Aarti Industries Limited,
71, Udyog Kshetra, 2nd Floor,
Mulund Goregaon Link Road, Mulund (W),
Thane, Maharashtra - 421204

Email: narendra.salvi@aarti-industries.com

Sub: Expansion of Active Pharmaceutical Ingredient (API) facility from 0.135 TPM to 1.875 TPM located at Plot No. D-53, MIDC Dombivali Phase II, District Thane, Maharashtra by M/s Aarti Industries Limited - Environmental Clearance – reg.

Sir,

This has reference to your online proposal No. IA/MH/IND2/206004/2021 dated 25th March, 2021 for environmental clearance to the above-mentioned project.

2. The Ministry of Environment, Forest and Climate Change has examined the proposal for environmental clearance to the project for Expansion of Active Pharmaceutical Ingredient (API) facility from 0.135 TPM to 1.875 TPM located at Plot No. D-53, MIDC Dombivali Phase II, District Thane, Maharashtra.

3. The project is covered under Category B of item 5(f) 'Synthetic, Organic Chemicals Industry' of the Environment Impact Assessment (EIA) Notification, 2006. However, due to applicability of general condition, the project requires appraisal at Central level by the Sectoral Expert Appraisal Committee (EAC) in the Ministry. It was informed that no litigation is pending against the proposal.

4. The details of products and capacities are as under:

S. No.	Product name	Quantity in TPM			CAS No.	Therapeutic use
		Existing	Proposed	Total		
1	Venlafaxine Hydrochloride	0.03	-0.03	0	99300-78-4	Antidepressant
2	Bambuterol Hydrochloride	0.025	0.175	0.2	81732-46-9	Bronchodilator
3	Fluticasone propionate	0.01	0.015	0.025	80474-14-2	Glucocorticoid
4	Budesonode (TTR)	0.02	0.18	0.2	51333-22-3	Glucocorticoid

 EC for M/s Aarti Industries Limited

5	Triamcinolone Acetomide	0.004	-0.004	0	76-25-5	Corticosteroid
6	R-Salbutamol Sulphate	0.013	0.487	0.5	51022-70-9	Beta adrenoceptor Bronchodilator
7	Ipratropium Bromide	0.008	-0.008	0	66985-17-9	Anticholinergic Bronchodilator
8	Deferiprone	0.025	0.475	0.5	30652-11-0	Anti Thalassemic
9	Peridopril Erbumine	0	0.2	0.2	107133-36-8	Angiotensin converting Enzyme inhibitor, Anti hyper tensile
10	Sitagliptine	0	0.050	0.05	486459-71-6	Anti-Diabetic
11	Montelukast Sodium	0	0.2	0.2	151767-02-1	Anti asthmatic
	Total	0.135	1.74	1.875		

5. The total land area for the project is 1,000 sq. m. Neighbouring plot of area 927 sq. m will be utilized for green belt development. Industry will develop Green belt in an area of 1027 sq. m (53.3%) out of total area of the project. Out of 1027 sq. m of green belt, 100 sq. m will be developed within plot & 927 sq. m will be developed on outside plot.

6. The estimated project cost is Rs.24.03 Crores including existing investment of Rs.7.49 Crores. Total capital cost earmarked towards environmental pollution measures is Rs.2.135 Crores & the Recurring cost (operation & maintenance) will be about Rs.76.8 Lakhs per annum. Total employment will be 93 persons as direct & 450 persons indirect for proposed project. Industry proposes to allocate Rs.24.81 Lakhs towards Corporate Environment Responsibility.

7. There are no national parks, wildlife sanctuaries, Biosphere Reserves, Tiger/ Elephant Reserves, Wildlife Corridors etc. lies within 10 km distance. Ulhas River is flowing at a distance of 3.7 km in North-West direction.

8. AAQ modelling study for point source emissions indicates that the maximum incremental GLCs after the proposed project would be 0.06 $\mu\text{g}/\text{m}^3$, 1.02 $\mu\text{g}/\text{m}^3$ & 0.04 $\mu\text{g}/\text{m}^3$ with respect to PM₁₀, SO₂ and NO_x. The resultant concentrations will be within the National Ambient Air Quality Standards (NAAQS).

9. Total water requirement is 56 m³/day out of which fresh water requirement of 42 m³/day will be met from MIDC and balance 14 m³/day from treated water. Trade Effluent of 11 m³/day will be treated through ETP, RO, stripper followed by single stage evaporator. Treated effluent will be fully recycled back. Proposed project will be ZERO LIQUID DISCHARGE facility. Domestic sewage of 4 m³/day will be treated in STP. Treated sewage will be reused for green belt.

10. Power requirement after expansion will be 450 KW including existing 200 KW and will be met from Maharashtra State Electricity Distribution Company Limited (MSEDCL). 1 no. of 250 kVA DG set will be used as standby during power failure. Stack height (3.5 m above building) will be provided as per CPCB norms to the proposed DG sets. Existing unit has 1

TPH LDO fired boiler. It is proposed to install 1.5 TPH LDO fired boiler. Existing boiler will be discontinued from operation & new boiler of 1.5 TPH will be installed. Adequate stack height of 30 m will be provided for proposed boiler. Particulate emissions of 150 mg/Nm³ will be maintained.

11. Details of Process emissions generation and its management:

Parameter	Process Scrubber	
	Acidic scrubber	Alkali scrubber
Scrubbing media	Water/ NaOH	HCl/H ₂ SO ₄
Packing type	Pall Ring 2"Dia	Pall Ring 2"Dia
Temp	Ambient	Ambient
Diameter	770 mm	550 mm
MOC	PPFRP	PPFRP
Shape	Round	Round
Height	7.2 m	7.2 m
Duty	Continuous	Continuous
Control Equipment	2 stage scrubber equipped with Temperature/ Pressure transmitter/ pH sensor	2 stage scrubber equipped with Temperature/ Pressure transmitter/ pH sensor

12. Details of Solid waste & Hazardous waste generation and its management:

S. No.	Description	Quantity in TPM	Disposal
1.	Metal, Wood & paper scrap	0.1	Sale
2.	Pallets	0.1	Reuse/sale to authorized party
3.	E-Waste	0.05	Sell to Authorized party

S. No.	Cat. No. as per HW Rules	Type of Waste	Unit	Existing Quantity	Proposed Quantity	Total Quantity	Disposal
1.	35.3	Chemical Sludge from water treatment	TPM	0.01	2.5	2.51	CHWTSDf
2.	28.1	Process residue	TPM	-	3.0	3.0	CHWTSDf
3.	20.3	Distillation residue	TPM	-	1.2	1.2	CHWTSDf
4.	28.2	Spent Catalyst	TPM	-	2.1	2.1	CHWTSDf
5.	28.3	Spent Carbon (Process)	TPM	-	11.7	11.7	CHWTSDf/ Sale to authorized party

6.	28.4	Off specification drugs	TPM	-	0.5	0.5	CHWTSDF
7.	35.3	Spent Carbon (ETP)	TPM	-	0.5	0.5	CHWTSDF
8.	20.2	Spent Solvents MLR/	TPM	-	135.0	135.0	CHWTSDF/ Sale to authorized party
9.	33.1	Drums/ Containers	Nos./ M	-	200	200	CHWTSDF/ Sale to authorized party
10.	36.2	PPE/ plastic waste/ liners/ Filters and Filter Materials	TPM	-	1	1	CHWTSDF
11.	35.3	Evaporation Salts	TPD	-	1	1	CHWTSDF

13. The Committee was informed that the Ministry has recently issued an Office Memorandum dated 28.01.2021 which inter-alia request EAC to clearly recommend the permissible pollution load i.e., quantity and quality, including composition of emissions, discharge and solid waste generation. In compliance this OM, PP has submitted the following pollution load information and the EAC deliberated on the issue.

Kg/day													
EFFLUENT WATER									SOLID WASTE				
Water Input	Effluent Water	Inorganic in Effluent	Organic in Effluent	TDS	COD	HTDS	LTDS	Total Effluent	Organic solid waste	Spent Carbon	Distillation Residue	Process emissions	Fugitive emissions
56000	11000	2000	9000	105	100	2000	9000	11000	100	406	40	130	150

HAZARDOUS SOLID WASTE DETAILS

Kg Per Day		
SOLID WASTE		
Organic solid waste (Process residue)	Spent Carbon	Distillation Residue
100 kg/day	406 kg/day	40 kg/day

EMISSION DETAILS

Kg Per Day	
Process emissions	Fugitive emissions
130	150

Kg Per Day

CO2	H2	NH3	O2	N2	HBr	HCl (acid mist)	(CH3)2NH	CH3Cl	HF	SO2
Nil	Nil	35	Nil	Nil	Nil	95	Nil	Nil	Nil	73

14. The proposal was considered by the **EAC (Industry-3 Sector) in its 9th meeting held during 12-13 April, 2021**. The project proponent and their consultant M/s Aditya Environmental Services Pvt. Ltd, made a detailed presentation through Video Conferencing (VC) and have presented the PFR/EMP report.

The EAC, constituted under the provision of the EIA Notification, 2006 and comprising of Experts Members/domain experts in various fields, examined the proposal submitted by the Project Proponent in desired form along with PFR & EMP report prepared and submitted by the Consultant accredited by the QCI/ NABET on behalf of the Project Proponent.

The EAC noted that the Project Proponent has given an undertaking that the data and information given in the application and enclosures are true to the best of their knowledge and belief and no information has been suppressed in the PFR & EMP report. If any part of data/information submitted is found to be false/ misleading at any stage, the project will be rejected and Environmental Clearance given, if any, will be revoked at the risk and cost of the project proponent.

It was further informed the EAC that the Ministry has recently issued an Office Memorandum dated 28.01.2021 and inter-alia requested that EAC shall clearly recommend the permissible pollution load i.e. quantity and quality, including composition, of emissions, discharge and solid waste generation. In compliance of this OM, PP has submitted the pollution load and the EAC also deliberated on the pollution load as estimated by the PP/Consultant.

The Committee noted that the PFR/EMP report reflects the present environmental concerns and the projected scenario for all the environmental components. The Committee deliberated on the action plan and budget allocation for green belt development and suggested to increase the allocated amount accordingly PP submitted commitment to plant 230 saplings within six months and increased the allocated amount for green belt development. The committee deliberated mitigation measure towards Air, Water, Noise and Soil pollutions. The Committee also suggested that the storage of toxic/explosive raw material/products shall be undertaken with utmost precautions and following the safety norms and best practices. The committee was of firm opinion that effluent from this unit shall not be discharged to other unit as it may create difficulty in monitoring.

The EAC also deliberated the request of PP to use the facility of other plot, after detailed discussion the Committee did not agree as the same cannot be monitored. Committee suggested PP to amalgamate all the plot and take one EC for better implementation of the project.

The EAC deliberated on the proposal with due diligence in the process as notified under the provisions of the EIA Notification, 2006, as amended from time to time and accordingly made the recommendations to the proposal. The Experts Members of the EAC also found the proposal in order and recommended for the grant of environmental clearance.

15. The environmental clearance granted to the project/activity is strictly under the provisions of the EIA Notification 2006 and its amendments. It does not tantamount/construe

to approvals/consent/ permissions etc. required to be obtained or standards/conditions to be followed under any other Acts/ Rules/ Subordinate legislations, etc., as may be applicable to the project. The project proponent shall obtain necessary permission as mandated under the Water (Prevention and Control of Pollution) Act, 1974 and the Air (Prevention and Control of Pollution) Act, 1981, as applicable from time to time, from the State Pollution Control Board, prior to construction & operation of the project.

16. Based on the proposal submitted by the project proponent and recommendations of the EAC (Industry-3 Sector), the Ministry of Environment, Forest and Climate Change hereby accords **Environmental clearance to the project for Expansion of Active Pharmaceutical Ingredient (API) facility from 0.135 TPM to 1.875 TPM located at Plot No. D-53, MIDC Dombivali Phase II, District Thane, Maharashtra**, under the provisions of the EIA Notification, 2006, and the amendments therein, subject to compliance of the terms and conditions as under:-

A. Specific Conditions:

- (i) The company shall comply with all the environmental protection measures and safeguards proposed in the documents submitted to the Ministry. All the recommendations made in the PFR/EMP in respect of environmental management, and risk mitigation measures relating to the project shall be implemented.
- (ii) Fugitive emissions shall be controlled at 99.98% with effective chillers. Volatile organic compounds (VOCs)/Fugitive emissions shall be controlled at 99.997% with effective chillers/modern technology. Regular VOCs monitoring should be carried out.
- (iii) Occupational health centre for surveillance of the worker's health shall be set up. The health data shall be used in deploying the duties of the workers. All workers & employees shall be provided with required safety kits/mask for personal protection.
- (iv) As already committed by the project proponent, Zero Liquid Discharge (ZLD) shall be ensured and no waste/treated water shall be discharged outside the premises. Treated effluent shall be reused in the process/utilities. Treated Industrial effluent shall not be used for gardening/greenbelt development/horticulture purpose.
- (v) The unit shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. Fire-fighting system shall be as per the norms.
- (vi) Training shall be imparted to all employees on safety and health aspects of chemicals handling. Safety and visual reality training shall be provided to employees.
- (vii) Total fresh water requirement shall not exceed 42 m³/day will be met from MIDC. Prior permission in this regard shall be obtained from the concerned regulatory authority.
- (viii) Storm water from the roof top shall be channelized through pipes to the storage tank constructed for harvesting of rain water in the premises and harvested water shall be used for various industrial processes in the unit. No recharge shall be permitted within the premises. Process effluent/ any wastewater shall not be allowed to mix with storm water.



- (ix) Continuous online (24x7) monitoring system for stack emissions shall be installed for measurement of flue gas discharge and the pollutants concentration, and the data to be transmitted to the CPCB and SPCB server. For ZLD, the unit shall install web camera with night vision capability and flow meters in the channel/drain carrying effluent within the premises (if applicable).
- (x) Solvent management shall be carried out as follows: (a) Reactor shall be connected to chilled brine condenser system. (b) Reactor and solvent handling pump shall have mechanical seals to prevent leakages. (c) Solvents shall be stored in a separate space provided with all safety measures. (d) Proper earthing shall be provided in all the electrical equipment wherever solvent handling is done. (e) Entire plant shall be flame proof. The solvent storage tanks shall be provided with breather valves to prevent losses. (f) All the solvent storage tanks shall be connected with vent condensers with chilled brine circulation.
- (xi) Process organic residue and spent carbon, if any, shall be sent to Cement other suitable industries for its incinerations. ETP sludge, process inorganic & evaporation salt shall be disposed of to the TSDF. There shall be commitment from the brick manufacturer to take the fly ash from the plant. The Unit is to be started after getting the commitment from the brick manufacturer / cement plant.
- (xii) The company shall undertake waste minimization measures as below (a) Metering and control of quantities of active ingredients to minimize waste; (b) Reuse of by-products from the process as raw materials or as raw material substitutes in other processes. (c) Use of automated filling to minimize spillage. (d) Use of Close Feed system into batch reactors. (e) Venting equipment through vapour recovery system. (f) Use of high pressure hoses for equipment clearing to reduce wastewater generation.
- (xiii) The green belt of at least 5-10 m width shall be developed in at least 40% of the total project area, mainly along the plant periphery/ additional land. Selection of plant species shall be as per the CPCB guidelines in consultation with the State Forest Department. Records of tree canopy shall be monitored through remote sensing map. Trees have to be planted with spacing of 2m x 2m and number of trees have to be increased accordingly. The plant species can be selected that will give better carbon sequestration. All trees must be planted within first year.
- (xiv) The activities and the action plan proposed by the project proponent to address the socio-economic issues in the study area, shall be completed as per the schedule presented before the Committee and as described in the EMP report in letter and spirit. All the commitments made shall be satisfactorily implemented.
- (xv) A separate Environmental Management Cell (having qualified person with Environmental Science/Environmental Engineering/specialization in the project area) equipped with full-fledged laboratory facilities shall be set up to carry out the Environmental Management and Monitoring functions.

B. General Conditions:

- (i) No further expansion or modifications in the plant, other than mentioned in the EIA Notification, 2006 and its amendments, shall be carried out without prior approval of the Ministry of Environment, Forest and Climate Change/SEIAA, as applicable. In case of deviations or alterations in the project proposal from those submitted to this Ministry

- for clearance, a fresh reference shall be made to the Ministry/SEIAA, as applicable, to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.
- (ii) The Project proponent shall strictly comply with the rules and guidelines issued under the Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) Rules, 1989, as amended time to time, the Chemical Accidents (Emergency Planning, Preparedness and Response) Rules, 1996, and Hazardous and Other Wastes (Management and Trans-Boundary Movement) Rules, 2016 and other rules notified under various Acts.
 - (iii) The energy source for lighting purpose shall be preferably LED based, or advanced having preference in energy conservation and environment betterment.
 - (iv) The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under the Environment (Protection) Act, 1986 Rules, 1989 viz. 75 dBA (day time) and 70 dBA (night time).
 - (v) The company shall undertake all relevant measures for improving the socio-economic conditions of the surrounding area. The activities shall be undertaken by involving local villages and administration. The company shall undertake eco-developmental measures including community welfare measures in the project area for the overall improvement of the environment.
 - (vi) The company shall earmark sufficient funds towards capital cost and recurring cost per annum to implement the conditions stipulated by the Ministry of Environment, Forest and Climate Change as well as the State Government along with the implementation schedule for all the conditions stipulated herein. The funds so earmarked for environment management/ pollution control measures shall not be diverted for any other purpose.
 - (vii) A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zilla Parishad/Municipal Corporation, Urban local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal.
 - (viii) The project proponent shall also submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data to the respective Regional Office of MoEF&CC, the respective Zonal Office of CPCB and SPCB. A copy of Environmental Clearance and six monthly compliance status report shall be posted on the website of the company.
 - (ix) The environmental statement for each financial year ending 31st March in Form-V as is mandated shall be submitted to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental clearance conditions and shall also be sent to the respective Regional Offices of MoEF&CC by e-mail.
 - (x) The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available

with the SPCB/Committee and may also be seen at Website of the Ministry and at <https://parivesh.nic.in/>. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the concerned Regional Office of the Ministry.

- (xi) The project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of start of the project.
- (xii) This Environmental clearance is granted subject to final outcome of Hon'ble Supreme Court of India, Hon'ble High Court, Hon'ble NGT and any other Court of Law, if any, as may be applicable to this project.

17. The Ministry reserves the right to stipulate additional conditions, if found necessary at subsequent stages and the project proponent shall implement all the said conditions in a time bound manner. The Ministry may revoke or suspend the environmental clearance, if implementation of any of the above conditions is not found satisfactory.

18. Concealing factual data or submission of false/fabricated data and failure to comply with any of the conditions mentioned above may result in withdrawal of this clearance and attract action under the provisions of Environment (Protection) Act, 1986.

19. Any appeal against this environmental clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

20. The above conditions will be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, the Hazardous Waste (Management, Handling and Transboundary Movement) Rules, 2016 and the Public Liability Insurance Act, 1991 read with subsequent amendments therein.

21. This issues with the approval of the competent authority.

(Dr. R. B. Lal)

Scientist 'E'/Additional Director

Tele-fax:011- 24695362

Email-rb.lal@nic.in

(Dr. R. B. LAL)

वैज्ञानिक 'ई'/Scientist 'E'

पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय

Ministry of Environment, Forest and Climate Change

एन.डी.ए.सी. भवन, नई दिल्ली

New Delhi

Copy to:-

1. The Secretary, Environment and Forests Department Secretariat, Government of Maharashtra, MECL Building, Dr. Ambedkar Bhawan, Seminary Hills, Civil Lines, Nagpur-440006 (Maharashtra)

2. The Deputy Director General of Forests(C), Ministry of Environment, Forest and Climate Change, Regional Office (WCZ), Nagpur (Maharashtra)
3. The Member Secretary, Central Pollution Control Board, Parivesh Bhavan, East Arjun Nagar, Delhi - 32
4. The Member Secretary, Maharashtra Pollution Control Board, Kalpataru Point, 3rd and 4th floor, Opp. Cine Planet, Sion Circle, Mumbai - 400 022, Maharashtra.
5. The Member Secretary, Central Ground Water Authority, Jamnagar House, 18/11, Man Singh Road Area, New Delhi, Delhi 110001
6. The District Collector, Raigad District, Maharashtra
7. Guard File/Monitoring File/Record File

(Dr. R. B. Lal)
Scientist 'E'/Additional Director

MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 24010437/24020781/24014701

Fax : 24023516/24024068/24044531

Email : ast@mpcb.gov.in

Visit At : <http://mpcb.gov.in>



Kalptaru point, 2nd, 3rd & 4th Floor,

Opp. Cine Planet,

Near Sion Circle, Sion (E),

Mumbai - 400 022

Consent Order No: Format1.0/UAN No. 0000009399/Amend- 2802000053

Date: 28/02/2023

Amendment of Consent

Sub: Amendment in Consent to Operate for change in name of
M/s. Aarti Industries Ltd.


Plot No. D-53, MIDC Phase II, Dombivali East,
Tal. Kalyan, Dist. Thane,

- Ref: 1. Consent granted by Board vide No.: Format1.0/AS(T)/UAN No.
0000145814/CO/2302000197 dtd: 03/02/2023 valid upto 31/10/2027.
2. Hon'ble National Company Law Tribunal Order dtd: 21/09/2022

The Consent to Operate granted under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the consent is granted to M/s. Aarti Industries Ltd. Plot No. D-53, MIDC Phase II, Dombivali East, Tal. Kalyan, Dist. Thane, is hereby amended as:

1. The name of the Industry shall be read as:
M/s. Aarti Pharmalabs Ltd.,
Plot No. D-53, MIDC Phase II, Dombivali East,
Tal. Kalyan, Dist. Thane
2. This amendment for change in name is issued pursuant to the order issued by Hon'ble National Company Law Tribunal referred at Sr. No. 2.
3. All other conditions of the consent referred above at Sr. No. 1 shall be remain unchanged.
4. The Amendment is valid only along with the consent referred at Ref. No. 1.

For and on behalf of the
Maharashtra Pollution Control Board


(Dr. J. B. Sanjwar)

Assistant Secretary (Technical)

To,
M/s. Aarti Pharmalabs Ltd.,
Plot No. D-53, MIDC Phase II, Dombivali East,
Tal. Kalyan, Dist. Thane

Copy to:

1. Regional Officer - Kalyan / SRO - Kalyan - I, MPCB
2. Chief Accounts Officer, M.P.C. Board, Mumbai

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24023516
Website: <http://mpcb.gov.in>
Email: ast@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Sion Circle,
Sion (E), Mumbai-400022

RED/L.S.I (R58)
No:- Format1.0/AS(T)/UAN
No.0000145814/CO/2302000197

Date: 03/02/2023

To,
Aarti Industries Limited
D-53, MIDC Phase II, Kalyan Shill Road,
Dist -Thane



Your Service is Our Duty

Sub: Grant of Consent to Operate for Expansion by amalgamation with existing consent under RED

- Ref:**
1. Consent to Operate accorded vide No. Format1.0/AS(T)/UAN No.0000120425/CR/2202001716, dated 27/02/2022 which is valid upto 31/10/2026
 2. Consent to Establish for Expansion accorded vide No. Format1.0/AS(T)/UAN No.0000112691/CE/2202001717, dated 27/02/2022.
 3. Environmental Clearance accorded vide letter F. No. IA-J-11011/140/2021-IA.II (I), dated 27/05/2021.

Your application No.MPCB-CONSENT-0000145814 Dated 09.08.2022

For: grant of Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. **The consent to operate is granted for a period up to 31/10/2027**
2. **The capital investment of the project is Rs.24.0353 Crs. (As per C.A Certificate submitted by industry Existing CI is-Rs. 7.4953 Crs + Expansion in C.I. - Rs. 16.54 Crs)**
3. **Consent is valid for the manufacture of:**

Sr No	Product	Existing Quantity	Proposed Quantity	Total	UOM
Products					
1	Venlafaxine Hydrochloride	0.03	-0.03	0	Ton/M
2	Bambuterol Hydrochloride	0.025	0.175	0.2	Ton/M
3	Fluticasone Proionate	0.01	0.015	0.025	Ton/M
4	Budesonide (TTR)	0.02	0.18	0.2	Ton/M
5	Triamcinolone Acetomide	0.004	-0.004	0	Ton/M

Sr No	Product	Existing Quantity	Proposed Quantity	Total	UOM
6	R-salbutamol Sulphate	0.013	0.487	0.5	Ton/M
7	Ipratropium Bromide	0.008	-0.008	0	Ton/M
8	Deferiprone	0.025	0.475	0.5	Ton/M
9	Perindopril Erbumine	0	0.2	0.2	Ton/M
10	Sitagliptin	0	0.05	0.05	Ton/M
11	Montelukast Sodium	0	0.2	0.2	Ton/M

4. **Conditions under Water (P&CP), 1974 Act for discharge of effluent:**

Sr No	Description	Permitted (in CMD)	Standards to	Disposal Path
1.	Trade effluent	11	As per Schedule-I	Recycle 100% to achieve ZLD
2.	Domestic effluent	4	As per Schedule-I	On land for gardening

5. **Conditions under Air (P& CP) Act, 1981 for air emissions:**

Sr No.	Stack No.	Description of stack / source	Number of Stack	Standards to be achieved
1	S1	DG Set (250 KVA)	1	As per Schedule -II
2	S2	Boiler (1.5 TPH)	1	As per Schedule -II

6. **Non-Hazardous Wastes:**

Sr No	Type of Waste	Quantity	UoM	Treatment	Disposal
1	Glass	100	No/M	Sale	Sale to authorized party
2	Metal, Wood & paper scrap	0.1	Ton/M	Sale	Sale to authorized party
3	Pallets	0.1	Ton/M	Sale	Sale to authorized party
4	Food Waste	0.05	Ton/M	Composting	Used as manure

7. **Conditions under Hazardous & Other Wastes (M & T M) Rules 2016 for treatment and disposal of hazardous waste:**

Sr No	Category No./ Type	Quantity	UoM	Treatment	Disposal
1	20.3 Distillation residues	1.2	MT/M	Incineration	CHWTSDf
2	33.1 Empty barrels /containers /liners contaminated with hazardous chemicals /wastes	200	No/M	Recycle*	Sale to authorised party / CHWTSDf
3	35.3 Chemical sludge from waste water treatment	2.51	Ton/M	Landfill after treatment	CHWTSDf
4	28.1 Process Residue and wastes	3	Ton/M	Incineration	CHWTSDf

Sr No	Category No./ Type	Quantity	UoM	Treatment	Disposal
5	28.2 Spent catalyst	2.1	Ton/M	Incineration	CHWTSDf
6	28.3 Spent carbon	11.7	Ton/M	Incineration	CHWTSDf
7	28.4 Off specification products	0.5	Ton/M	Incineration	CHWTSDf
8	36.2 Spent carbon or filter medium	0.5	Ton/M	Incineration	CHWTSDf
9	20.2 Spent solvents	135	Ton/M	Recycle*	Sale to authorised party / CHWTSDf
10	37.3 Concentration or evaporation residues	0.06	Ton/D	Incineration	CHWTSDf
11	5.1 Used or spent oil	5.4	MT/A	Recycle	Sale to authorized reprocessor
12	5.2 Wastes or residues containing oil	1	MT/A	Incineration	CHWTSDf
13	33.2 Contaminated cotton rags or other cleaning materials	1	MT/A	Incineration	CHWTSDf

*** Industry shall ensure disposal to the Actual user having permissions under Rule 9 of Hazardous and other Waste (M & TM) Rules, 2016**

8. Conditions under Plastic Waste Management Rules, 2016 (Notification dtd. 18/03/2016):

Sr No	Type of Waste	Quantity	UoM	Disposal Path
1	Plastic Waste	0.50	Ton/M	Authorized Recycler

9. Conditions under E-Waste Management:

Sr No	Type of Waste	Quantity	UoM	Disposal Path
1	E-Waste	0.05	Ton/M	Authorized Recycler

10. The Board reserves the right to review, amend, suspend, revoke this consent and the same shall be binding on the industry.
11. This consent should not be construed as exemption from obtaining necessary NOC/ permission from any other Government authorities.
12. The industry shall obtain necessary permission from the Directorate of Industrial Safety and Health (DISH).
13. This consent is issued with overriding effect on earlier Consent to Operate granted by the Board vide No. Format1.0/AS(T)/UAN No.0000120425/CR/2202001716, dated 27/02/2022 which is valid upto 31/10/2026.
14. The applicant shall not carry out any excess production or produce new products without Consent of the Board and without Environmental Clearance wherever it applicable.
15. The applicant shall properly collect, transport & regularly dispose-off the Hazardous Waste to CHWTSDf, in compliance of the Hazardous and other Waste (M & TH) Rule-2016 an keep proper manifest thereof.


16. The applicant shall comply with the conditions of the Environmental Clearance granted vide letter F. No. IA-J-11011/140/2021-IA.II (I), dated 27/05/2021.
17. This consent is issued as per the Office Order for Consent Management of the Board No. 12/2020 dtd. 23.12.2020.
18. Industry shall ensure online monitoring system i.e. IP Camera and flow meter to ensure the Zero Liquid Discharge and its connectivity to the MPCB server. Industry shall also install separate energy meter to the pollution control devices.
19. The applicant shall make an application for renewal of consent 60 days prior to date of expiry of the consent.

Received Consent fee of -

Sr.No	Amount(Rs.)	Transaction/DR.No.	Date	Transaction Type
1	250000.00	TXN2208001422	12/08/2022	Online Payment

Copy to:

1. Regional Officer, MPCB, Kalyan and Sub-Regional Officer, MPCB, Kalyan I
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai



SCHEDULE-I

Terms & conditions for compliance of Water Pollution Control:

1. A] As per your application, you have segregated trade effluent into weak stream & strong stream and provided Effluent Treatment Plant (ETP) comprising of:
 - i) **Strong COD/TDS stream of 9 CMD** - Treatment system comprising of Primary (Collection tank, Neutralization tank, Equalization tank, Flash mixer, Primary Clarifier/Primary Settling Tank) ., Stripper followed by Multi effect evaporator (1 stage). The MEE condensate is treated in weak stream ETP.
 - ii) **Weak COD/TDS stream of 2 CMD** - Treatment system comprising of Primary (Collection tank, Neutralization tank, Equalization tank, Flash mixer, Primary Clarifier/Primary Settling Tank), Secondary (Activated sludge process), Tertiary (Pressure sand filter, Activated carbon filter), Advance treatment (Reverse osmosis, ATFD) .
- B] The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent and recycle the entire treated effluent into the process for various purposes such as for cooling, process & Scrubbing with metering system so as to achieve Zero Liquid Discharge. There shall be no discharge on land or outside factory premises.
- C] Industry shall ensure online monitoring system i.e. IP Camera and flow meter to ensure the Zero Liquid Discharge and it connectivity to the MPCB server. Industry shall also install separate energy meter to the pollution control devices.

2. A] As per your application, you have provided Sewage Treatment Plant of designed capacity 5 CMD for the treatment of 4 CMD of sewage.
- B] The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards.

Sr.No	Parameters	Standards (mg/l)	
1	Suspended Solids	Not to exceed	100
2	BOD 3 days 27°C	Not to exceed	30

- C] The treated sewage shall be recycled for secondary purposes to the maximum extent and remaining shall be discharged on land for gardening within premise after confirming above standards. In no case, sewage shall find its way outside factory premises.
3. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification there of & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
 4. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

Sr. No.	Purpose for water consumed	Water consumption quantity (CMD)
1.	Industrial Cooling, spraying in mine pits or boiler feed	30.00
2.	Domestic purpose	5.00
3.	Processing whereby water gets polluted & pollutants are easily biodegradable	5.00
4.	Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	2.00
5.	Gardening	13

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.



SCHEDULE-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) to observe the following fuel pattern:

Stack No.	Source	APC System provided/proposed	Stack Height(in mtr)	Type of Fuel	Sulphur Content(in %)	Pollutant	Standard
S1	DG Set (250 KVA)	Acoustic Enclosure	3.50	HSD 50 Ltr/Hr	1	TPM	50 Mg/Nm ³
						SO ₂	-
S2	Boiler	Stack	30.00	LDO 150 Lit/Day	1.8	TPM	50 Mg/Nm ³
						SO ₂	-

2. The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.
3. The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

Parameters	Standards (mg/l)	
Total Particulate Matter	Not to exceed	50 mg/ Nm ³

4. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
5. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
6. Solvent Management shall be carried out as follows:
- Reactors shall be connected to Water / Chilled Water /Brine Condenser system.
 - Reactors and solvent handling pumps shall have mechanical seals to prevent the leakages.
 - The condensers shall be provided with adequate Heat transfer area (HTA) and residence time so as to achieve more than 97% overall recovery
 - Solvents shall be stored in a separate space specified with all safety measures.
 - Proper earthing shall be provided in all the equipment's, wherever solvent handling is done.
 - Entire plant shall be flame proof. The solvent storage tanks shall be provided with breather valve to prevent losses.
 - All the solvent storage tanks shall be connected with vent condensers with Water / chilled water / Brine circulation.
 - Fugitive emissions shall be controlled at 99.95% with effective chillers.
 - Solvent transfer shall be through pump.
 - Metering and control of quantities of active ingredients to minimize wastes.

- k. Use of automatic filling to minimize spillage.
- l. Use of close feed system into batch reactors.
- m. Venting equipment through vapour recovery system.

SCHEDULE-III

Details of Bank Guarantees:

Sr. No	Consent (C2E/C2O/C2R)	Amt of BG Imposed	Submission Period	Purpose of BG	Compliance Period	Validity Date
1	C to R (Existing to be extended)	Rs. 5 Lakh	15 days	Towards O & M of pollution control systems	31/10/2027	30/04/2028
2	C to E (Existing to be extended)	Rs. 3 Lakh	15 days	Towards compliance of consent conditions	31/10/2027	30/04/2028

****Existing BG obtained for above purpose if any, may be extended for period of validity as above.**

BG Forfeiture History

Srno.	Consent (C2E/C2O/C2R)	Amount of BG imposed	Submission Period	Purpose of BG	Amount of BG Forfeiture	Reason of BG Forfeiture
NA						

BG Return details

Srno.	Consent (C2E/C2O/C2R)	BG imposed	Purpose of BG	Amount of BG Returned
NA				

SCHEDULE-IV
General Conditions:

1. The waste generator shall.-
 - a) take steps to minimize generation of plastic waste and segregate plastic waste at source in accordance with the Plastic Waste Management Rules, 2016 or as amended from time to time.
 - b) not litter the plastic waste and ensure segregated storage of waste at source and handover segregated waste to urban local body or gram panchayat or agencies appointed by them or registered waste pickers', registered recyclers or waste collection agencies;
2. All institutional generators of plastic waste, shall segregate and store the waste generated by them in accordance with the Plastic Waste Management Rules, 2016 amendment from time to time and handover segregated wastes to authorized waste processing or disposal facilities or deposition centers either on its own or through the authorized waste collection agency.
3. All waste generators shall pay such user fee or charge as may be specified in the byelaws of the local bodies for plastic waste management such as waste collection or operation of the facility thereof, etc.;
4. Every person responsible for organizing an event in open space, which involves service of food stuff in plastic or multilayered packaging shall segregate and manage the waste generated during such events in accordance with the Plastic Waste Management Rules, 2016 amendment from time to time.
5. Consumers or bulk consumers of electrical and electronic equipment listed in Schedule I shall ensure that e-waste generated by them is channelised through collection centre or dealer of authorised producer or dismantler or recycler or through the designated take back service provider of the producer to authorised dismantler or recycler
6. Bulk consumers of electrical and electronic equipment listed in Schedule I shall maintain records of e-waste generated by them in Form-2 and make such records available for scrutiny by the concerned State Pollution Control Board
7. Consumers or bulk consumers of electrical and electronic equipment listed in Schedule I shall ensure that such end-of-life electrical and electronic equipment are not admixed with e-waste containing radioactive material as covered under the provisions of the Atomic Energy Act, 1962 (33 of 1962) and rules made there under;
8. Bulk consumers of electrical and electronic equipment listed in Schedule I shall file annual returns in Form-3, to the concerned State Pollution Control Board on or before the 30th day of June following the financial year to which that return relates. In case of the bulk consumer with multiple offices in a State, one annual return combining information from all the offices shall be filed to the concerned State Pollution Control Board on or before the 30th day of June following the financial year to which that return relates.
9. Specific Conditions for storage, Handling and Disposal of Waste from Electrical & Electronic equipment (WEEE):
 1. **Collection of WEEE** - The applicant must provide appropriate and dedicated vehicles duly identified as per the norms for transportation of Hazardous Waste. The applicant shall obtain all the required permits for transportation of WEEE from competent authority. The applicant shall ensure the safe transport of the WEEE without any spillage during transportation.
Storage for disassembled parts: The applicant must provide appropriate storage for disassembled spare parts from WEEE. Some spare parts (e.g. motors and compressors) will contain oil and/or other fluids. Such part must be appropriately segregated and stored in containers that are secured such that oil and other fluids cannot escape from them. These containers must be stored on an area with an area with an impermeable surface and a sealed drainage system.

2. **Storage for other components and residues:** Other components and residues arising from the treatment of WEEE will need to be contained following their removal for disposal or recovery. Where they contain hazardous substances they should be stored on impermeable surface and in appropriate containers or bays with weatherproof covering. Containers should be clearly labelled to identify their contents and must be secured so that liquids, including rain water cannot enter them. Components should be segregated having regard to their eventual destinations and the compatibility of the component types. All batteries should be handled and stored having regard to the potential fire risk associated with them.
3. **Balances :** WEEE Guidelines also requires that sites for handling of WEEE have "balances to measure the weight of the segregated waste". The objective is to ensure that a record of weights can be maintained of WEEE entering a facility and components and materials leaving each site (together with their destinations). The nature of the weighing equipment should be appropriate for the type and quantity of WEEE being processed.
4. Plastic, which cannot be recycled and is hazardous in nature, is recommended to be land filled in nearby CHWTSDF.
5. Ferrous and nonferrous metal recycling facilities fall under the purview of existing environmental regulations for air, water, noise, land and soil pollution and generation of hazardous waste and the same should be followed.
6. CFCs should be either reused or incinerated in common hazardous waste Incineration facilities at CHWTSDF.
7. Waste Oil should be either reused or incinerated in common hazardous waste incineration facilities.
8. PCB's containing capacitors shall be incinerated in common hazardous waste incineration facilities at CHWTSDF.
9. Mercury recovery and lead recycling facilities from batteries fall under the Hazardous & Other Wastes (M & TM) Rules, 2016.
10. Existing environmental regulations for air; water; noise, land and soil pollution and generation of hazardous waste and the same should be followed. In case Mercury or lead recovery is very low, they can be temporarily stored at e-waste recycling facility and later disposed in TSDF.
11. The industry shall maintain records of the e-waste purchased, processed in Form-2 and shall file annual returns of its activities of previous year in Form-3 as per Rules 11(9) & 13(3)(vii) of the E-Waste(M) Rules, 2016; on or before 30th day of June of every year.
10. The Energy source for lighting purpose shall preferably be LED based
11. The PP shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
12. Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.

- c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEFCC, India on Environment (Protection) second Amendment Rules vide GSR 371(E) dated 17.05.2002 and its amendments regarding noise limit for generator sets run with diesel.
13. The applicant shall maintain good housekeeping.
 14. The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
 15. The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
 16. The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
 17. The industry shall submit quarterly statement in respect of industries obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can downloaded from MPCB official site).
 18. The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
 19. The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification No. B-29016/20/90/PCI-L dated. 18.11.2009 as amended.
 20. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
 21. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
 22. The PP shall provide personal protection equipment as per norms of Factory Act 1948
 23. Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
 24. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
 25. The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.

26. The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the Hazardous and Other Wastes (M & TM) Rules 2016, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc. should go for that purpose, in order to reduce load on incineration and landfill site/environment.
27. An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
28. Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
29. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
30. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
31. The industry should not cause any nuisance in surrounding area.
32. The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
33. The industry shall create the Environmental Cell by appointing an Environmental Engineer, Chemist and Agriculture expert for looking after day to day activities related to Environment and irrigation field where treated effluent is used for irrigation.
34. The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
35. The industry should comply with the Hazardous and Other Wastes (M & TM) Rules, 2016 and submit the Annual Returns as per Rule 6(5) & 20(2) of Hazardous and Other Wastes (M & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year.
36. The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
37. The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
38. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions.

39. The firm shall submit to this office, the 30th day of September every year, the Environment Statement Report for the financial year ending 31st March in the prescribed FORM-V as per the provisions of Rule 14 of the Environment (Protection) (second Amendment) Rules, 1992.
40. You shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
41. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
42. The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.

This certificate is digitally & electronically signed.



TIMES interaci
Connecting People, Connecting Needs.

To book your ad

Logon to: ads.timesgroup.com
or Call: 18001205474 (Toll Free)



real estate

MUMBAI PROPERTIES

BEYOND THANE

PROPERTY for sale: 1) Near Shahapur 2 Acer's Highway Touch 2) Neral 3 Acer's Farm Land 3) Ashoka Shopping Center near Crawford market 308 Sq ft office 4) Kalyan West 3 BHK & 1 BHK Flat. 7738850703

SOUTH MUMBAI

REQUIRE 3 BHK flat in South Mumbai, Good Society, High Rise, Only Genuine Parties Contact. 09870007522

ACCOMMODATION WANTED

REQD 2/3BHK at TRANSCON TRIUMPH, Andheri West on Outright, A or B Wing, Higher floor, Vaastu Compliant. Cont: Payal Parekh 98336 41710.

LAND FOR SALE

AGRICULTURAL-PLOTS ON MAIN ROAD (2000 square meters onwards) in TOURIST ZONE near GORAI BEACH. Ideal for Resorts, Restaurants, Farm Houses, Shops, etc. Contact: 98200 79107.

jobs

SITUATION VACANT

MEDICAL

MEDICAL

FULL time Radiologist, Anesthesiologist, Urologist, Nephrologist General Surgeon, Medical Oncologist, MDS (Orthodontist/ prosthodontist), Lab technician for 156 bedded Trust Hospital (Estd.1987) Bhagwan Mahavir Hospital, Sumerpur, District Pali Rajasthan. 979 9507534, aobmh1987@gmail.com

SHORTLY-UPCOMING 51 Bedded Super Speciality Hospital with 12 Bed ICU, Dialysis & Cathlab at Malad (East) Require (1) Intensivist (2) RMO (3) Nurses (4) Marketing Executives (5) Admin Staff (6) Receptionist (7) Full Time MD Physicians/ Anaesthetist. Attractive Salary Call: 8433991165/ 9303887431

OTHER VACANCIES

PART TIME JOBS

WORK From Home. Business Opportunity by Reputed Co. Any Field Teachers (Age 30+) Earn High Incentives, Reward. join online seminar. 98331 75466

ACADEMIC

GENERAL

REQD. H.M. for Secondary Section B.A. B.Ed. for Minority Notified Post unaided English medium school. Send your application within 7 days to The Manager, St. Sebastian's High School, Near R.C.F. Hospital, Chembur, Mumbai 400074.

TEACHER

WALK-IN interview On 7th & 11th June '21 Between 10:30 am To 1:30 pm For HSC D.Ed, B.Sc. B. Ed, Computer Teachers. Contact: Sanskar Eng High School, Plot 510, Charkop, Kandivali (West). Ph: 28687727.

ADMINISTRATION

PERSONAL ASSISTANT

PERSONAL Assistant (Male) with minimum 5 years' experience, required for an architect's office to assist the chief Architect in Admin work, attending mails, coordination, organising meetings, etc. Candidate must highlight efficiency, organization, communication & computer skills. To apply email your resume on careers@daisaria.com or contact 022 61110504.

business

FINANCE

NEED-CASH !! Cash On Car. Get Instant Cash on Mortgage of Car. EMI's Pending No Problem. All High End Cars Welcomed. Contact: 7304164460

INVESTMENT

100% Capital Amount safe in your own Demat Account. Earn 1% to 2% weekly & 6% to 7% monthly profit. 100% security. 8652152275 / 8652152276

UNITRADE a trusted name in investment ! Now get monthly 5% return on your investment. Minimum investment 50000/- 720899481/720899482

LOANS

KIRAN Finance P Ltd Busi. Prop, Home, Hotel, Agri, Cash. PL Loan Avail 1Lakh-100 Cr @3% PA (Agent Earn upto 5 LPA) # 8265882430, 7017429649

FINANCE against only Property, Builder and Developer, Industrial Estate. And Project Finance Kandivali

personal

CHANGE OF NAME

I Ethan D'Souza son of Godwin Esidore D'Souza born on 9th June 2016 residing at B 2-106, Lok Raunak CHS, Marol Maroshi Road, Andheri E, Mumbai Maharashtra, India have changed my name to Ethan Godwin Esidore D'Souza vide affidavit 24/11/2019 at Embassy of India Doha Qatar.

tender & notices

PUBLIC NOTICE

MGM INSTITUTE OF HEALTH SCIENCES
Plot No. 1 & 2, Sector-1, Kamothe, Navi Mumbai-410209

TENDER NOTICE

Tenders are invited from reputed firms having relevant experience for installation & commissioning of Central Medical Gas Pipeline System to be installed in upcoming MGM Hospital at Sanpada, Navi Mumbai as Published in Website: www.mgmhuhs.com The quotations should be emailed at: etenders@mgmuhs.com before 5 pm on 11-06-2021. Date: 05/06/2021 Registrar

PUBLIC ANNOUNCEMENT

Expansion of Active Pharmaceutical Ingredient (API) manufacturing facility at Plot no. D-53, MIDC Dombivali Phase II, Dist. Thane, Maharashtra by Aaril Industries Limited has been accorded Environmental Clearance by Ministry of Environment, Forest and Climate Change vide Letter no. F.No. IA-J-11011/140/2021-IA.II(I) dated 27th May 2021.

Copy of the said environmental clearance is available with Maharashtra Pollution Control Board and on website of the Ministry at <https://parivesh.nic.in>. Date: 27.05.2021

Aaril Industries Limited Authorized Signatory

PUBLIC NOTICE

IN THE HONBLE HIGH COURT OF JUDICATURE

THE MALAD SAHAKARI BANK LTD
Central Administrative Office

6, Sujata Niketan, Rani Sati Marg, Malad (East), Mumbai 400 097.
Mob.No. : 8097555891, 8097555895, Tel No. : 022 2883 8636, 2880 8551
Fax : 2880 3517 Website : www.maladbank.com

Advertisement for Clerk Vacancy

The Malad Sahakari Bank Ltd conducting Online Examination for Recruitment of Clerks. All Eligible and Interested Applicants apply Online Application.

Number of Vacancy	37
Date of Registration	08/06/2021
Last Date of Registration	30/06/2021
Educational Qualification	Candidates with minimum 50% marks and above in Graduation with Specialization in Commerce as under <ul style="list-style-type: none"> • Bachelor of Commerce (B.com) • Bachelor of Commerce (Accounting & Finance) • Bachelor of Commerce (Banking & Insurance) • Bachelor of Commerce (Financial Market) • Master of Commerce (M.com) • Master of Commerce (Advance Accountancy) • Masters of Commerce (Banking & Finance) • Master of Business Administration (MBA in Finance / Banking / Marketing)
Age Criteria	Not below 20 years and not above 28 years as on 30/04/2021.
Application Fee	Rs. 600 (Non Refundable)

For Detailed Advertisement Please Visit www.maladbank.com under CAREERS.

PUBLIC NOTICE


Notice is hereby given to all that my clients are intending to purchase from M/s. Pharma Trust, A Partnership Firm Through its Partners (1) Mrs. Jaya Ajit Bhimani (2) Mrs. Chhaya Tushar Bhimani and (3) Mr. Kush Tushar Bhimani, who are the Owners of Commercial Premises being Office No. 308 on the 3rd Floor, in the building known as "EARTH BAUG" (hereinafter referred to as the "SAID PREMISES") admeasuring 63.11 sq. mt. equivalent to 679.31 sq. ft. carpet area which building is constructed on property bearing C.S. No. 881 of Bhuleshwar Division, being Plot No. 60, 61 situated at 126-A Princess Street, Mumbai 400 002 (earlier known as "Keshav Baug") alongwith shares bearing distinctive Nos. 261 to 270 both inclusive consolidated Certificate No. 27 issued by Earth Baug Co-op. Housing Soc. Ltd.

If any person/s has any Claim, right, title and interest by way of mortgage, lien, gift, lease, license, tenancy, heirship, partnership and/or any encumbrances of any nature for the "SAID

Sealed RFP are invited from Development Manager for Self Redevelopment of Khernagar Nandadeep CHSL, Bldg No. 25, Kher Nagar, Bandra East, Mumbai - 51 having plot area of 1,564.50 SQM. RFP are available free of cost at Room No.1371, Khernagar Nandadeep CHSL till 10/06/2021 between 11AM to 2PM on submission of request letter.

The Society reserves its right to accept or reject any or all RFP without assigning any reason whatsoever.

Nilesh Ghag
+91 95948 88584
ARCHITECT / PMC
Dilip Sanghvi Consultants
+91 91676 49099
(Sagar)



CJI plans SC judges' panel to modernise judicial infra

Dhananjay Mahapatra
[@timesgroup.com](https://twitter.com/timesgroup.com)

New Delhi: To shore up the justice delivery system, groaning under the burden of over three crore pending cases, Chief Justice of India N V Ramana has unveiled an ambitious plan to set up a National Judicial Infrastructure Corporation (NJIC) to build modern and self-sufficient judicial infrastructure across India.

In the two-day-long deliberations with high court chief justices in four sessions on June 1 and 2, the CJI said poor infrastructure was proving to be a major stumbling block in delivery of justice and shared his vision for creation of NJIC, which according to him would be tasked to build "comprehensive, self-contained, all-inclusive and modern court complexes across the country to augment judicial infrastructure".

Though most CJIs in the past two decades have highlighted the deficient infrastructure, especially in smaller towns and rural areas, as a major stumbling block for speedy delivery of justice, the judiciary had always remained dependent on the mercy of state and central governments for



CJI N V Ramana said poor infrastructure was proving to be a major stumbling block in delivery of justice and shared his vision for creation of the National Judicial Infrastructure Corporation

grants to augment its infrastructure, including the use of information technology.

The proposal for NJIC creation appears timely, but much will depend on what characteristics it will have in its final shape and the command under which it will build modern complexes.

Justice Ramana's plan envisages that the NJIC will be managed by a CJI-led committee comprising SC judges who will become CJIs in future. The commit-

tee will also include finance secretaries to the Union/state governments and HC CJIs having long tenures. Under the new proposal, states would be required to fund modern court complexes through a one-time grant.

The pandemic-caused disruption of physical hearings and courts functioning virtually has given rise to the urgent need for augmenting the video-conferencing systems in trial courts, especially in rural areas.

India clears long-pending ₹50k cr stealth subs project

Rajat.Pandit@timesgroup.com

New Delhi: India on Friday formally cleared the decks for the long-pending Rs 50,000 crore (almost \$7 billion) project to construct six new-generation stealth submarines with foreign collaboration, as part of the plan to counter China's expanding naval footprint in the Indian Ocean.

The Rajnath Singh-led defence acquisitions council approved the tender or request for proposal to be issued to defence shipyard Mazagon Docks and private ship-builder L&T for the mega 'Make in India' conventional submarine-building programme called 'Project-75 India' (P-75). The two will tie-up with one of the five shortlisted



The stealth submarines are part of India's plan to counter China's expanding naval footprint

first of these six diesel-electric submarines with a capacity to carry a total of 18 land-attack cruise missiles. "The selection of the winning bid and the actual contract will take well over a year. Thereafter, the first submarine will be built in another seven years, with one following every subsequent year," said an official.

HC junks Juhi's lawsuit against 5G, fines ₹20L

New Delhi: Terming it an "abuse of process of law", the Delhi high court on Friday said actor **Juhi Chawla** filed her plea for "publicity", slapping a cost of Rs 20 lakh while dismissing her suit against roll out of 5G network in India, reports **Abhinav Garg**.

Justice J R Midha slammed Chawla and her co-plaintiffs for filing a "defective" plea and for wasting the court's time and said the cost will be used to help road accident victims.

The HC took a dim view of Chawla's conduct to gain publicity where she posted the link for online hearing of court proceedings on her social media profiles, saying it resulted in repeated



PROPERTY SPECIAL OFFER

ANDHERI (W) READY POSSESSION

1 BHK ₹1.10 CR* Onwards | **2 BHK ₹2.30 CR* Onwards**

- Near Andheri Sports Complex & Metro Station
- No GST & No Floor Rise

8749059059
RERA: PS1800007083

TIMES inter

टेंडर्स आणि नोटिसा

टेंडर्स

GARWARE CLUB HOUSE

(A Company Incorporated u/s. 25 of Companies Act, 2013)
Regd. Office: Wankhede Stadium, 'D' Road, Churchgate, Mumbai 400 020.
CIN: U92100MH1993NPL071488
Tel.(Off) : 022 4332 33 00 / 33
E-mail: info@garwareclub.co.in
Website: www.garwareclub.co.in

Invites Sealed Tenders from reputed Contractors with expertise and experience of 3 years who have carried similar type of works as under :-

- A. PROVIDING AND INSTALLATION OF MULTI-SPORT TURF
- B. PROVIDING AND INSTALLATION OF KIDS AREA.

Each Tender Form with full details will be available on cash payment of Rs.3,000/- (non-refundable) at the Club House Office from 7th to 11th June, 2021 between 11.30 am and 5.00 pm.

The Club reserves the right to accept / reject any or all tenders without assigning any reason thereof.

(B. V. ACHARYA)
ADMINISTRATION
EXECUTIVE

LIC

भारतीय आयुर्विमा महामंडळ
भारतीय जीवन बीमा निगम
LIFE INSURANCE CORPORATION OF INDIA

मुंबई विभागीय कार्यालय - 1 योगेश्वर इमारत, पूर्व स्कंध, दुसरा मजला, जे. बी. मार्ग नरिमन पॉईंट, मुंबई - 400 021.
दूरध्वनी क्र.: 022/66599035/66599038
ईमेल: os.mumbai-d01@licindia.com

भाडेपट्टीवर कार्यालय परिसराची आवश्यकता

भारतीय आयुर्विमा महामंडळ शाखा कार्यालय 883 आणि 904 साठी व्यक्ती/ फर्म कडून भाडेपट्टीवर आधारित प्रत्येक शाखेसाठी जवळपास 5000 वर्ग फूट कार्पेट क्षेत्रासाठी (±05% क्षेत्रात फरक स्वीकारला जाईल) विशेषतः तळमजल्यावरील कार्यालय परिसर माड्याने पाहिजे आहे. चर्चगेट आणि नरिमन पॉईंट मधील योगेश्वर इमारतीमधून 1 किमी अंतराच्या आतील परिसर क्षेत्राला प्राथमिकता

DM RFP NOTICE

Sealed RFP are invite for Self Redevelopment of Khernagar Nandadeep CHSL, Bldg No. 25, Khernagar, Bandra East, Mumbai - 51 having plot area of 1,564.50 SQM. RFP are available free of cost at Room No.1371, Khernagar Nandadeep CHSL till 10/06/2021 between 11AM to 2PM on submission of request letter.

The Society reserves its right to accept or reject any or all RFP without assigning any reason whatsoever.

Nilesh Ghag
+91 95948 88584

ARCHITECT / PMC
Dilip Sanghvi Consultants
+91 91676 49099
(Sagar)

सार्वजनिक नोटीस

PUBLIC NOTICE
It is inform that my clients Mr. Jijender Kumar Trehan S/o Late Shri Des Raj Trehan & his wife Mrs. Subhash Trehan have severed all their relations with their son Rajat Trehan and dis-owned their son Rajat Trehan as he is not under their control. Rajat has never been an obedient, dutiful and responsible son. So, he has been dis-owned by my clients through this Public Notice. Anyone dealing with Rajat Trehan shall be doing the same at his or her own risk and responsibility. My clients have debarred their son Rajat Trehan from all their movable and immovable properties.
Bijender Singh Yadav, Advocate
Chamber No. 463 Distt. Courts, Sector 12, Faridabad #9899033285

जाहीर नोटीस

सर्व सबाधताना माहता दण्यात येते की, "आरती इंडस्ट्रीज लिमिटेड द्वारा भूखंड क्र. डी-53, एमआयडीसी डोंबिवली फेज II, जिल्हा ठाणे, महाराष्ट्र येथे सक्रिय औषध निर्माण घटक (एपीआय) निर्मिती सुविधेच्या" प्रस्तावित प्रकल्पास पर्यावरण, वन मंत्रालय व पर्यावरण बदल यांनी पत्र संख्या IA-J-11011/140/2021-IA.II(I) दिनांक 27 मे 2021 द्वारे मंजुरी दिली आहे. सदर पर्यावरणीय समंती पत्राची प्रत महाराष्ट्र प्रदूषण नियंत्रण मंडळाकडे तसेच वन मंत्रालयाच्या <https://parivesh.nic.in> वेबसाइटवर उपलब्ध आहे.
दिनांक: 27.05.2021

आरती इंडस्ट्रीज लिमिटेड
अधिकृत सहीघारक

कंपनीवर बडगा

बदलापूरमधील वायुगळतीप्रकरणी एमपीसीबीची कारवाई

म. टा. वृत्तसेवा, बदलापूर

बदलापूर पूर्वोत्तल एमआयडीसीन गुरुवारी रात्री झालेल्या वायुगळतीच्या गंभीर घटनेनंतर, महाराष्ट्र प्रदूषण नियंत्रण मंडळाने (एम्पीसीबी) तत्काळ कंपनीविरोधात कारवाईचे पकल ठरवले आहे. पंडळाने अधिकार्यांनी वायुगळती झालेल्या मळेबास इंटरमिडिएट प्रायव्हेट कंपनीची शुकुवाची पाहणी केली. कंपनीच्या प्रकल्पात तांत्रिक दोष असल्याने, ती त्वरित कंपनीच्या व्यक्तीनाला जबाबदार धरण्यात आले असून कंपनीला 'काम बंद'चे आदेश देण्यात येणार आहे. एम्पीसीबी काल्याचे प्रादेशिक अधिकारी शंकर खाचमारे यांनी ही अहिती दिली.

बदलापूर पूर्व मागाशील निरगाध भागात असलेल्या एमआयडीसीतील लोकांम इंटरमिडिएट भा. लि. या कंपनीत



पशुखाद्य बनवण्यासाठी लागणाऱ्या कच्च्या मालाची निर्मिती केली जाते. या कंपनीतून गुरुवारी रात्री ११ वाजण्याच्या सुमारास अचानक वायुगळती सुरू झाली होती. त्यामुळे शिरगाव, आपटेवाडी, दत्तवाडी, कात्रप, गावदेवी या दारूत लोकवस्तीच्या भागात एकच खळबळ उडाली. वायुगळतीमुळे या भागातील हजारो रहिवाशांना डोक्यात जळजळ, श्वास

वायूचा दाब वाढल्याने दुर्घटना

या कंपनीतून सल्फ्युरिक, नायट्रिक आणि इतर दोन प्रकारच्या वायूंचे मिश्रण असलेल्या वायूची गळती झाली. या प्रकल्पातील वायूचा दाब नियंत्रित न झाल्याने हा वायू बाहेर पडला असावा, असा अंदाज 'एम्पीसीबी'चे अधिकारी शंकर खाचमारे यांनी व्यक्त केला. हा वायू नागरिकांच्या आरोग्यास हानिकारक असल्याबाबतही अधिकार्यांनी दुजोरा दिला.

घेण्यास त्रास, उलट्या, खोकला यांसारखा त्रास जाणवू लागला होता. या वायुगळतीची तीव्रता एवढी होती की, रस्त्यावरून जाणाऱ्या चालणालकांनाही मोठा त्रास झाला. या घटनेची माहिती मिळताच बदलापूर अग्निशमन दलाच्या जवानांनी तातडीने धाव घेत एक तासाच्या आत वायुगळतीवर नियंत्रण मिळवले. मात्र रात्री उशिरापर्यंत परिसरात दुर्गंधी पसरली होती.

लककरच बँक

अंकरनाथ, बदलापूर एमआयडीसीतील अनेक कंपन्यांमध्ये वायुगळती तसेच अपघातांच्या घटना सध्या येत असतात. यसायनिक कंपन्यांनी नियमित तपासणी आणि पाहणी होणे अपेक्षित आहे. मात्र, संबंधित पदे रिक्त असल्याने कंपनीतील तपासण घेत नसल्याची माहिती सुत्रांनी दिली. या पद्धतशीर, लककरच एमआयडीसी, एमआयडीसी आणि इतर संबंधित प्रशासकीय विभागांमधील संयुक्त बैठक घेण्याचा निर्णय अशास्त्राधी प्रारंभिक बैठकीत शंकर खाचमारे यांनी राबित केले.

खंडणीसाठी कुटुंब ओलिस

म.टा. प्रतिनिधी, नागपूर

बिल्डरच्या घरात घुसून त्याच्या कुटुंबीयांना ५० लाख रुपयांच्या खंडणीसाठी ओलिस ठेवण्यात आले. ही धक्कादायक घटना शुकुवारी दुपारी हुडकेश्वर पोलिस ठाण्याच्या हद्दीतील पिपळा फाटा परिसरात घडली. या घटनेने संपूर्ण शहरात खळबळ उडाली. पोलिसांनी प्रसंगवधान राखत वरच्या माळ्यावरून प्रवेश करित आरोपीला शिताफीने अटक केली.

जितेंद्र तुळशीराम बिसेन (१९) असे आरोपीचे, तर राजू रघुजी वैद्य (५१) असे फिर्यादीचे नाव आहे.

पोलिस उपायुक्त डॉ. अक्षय शिंदे, गुन्हेशाखा उपायुक्त गजानन राजमाने, सहाय्यक आयुक्त नीलेश पालवे, वरिष्ठ पोलिस निरीक्षक प्रताप भोसले व साथ्या वेशातील पोलिस कर्मचारी-पट्टनस्थळी दाखल झाले. घराच्या मागच्या बाजूला दहीहंडीप्रमाणे एकमेकांच्या खांद्यांवर उभे राहून पोलिस पहिल्या माळ्यावर चढले व घरात शिरून सर्वांची सुटका केली.



पश्चिम उपनगातील ओंभिवरा येथील उग्रसिंघाना या रहिवासी इमारतीला शुकुवारी सकाळी आग लागली. आगीत कनेक्टरांनी यंत्रितहानी झाल्याचे वृत्त आहे. ही 'लेव्हल-२' वर्गावारीतील आग होती. आगीमुळे घराचे मोठे नुकते उठल्याने कधी काळी परिसरात भयाचे साम्राज्य निर्माण झाले होते. अग्निशमन दलाने यंत्रांचे प्रयत्न करून ही आग विझवली.



डोक्यात मिरचीपूड टाकून सोनसाखळी खेचली

करोनाबाधित नसतानाही १२ जणांवर उपचार

म. टा. वृत्तसेवा, मिरा भाईंदर

करोना मान्यता रद्द

करत असे. रुग्णालयातून नमुने घेऊन जाण्याचे काम स्वस्तिक या प्रयोगशाळेचे

संवाद

रविवार, ६ जून २०२१

आर्थिक अरिष्टाचे राजकीय अर्थशास्त्र

आर्थिक प्रगतीचा दर उणे ७.३ टक्के झाल्यामुळे, देशात निराशेचे वातावरण निर्माण झाले आहे. बऱ्याच अर्थतज्ज्ञांच्या मते योग्य उपाययोजना केली, तरी आर्थिक परिस्थिती सुधारायला काही वेळ लागेल आणि नेहमीसारखा दृष्टिकोन ठरवून पाहण्याची आवश्यकता पडू शकते.



- डॉ. भालचंद्र मुण्णेकर

बावन्न हजारी शेअर बाजार...



देशातल्या अनेक सर्वसामान्य नागरिकांच्या जीवनात गंभीर आर्थिक परिस्थिती असताना, नेमके शेअर बाजारात कोण आणि का गुंतवणूक करत आहे, असा प्रश्न ऐरणीवर आला आहे. कोरोनासारख्या अरिष्टातून शेअर बाजाराकडे बघण्याची दृष्टी आणि चर्चा बदलते आहे.

- धर्मशेखर टिळक

...तरी सेन्सेक्स जोमात

सर्वोच्च मानांकित ३० कंपन्यांच्या बाजारमूल्यातून रचलेला सेन्सेक्स, हा लाखो लघू उद्योगांनी भरगच्च असलेल्या भारतीय अर्थव्यवस्थेपेक्षा खूप निराळा असतो. उच्चांक गाठणारा सेन्सेक्स खरेच आपल्या अर्थव्यवस्थेचे द्योतक आहे का? चूक किंवा बरोबर असे काहीच नसते.

- संजय नाटेकर



अग्निशमन दलाने यंत्रांचे प्रयत्न करून ही आग विझवली. आगीमुळे घराचे मोठे नुकते उठल्याने कधी काळी परिसरात भयाचे साम्राज्य निर्माण झाले होते. अग्निशमन दलाने यंत्रांचे प्रयत्न करून ही आग विझवली.

ULR NO: TCS15023000006927F

TEST REPORT

NAME & ADDRESS OF CUSTOMER: M/s. Aarti Pharmed Labs Ltd. (API Dombivli)
 Plot No. C-53-60, MIDC Phase II, Kalyan Shil Road,
 Dombivli (E) 421704

REPORT NO : SA1/FM/59/All D/SSM/23-24-1361
REPORT DATE : 06/09/2023
CUSTOMER REF : 4580029003
REF DATE : 22/05/2023

SAMPLE TYPE: SCRUBBER STACK EMISSION MONITORING

SAMPLE REGISTRATION NO. : (SSM/23-24-1361)
LOCATION : Scrubber Stack D-52
SAMPLING PLAN & METHOD NO : (As Per Reference Method)
SAMPLE COLLECTED BY : SKYLAB
SAMPLING DATE : 29/08/2023
STACK HEIGHT FROM GL : 13 Meters
SAMPLING TIME : 12:30 PM
SHAPE OF STACK : Round
ANALYSIS START DATE : 30/08/2023
MATERIAL OF STACK : MS
ANALYSIS COMPLETE DATE : 05/09/2023
FUEL USED (CONSUMPTION) : NA

Sr. No	Test Parameter	Unit	Result	Limit ^a	Reference Method
1	Dimension of Stack	m	0.3	NA	
2	C/S area of stack	m ²	0.071	NA	
3	Temperature	°C	39	NA	SI 1257 (Part 1)
4	Velocity	m/s	5.7	NA	SI 1255 (Part 1)
5	Flue Gas Discharge	Nm ³ /hr	1479.7	NA	SI 1255 (Part 1)
6	Total Particulate Matter (TPM)	mg/m ³	22.3	150	SI 1255 (Part 1)
7	Acid Mist	mg/Nm ³	8.7	35	EPA Method 9a

NA: Not Applicable. ^a As per MPCB Consent

Opinion/Observation: Analyzed parameters in above tested sample are within limit as per MPCB consent to customer.

Verified by

A. Kolhe

Sr. Analyst



For SKYLAB ANALYTICAL LABORATORY

H. Handhore

Technical Manager
 Authorized Signatory

END OF REPORT

- The report is to be kept only for the client. It is not to be used for any other purpose.
- The report is confidential & cannot be used without the written permission of SKYLAB Analytical Laboratory.
- An actual and signed copy of this report by the person(s) authorized to do so is to be submitted to the client.

ULR NO: TC51502300006504F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:
 M/s. Aarti Pharmed Labs Ltd. (API Dombivli)
 Plot No. D-53-60, MIDC Phase II, Kalyan Shil Road,
 Dombivli (E) 421204

REPORT NO : SA/JFM/58/MIDC/NAM/023-24-0334;
REPORT DATE : 06/09/2023
CUSTOMER REF : 4580029003
REF DATE : 22/05/2023

SAMPLE TYPE:
 SAMPLE REGISTRATION NO. : AAM/023-24-0334)
 SAMPLING PLAN & METHOD NO.: As per Reference Method
 SAMPLING DATE : 28/08/2023 TO 29/08/2023
 SAMPLING TIME : 11:25 AM TO 11:25 AM
 ANALYSIS START DATE : 30/08/2023
 ANALYSIS COMPLETE DATE : 06/09/2023

AMBIENT AIR QUALITY MONITORING
 LOCATION : Plot No. D-53 Nr. Main Gate
 SAMPLING DURATION : 24 HRS
 SAMPLE COLLECTED BY : SKYLAB
 AMBIENT TEMPERATURE : 28°C TO 36°C
 HUMIDITY : 70 % TO 78 %

Sr. No.	Test Parameter	Unit	Result	Limit*	Reference Method
1	Particulate Matter as PM ₁₀	µg/m ³	58.3	100	IS 5182, (Part - 23)
2	Particulate Matter as PM _{2.5}	µg/m ³	31.5	10	IS: 5182, (Part 24)
3	Sulphur Dioxide (SO ₂)	µg/m ³	9.2	80	IS 5182, (Part - 2)
4	Nitrogen Dioxide (NO ₂)	µg/m ³	32.4	80	IS: 5182, (Part - 6)
5	Ozone (O ₃)	µg/m ³	<20	180	Method 911, Methods of Air Sampling and Analysis, 3rd Edition
6	Carbon Monoxide (CO)	ppm	0.43	95	IS 5182 (Part 10)
7	Ammonia (NH ₃)	µg/m ³	25.2	400	Method 401, Methods of Air Sampling and Analysis, 3rd Edition
8	Benzene (C ₆ H ₆)	µg/m ³	<0.1	5	IS 5182 (Part 11)
9	Benz(a)pyrene	ng/m ³	<1	1	IS 5182 (Part 12)
10	Metal-Lead	µg/m ³	<0.1	1	Method 822, Methods of Air Sampling and Analysis, 3rd Edition
11	Metal-Arsenic	ng/m ³	<1	5	Method 302, Methods of Air Sampling and Analysis, 3rd Edition
12	Metal-Nickel	ng/m ³	<0.5	20	Method 822, Methods of Air Sampling and Analysis, 3rd Edition

* As per NAAQMS Guidelines 2009, N5, Not Specified

Opinion/Observation: Analyzed parameters in above tested sample are within standard limit as per NAAQMS Guidelines

Verified by

A. Kolhe

Sr. Analyst



For SKYLAB ANALYTICAL LABORATORY

Handwritten Signature

Technical Manager
 Authorized Signatory

END OF REPORT

- This report reflects analysis only for the sample tested and is not valid for any other sample.
- This report is confidential & cannot be reproduced in any form without the permission of Sky Lab Analytical Laboratory.
- Any violation of terms or including part of the report in any person's log or etc. will attract the full legal action against them by Sky Lab Analytical Laboratory.

ULR NO: TC515023D00006515F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:
 M/s. Aarti Pharamalabs Ltd. (API Dombivali)
 Plot No. D-53-60, MIDC Phase II, Kalyan Shil Road,
 Dombivali (E)-421204

REPORT NO : SAL/FM/59/AICD/DGSM/23-24-03921
REPORT DATE : 06/09/2023
CUSTOMER REF : 4580029003
REF DATE : 22/05/2023

SAMPLE TYPE: DG STACK EMISSION MONITORING

SAMPLE REGISTRATION NO. : DGSM 123-24-03921
LOCATION : D. G. Stack (250 Kw) ID 51
SAMPLING PLAN & METHOD NO. : As per Reference Method
SAMPLE COLLECTED BY : SKYLAB
SAMPLING DATE : 28/08/2023
STACK HEIGHT : 6 Meters
SAMPLING TIME : 12:30 PM
SHAPE OF STACK : Round
ANALYSIS START DATE : 30/08/2023
MATERIAL OF STACK : MS
ANALYSIS COMPLETE DATE : 05/09/2023
FUEL USED (CONSUMPTION) : Diesel 15 Lit./hr

Sr. No.	Test Parameter	Unit	Result	Limit*	Reference Method
1	Dimensions of Stack	m	0.13	NA	
2	Cross section area of Stack	m ²	0.018	NA	
3	Temperature	°C	110	NA	IS 11735 (Part 1)
4	Velocity	m/s	8.0	NA	IS 11735 (Part 1)
5	Flue Gas Discharge	Nm ³ /hr	392.5	NA	IS 11735 (Part 1)
6	Total Particulate Matter (TSPm)	mg/Nm ³	40.1	150	IS 11735 (Part 1)
7	Sulphur Dioxide (SO ₂)	mg/Nm ³	16.9	MS	IS 11735 (Part 2)
8	Sulphur Dioxide (SO ₂)	kg/Day	0.33	MS	IS 11735 (Part 2)
9	Nitrogen Oxide (NO _x)	mg/Nm ³	44.1	MS	IS 11735 (Part 2)
10	Nitrogen Oxide (NO _x)	ppm	21.5	MS	IS 11735 (Part 2)

MS: Not Specified * As per MFLB Consent

Opinion/Observation: Analyzed parameters in above tested sample are within limit as per specified standard

Verified by


 Sr. Analyst



For SKYLAB ANALYTICAL LABORATORY


 Technical Manager
 Authorized Signatory

END OF REPORT

- This report reflects findings only for the sample tested and is valid only for use and place of issue only.
- This report is confidential and should be produced in person to the client. It is not to be used for any other purpose.
- Any other DOA/Agencies/Institutions if they require any further information, please contact Sky Lab Analytical Laboratory.

Page 1 of 1

ULR NO: TC51502300006534F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:
 M/s. Aarti Pharamlabs Ltd. (API Dombivli)
 Plot No. D-53 GC, MIDC Phase II, Kalyan Shil Road,
 Dombivli (E), 421204.

REPORT NO : SAL/FM/61/AILO/VW(2) 74 900
REPORT DATE : 02/09/2023
CUSTOMER REF : 4580029009
REF DATE : 22/05/2023


SAMPLE TYPE:
 SAMPLE REGISTRATION NO. : (WWW/23-29-960)
 SAMPLING PLAN & METHOD NO. : IS 3025 Part 1: 1987 RA 2019
 SAMPLING DATE : 28/05/2023
 SAMPLE RECEIPT DATE : 29/06/2023
 ANALYSIS START DATE : 02/08/2023
 ANALYSIS COMPLETE DATE : 02/09/2023

EFFLUENT WATER ANALYSIS
 LOCATION : CTP D-53 Inlet
 SAMPLE SPECIFICATION: Waste Water
 SAMPLE COLLECTED BY: SKY LAB
 SAMPLE QUANTITY : 2 Ltr.

Sr. No.	Parameters	Units	Result	Reference Method
1	pH		6.64	IS 3025 (Part 1)
2	Total suspended solids	mg/L	126	IS 3025 (Part 1)
3	Total dissolved solids	mg/L	826	IS 3025 (Part 1)
4	Chemical Oxygen Demand (COD)	mg/L	193	IS 3015 (Part 1)
5	Biochemical Oxygen Demand (BOD)	mg/L	55.4	IS 3015 (Part 1)
6	Oil & Grease	mg/L	8.2	IS 3025 (Part 2)
7	Sulphate (SO ₄)	mg/L	118	IS 3025 (Part 2)
8	Chloride	mg/L	83	IS 3025 (Part 2)
9	Phosphorus (ppm)	mg/L	<0.001	IS 3025 (Part 2)

Verified by

For SKYLAB ANALYTICAL LABORATORY



Sr. Analyst




Technical Manager
 Authorized Signatory

ND OF REPORT

- 1. The report will be valid only for the lab's sample and instrument used, for the analysis of non-hazardous.
- 2. The report is valid only for the test performed by the lab. It is not valid for any other lab.
- 3. The report is valid only for the test performed by the lab. It is not valid for any other lab.

SALAC24230901617

Page 2 of 2

ULR NO: TCS1502300006539F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:	REPORT NO : SAL/FM/61/AILD/WW(23-24-965)
M/s. Aarti Pharmalabs Ltd. (API Dombivali)	REPORT DATE : 02/09/2023
Plot No. D-53-60, MIDC Phase II, Kalyan Shill Road,	CUSTOMER REF : 4580029003
Dombivali (E).421204.	REF DATE : 22/05/2023

SAMPLE TYPE:	EFFLUENT WATER ANALYSIS
SAMPLE REGISTRATION NO. : WW(23-24-965)	LOCATION : D-53 ETP Outlet
SAMPLING PLAN & METHOD NO.: IS 3025 Part 1:1987 RA 2019	SAMPLE SPECIFICATION : Waste Water
SAMPLING DATE : 28/08/2023	SAMPLE COLLECTED BY: SKYLAB
SAMPLE RECEIPT DATE : 29/08/2023	SAMPLE QUANTITY : 2 Ltrs
ANALYSIS START DATE : 30/08/2023	
ANALYSIS COMPLETE DATE : 02/09/2023	

Sr. No.	Parameters	Units	Result	Limit [#]	Reference Method
1	pH	-	7.58	5.5 - 9.0	IS 3025 (Part 11)
2	Total suspended solids	mg/L	85	100	IS 3025 (Part 17)
3	Total dissolved solids	mg/L	826	NS	IS 3025 (Part 16)
4	Chemical Oxygen Demand (COD)	mg/L	210	250	IS 3025 (Part 58)
5	Biochemical Oxygen Demand (BOD)	mg/L	24	30	IS 3025 (Part 44)
6	Oil & Grease	mg/L	7.4	10.0	IS 3025 (Part 39)
7	Sulphate, SO ₄	mg/L	461	1000	IS 3025 (Part 24)
8	Chloride	mg/L	176	600	IS 3025 (Part 32)
9	Phenolic compounds	mg/L	<0.001	1.0	IS 3025 (Part 43)

NS: Not Specified. #: As per MPCB Consent

Opinion/Observation: Analyzed parameters in above tested sample are within limit as per specified standard.

Verified by

For SKYLAB ANALYTICAL LABORATORY

A. Kolhe

Sr. Analyst



[Signature]

Technical Manager
Authorized Signatory

END OF REPORT

- This report reflects findings only for the above sample tested/monitored and only for time and place of monitoring/testing.
- This report is confidential & cannot be re-produced in part or full without permission of SKYLAB Analytical Laboratory.
- Any attempt of forgery or misleading use of this report by any person/organization etc will attract suitable legal action against them by SkyLab Analytical Laboratory.

URL NO: TC51502300006541F

TEST REPORT

NAME & ADDRESS OF CUSTOMER: M/s. Aarti Pharmed Labs Ltd. (API Dombivli) Plot No. D-53-60, MIDC Phase II, Kalyan Sh II Road, Dombivli (E)-421204.		REPORT NO : SAL/1M/61/MIDC/WW/23-29-36/1
SAMPLE TYPE:		REPORT DATE : 02/09/2023
SAMPLE REGISTRATION NO. : W42123-24-5671	SAMPLING PLAN & METHOD NO. : IS 3025 Part 1, 1987 (A) 2019	CUSTOMER REF : 4580029004
SAMPLING DATE : 28/08/2023	SAMPLE RECEIPT DATE : 29/08/2023	REF DATE : 22/05/2023
ANALYSIS START DATE : 30/08/2023	ANALYSIS COMPLETE DATE : 02/09/2023	EFFLUENT WATER ANALYSIS
		LOCATION : STP Inlet D-53
		SAMPLE SPECIFICATION : Waste Water
		SAMPLE COLLECTED BY : SKYLAB
		SAMPLE QUANTITY : 2 Ltrs.

Sr. No.	Parameters	Units	Result	Reference Method
1	pH	-	6.69	IS 3025 (Part 1)
2	Total suspended solids	mg/L	285	IS 3025 (Part 1)
3	Total dissolved solids	mg/L	1050	IS 3025 (Part 1)
4	Chemical Oxygen Demand (COD)	mg/L	1266	IS 3025 (Part 5)
5	Biochemical Oxygen Demand (BOD)	mg/L	334.1	IS 3025 (Part 4)
6	OT & G value	mg/L	7	IS 3025 (Part 3)

Verified by

For SKYLAB ANALYTICAL LABORATORY

Kolhe

Sr. Analyst



[Signature]

Technical Manager
 Authorized Signatory

END OF REPORT

1. This report is for information only for the above sample tested/monitored and only for time and place of monitoring/analysis.
 2. This report is confidential & cannot be reproduced in part or full without permission of SKYLAB Analytical Laboratory.
 3. In case of any error or misreading, use of this report by any person/organization etc. will be their sole responsibility.

SALAC24230901624

URL NO: TC51502300006542F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:
 M/s. Aarti Pharmafabs Ltd. (API Dombivali)
 Plot No. D-53-50, MIDC Phase I, Kalyan Shilp Road,
 Dombivali (E), 421204.

REPORT NO : SAL/FM/61/ALD/VW/23-24-068
REPORT DATE : 02/09/2023
CUSTOMER REF : 4580029003
REF DATE : 22/05/2023

SAMPLE TYPE:
 \$AMPLE REGISTRATION NO. : VW/23-24-0681
 SAMPLING PLAN, METHOD NO.: S-3025 Part 1:1987 (M 2019)
 SAMPLING DATE : 28/08/2023
 SAMPLE RECEIPT DATE : 29/08/2023
 ANALYSIS START DATE : 30/08/2023
 ANALYSIS COMPLETE DATE : 02/09/2023

EFFLUENT WATER ANALYSIS
 LOCATION : SIP Outlet D-53
 SAMPLE SPECIFICATION : Waste Water
 SAMPLE COLLECTED BY: SKY LAB
 SAMPLE QUANTITY : 2 ltr.

Sr. No.	Parameters	Units	Result	Limit*	Reference Method
1	F ⁻		6.85	5.5 - 9.0	S-3025 (Part 1.3)
2	Total suspended solids	mg/L	40	100	S-3025 (Part 1.4)
3	Total dissolved solids	mg/L	170	45	S-3025 (Part 1.6)
4	Chemical Oxygen Demand (COD)	mg/l	165	250	S-3025 (Part 1.8)
5	Biochemical Oxygen Demand (BOD)	mg/l	20	50	S-3025 (Part 1.4)
6	O ₂ & Grease	mg/L	6.6	20.0	S-3025 (Part 1.9)

NS: Not Specified, * As per MPCB Consent

Opinion/Observation: Analyzed parameters in above tested sample are within limit as per specified standard

Verified by

For SKYLAB ANALYTICAL LABORATORY

Pralbe

Sr. Analyst



END OF REPORT

Handwritten Signature

Technical Manager
 Authorized Signatory

- This report is for the client's use only for the above stated test parameters and only for the time and place of monitoring/testing.
- This report is not to be used for any other purpose without the permission of Sky Lab Analytical Laboratory.
- Any attempt of forgery or misreading of this report by any unauthorized organization etc. will attract suitable legal action against them by Sky Lab Analytical Laboratory.

UCLR NO: TC515023000006516F

TEST REPORT

NAME & ADDRESS OF CUSTOMER: M/s. Aarti Pharmed Labs Ltd. (Aarti Dombivli)
 Plot No. D-53-60, MIDC Phase II, Kalyan Shi'l Road,
 Dombivli (E) 421204.

REPORT NO : SAL/EM/60/AIID/DW/23-24-516
REPORT DATE : 02/09/2023
CUSTOMER REF : 4580029003
REF DATE : 27/05/2023

SAMPLE TYPE: DRINKING WATER ANALYSIS

SAMPLE REGISTRATION NO. : DW(23-24-0516)
SAMPLING PLAN & METHOD NO. : IS 10500:2012
SAMPLING DATE : 28/08/2023
SAMPLE RECEIPT DATE : 30/08/2023
ANALYSIS START DATE : 30/08/2023
ANALYSIS COMPLETE DATE : 02/09/2023

LOCATION : Cantier
SAMPLE SPECIFICATION : Drinking Water
SAMPLE COLLECTED BY : SKYLAB
SAMPLE QUANTITY : 2Ltr.

Sr. No.	Test Parameter	Unit	Result	Limit*	Reference Method
1	Colour	Hazen Unit	<2	5	IS 3025 (Part 4)
2	Odour	-	Agreeable	Agreeable	IS 3025 (Part 5)
3	Turbidity	NTU	<1	5	IS 3025 (Part 10)
4	pH	-	7.44	6.5 - 8.5	IS 3025 (Part 11)
5	Hardness (total)	mg/L	83	200	IS 3025 (Part 21)
6	Chloride	mg/L	33	250	IS 3025 (Part 32)
7	Residual free Chlorine (RFC)	mg/L	0.2	>0.2	IS 3025 (Part 25)
8	Fluoride	mg/L	<0.1	1	IS 3025 (Part 60)
9	Total dissolved Solids	mg/L	200	500	IS 3025 (Part 15)
10	Calcium	mg/L	18	75	IS 3025 (Part 40)
11	Sulphate SO4	mg/L	9	200	IS 3025 (Part 42)
12	Nitrate	mg/L	<0.01	25	IS 3025 (Part 34)
13	Heavy metal compounds	mg/L	<0.001	0.001	IS 3025 (Part 43)
14	Cyanide as CN	mg/L	<0.02	0.05	IS 3025 (Part 22)
15	Anionic Detergent	mg/L	<0.01	0.2	IS 13428 (Annexure 8)
16	Alkalinity	mg/L	56	200	IS 3025 (Part 23)

ND: Not Detected, NS: Not Specified * As per IS 10500:2012

Opinion/Observation: Analyzed parameters in above tested sample are within limit as per specified standard.

Note: Above Parameters Analyzed as per IS 10500:2012.

Verified by

AKolhe

Sr. Analyst



For SKYLAB ANALYTICAL LABORATORY

Handwritten Signature

Technical Manager

Authorized Signatory

END OF REPORT

- This report refers strictly only to the actual sample tested/inspected and only to the time and place of issuance/issuance.
- This report is confidential & cannot be produced in part or full without permission of Sky Lab Analytical Laboratory.
- An analytical laboratory is not liable for its use, and as an analytical organization, it cannot assume legal liability against any party for its use.

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharamalabs Ltd. (API Dombivali)
 Plot No. D-53-60, MIDC Phase II, Kalyan Shil' Road,
 Dombivali (E) 421204.

REPORT NO : SAL/FM/60/AILD/OW(23-24-516)

REPORT DATE : 02/09/2023

CUSTOMER REF : 4580029003

REF DATE : 22/05/2023

SAMPLE TYPE:

SAMPLE REGISTRATION NO. : OW(23-24-0516)
 SAMPLING PLAN & METHOD NO. IS 10500:2012
 SAMPLING DATE : 28/08/2023
 SAMPLE RECEIPT DATE : 30/08/2023
 ANALYSIS START DATE : 30/08/2023
 ANALYSIS COMPLETE DATE : 02/09/2023

DRINKING WATER ANALYSIS

LOCATION : Carbeen
 SAMPLE SPECIFICATION : Drinking Water
 SAMPLE COLLECTED BY: SKYLAB
 SAMPLE QUANTITY : 2ltrs

Sr. No.	Test Parameter	Unit	Result	Limit*	Reference Method
18	Barium as B	mg/L	<0.1	1	IS 3025 (Part 57)
19	Zinc	mg/L	0.46	5	IS 3025 (Part 49)
20	Metal-Aluminium	mg/L	0.02	0.03	IS 3025 (Part 2)
21	Metal-Arsenic	mg/L	<0.01	<0.01	IS 3025 (Part 2)
22	Metal-Cadmium	mg/L	<0.01	0.01	IS 3025 (Part 2)
23	Metal-Copper	mg/L	<0.05	0.05	IS 3025 (Part 2)
24	Metal-Iron	mg/L	0.22	0.3	IS 3025 (Part 2)
25	Metal-Lead	mg/L	<0.01	0.05	IS 3025 (Part 2)
26	Metal-Magnesium	mg/L	<1	30	IS 3025 (Part 46)
27	Metal-Manganese	mg/L	<0.05	0.1	IS 3025 (Part 2)
28	Metal-Mercury	mg/L	<0.001	0.001	IS 3025 (Part 48)
29	Metal-Selenium	mg/L	<0.01	0.01	IS 3025 (Part 2)

ND: Not Detected; NS: Not Specified; * As per IS 10500:2012

Opinion/Observation: Analyzed parameters in above tested sample are within limit as per specified standard.

Note: Above Parameters Analyzed as per IS 10500:2012.

Verified by

For SKYLAB ANALYTICAL LABORATORY



Sr. Analyst

Technical Manager
 Authorized Signatory

END OF REPORT

- This report reflects findings only for the above sample tested/analyzed and only for time and place of monitoring/testing.
- This report is confidential & cannot be reproduced in part or full without permission of SKYLAB Analytical Laboratory.
- Any attempt of forgery or misusing use of this report by any person/organization will attract suitable legal action against them by SkyLab Analytical Laboratory.

TEST REPORT

NAME & ADDRESS OF CUSTOMER:

M/s. Aarti Pharmed Labs Ltd. (APL Dombivli)
 Plot No. D-53-60, MIDC Phase II, Kalyan Shilp Road,
 Dombivli (E), 412204.

REPORT NO : SAL/FM/50/ALD/DW/23-24-5161

REPORT DATE : 02/09/2023

CUSTOMER REF : 4580029003

REF DATE : 22/05/2023

SAMPLE TYPE:

DRINKING WATER ANALYSIS

SAMPLE REGISTRATION NO. DW/23-24-0516)

LOCATION : Carter

SAMPLING PLAN & METHOD NO.: IS 10500:2012

SAMPLE SPECIFICATION : Drinking Water

SAMPLING DATE : 29/08/2023

SAMPLE RECEIPT DATE : 30/08/2023

SAMPLE COLLECTED BY: SKYLAB

ANALYSIS START DATE : 30/08/2023

SAMPLE QUANTITY : 2Lts

ANALYSIS COMPLETE DATE : 02/09/2023

Sr. No.	Test Parameter	Unit	Result	Limit*	Reference Method
1	Mineral Oil	mg/l	<0.5	0.5	IS 4025 (Part 3)
2	Chromium, hexavalent	mg/l	<0.01	0.05	IS 3025 (Part 2)
3	Poly nuclear Aromatic Hydrocarbons (PAH)	mg/l	ND	NI	APHA 25rd Ed. 8640
4	Pesticides	mg/l	ND	Absent	APHA 22nd Ed. 6400.8
5	Taste	-	Agreeable	Agreeable	APHA 22nd Ed. 2150.5
6	Total Coliform	MPN/100 ml	Absent	Absent	IS 1632-1981
7	E-Coli	100 ml	Absent	Absent	IS 1632-1981

ND: Not Detected, NI: Not Specified. As per IS 10500:2012. For Total Coliform & E Coli can be considered as Absent.

Opinion/Observation: Analyzed parameters in above tested sample are within limit as per specified standard.

Note: Above Parameters Analyzed as per IS 10500:2012.

Verified by

For SKYLAB ANALYTICAL LABORATORY



Sr. Analyst

Technical Manager
 Authorized Signatory

END OF REPORT

- This report is valid only for the above sample registered and sent, for time and place of monitoring/testing.
- This report is valid only if it is signed by the authorized person of SKYLAB Analytical Laboratory.
- This report is not valid if it is used for any other purpose without the written consent of the Sky Lab Analytical Laboratory.

SALNAC24230900349

UJR NO: TC51502300006533F

TEST REPORT

NAME & ADDRESS OF CUSTOMER:	REPORT NO : SAL/FM/58/ALD/WP123-24-03261
M/s. Aarti Pharmed Labs Ltd. (API Dombivali)	REPORT DATE : 06/08/2023
Floor No. D-53-60, MIDC Phase II, Kalyan-Shel Road,	CUSTOMER REF : 4587079001
Dombivali (E), 421204.	REF DATE : 22/05/2023

SAMPLE TYPE:	WORKPLACE AIR QUALITY MONITORING
SAMPLE REGISTRATION NO. : WP123-24-03261	LOCATION : D-53 Nr 55B-01
SAMPLING DATE : 06/08/2023	SAMPLE COLLECTED BY: SKYLAB
SAMPLING TIME : 10:50AM	
ANALYSIS START DATE : 06/08/2023	
ANALYSIS COMPLETE DATE : 06/09/2023	

Sr. No.	Test Parameter	Unit	Result	Limit*	Reference Method
1	Suspended Particulate Matter (SPM)	mg/m ³	0.088	10	IS 1521 Part 1A
2	Sulphur Dioxide (SO ₂)	mg/m ³	0.02	5	IS 1521 Part 1
3	Nitrogen Dioxide (NO ₂)	mg/m ³	0.03	5	IS 1521 Part 1E
4	Volatile Organic Compounds (VOC)	ppm	0.1	NS	PPA Method A-111

NS - Not Specified * As per Factories Act

Opinion/Observation: Analyzed parameters in above tested sample are within stipulated limit as per Factories Act.

Verified by

A. Solhe

Sr. Analyst



END OF REPORT

For SKYLAB ANALYTICAL LABORATORY

Hemudhore

Technical Manager

Authorized Signatory

- This report is valid only for the sample tested and only for the kind and scope of monitoring/testing.
- This report is confidential & cannot be reproduced in part or full without permission of SKYLAB Analytical Laboratory.
- Any attempt to mislead or misreading use of this report by any person/organization will be taken as a legal offense against them at SKYLAB Analytical Laboratory.

ULR NO: TC515023000006354F

TEST REPORT

NAME & ADDRESS OF CUSTOMER: M/s. Aarti Pharamlabs Ltd. (API Dombivli) Plot No. D-53 60, MIDC Phase II, Kalyan Shil Road, Dombivli (E), 421 204.		REPORT NO : SAL/TM/11/A/LD/ ANM (23-24 143B) REPORT DATE : 06/09/2023 CUSTOMER REF : 4580020003 REF DATE : 22/05/2023
SAMPLE TYPE: SAMPLE REGISTRATION NO. : ANM (23-24-143B) SAMPLING PLAN & METHOD NO.: As per Reference Method SAMPLING DATE : 28/08/2023		AMBIENT NOISE LEVEL MONITORING SAMPLE COLLECTED BY : SKYLAB SAMPLING TIMING(DAY) : 11:40AM SAMPLING TIMING(NIGHT): 10:30 PM

Sr. No.	Location Name	Noise Level dB (A)		Reference Method
		Min	Max	
1.	DAY Plot No. 53	56.8	63.9	IS 9850
	NIGHT Plot No. 53	53.7	60.5	

Opinion/Observation: Noise Level is meeting requirements as per CPCB Guidelines.

Note:

Category Area/ Zone	Limits in dB (A)	
	Day Time (6.00 Hrs to 22.00 Hrs)	Night Time (22.00 Hrs to 6.00 Hrs)
Industrial Area	75	70
Commercial Area	65	55
Residential Area	55	45
Silence Zone	50	40

Verified by

AKolhe

Sr. Analyst

For SKYLAB ANALYTICAL LABORATORY



Handwritten Signature

Technical Manager

Authorized Signatory

END OF REPORT

- The report is valid only for the above sample used/analyzed and only for time and date of analysis mentioned.
- The results are confidential & can't be reproduced without the permission of Sky Lab Analytical Laboratory.
- Any statement, litigation or misquoting use of this report by any party in any media shall affect the legal liability against them & Sky Lab Analytical Laboratory.

URL NO: TC51502300006557F

TEST REPORT

NAME & ADDRESS OF CUSTOMER: M/s. Aarti Pharamalabs Ltd. (API Dombivli)
 Plot No. D-53-60, MIDC, Phase II, Kalyan Shil Road,
 Dombivli (E)-421204

REPORT NO : SAL/EM/117/ AILD/ENM(23-24-91C)
REPORT DATE : 06/09/2023
CUSTOMER REF : 458007003
REF DATE : 22/05/2023

SAMPLE TYPE: DG SET NOISELEVEL MONITORING

SAMPLE REGISTRATION NO. : DGNM(23-24-91C)
SAMPLING PLAN & METHOD NO.: As per Reference Method
SAMPLING DATE : 26/28/2023

SAMPLE COLLECTED BY : SKYLAB
SAMPLING TIME : 12:30 PM

Sr No.	Location Name	Capacity of DG (KVA)	Noise Level dB (A)		Insertion Loss
			Enclosure Open	Enclosure Closed	
J	DG - 4, U-53	750			
A	East side		95.6	69.9	25.7
B	West Side		96.6	70.8	25.8
C	South Side		97.5	71.9	25.6
D	North side		94.8	69.0	25.8

Opinion/Observation: Noise Level is meeting requirements as per MPCB Consent.

Note: Insertion Loss due to Acoustic Enclosure shall be more than 25 dB (A).

Verified by

FRolhe

Sr. Analyst



For SKYLAB ANALYTICAL LABORATORY

Handwritten Signature

Technical Manager
 Authorized Signatory

END OF REPORT

- This report is valid only for the above named test/monitoring and on a fee time and price of monitoring/testing.
- This report is confidential & cannot be reproduced or put to full without permission of SKYLAB Analytical Laboratory.
- Any reuse of images or misuse of use of this report by any person/organization will be treated as illegal application against firm by SkyLab Analytical Laboratory.