

To,
The Director ,
Ministry of environment & forests and climate change ,
Regional office,(WCZ),
Ground Floor,East Wing,
New Secretarial Building ,
Civil Lines,Nagpur -440001

Date: 25 .04.2024

Subject : Regarding the Half-Yearly compliance report for the period of October 2023 to March 2024

Reference : Environmental clearance letter no.SEIAA-EC-0000000255 dated 26 April 2018 granted by SEIAA ,Govt.Of Maharashtra

Dear Sir,

With reference to the above mentioned subject ,We are enclosing herewith the EC condition compliance report for the period of October 2023 to March 2024 with respect to the above mentioned Reference of environment Clearance for proposed expansion of industrial project at plot E-50 MIDC Tarapur ,Dist -Palghar. SEAC-I considered the project under screening category 5(f)B of EIA Notification 2006

The compliance report is supported with required documents .

Thanking You

for Aarti Pharmalabs Ltd
(Formerly known as Aarti Industries Ltd)



Authorized signatory

CC:

- 1.The regional officer,
Central pollution control Board ,
Parivesh Bhawan ,Atmajyoti Ashram Rd,
Opp.VMC Ward Office No.10,Shubhanpura ,
Vadodara,Gujarat 390023
2. The Sub Regional office.
Maharashtra pollution control Board ,
Tarapur ,MIDC.
3. The Regional office.
Maharashtra pollution control Board ,
Thane.

Abhi
29/4/24
SIS REGIONAL OFFICE
M. P. C. BOARD
G.I.D.C. COLONY COMPOUND
TARAPUR - 401 504.
TAL & DIST.- PALGHAR

AARTI PHARMALABS LIMITED

www.aartipharmalabs.com | CIN : U24100GJ2019PLC110964 | Email : info@aartipharmalabs.com

Factory : Unit - IV, Plot No. E-50, MIDC, Tarapur, Taluka & District- Palghar, Pin - 401506, Maharashtra, INDIA, T: +91 8983035452, 8983065452 | F: (02525) 661092
Head Office : 71, Udyog Kshetra, 2nd Floor, Mulund Goregaon Link Road, Mulund (W), Mumbai - 400 080, INDIA, T: 00-91-22-67976666, 67976697, 25918195 | F: 00-91-22-25904806, 25653185 / 3234
Regd. Office : Plot No. 801/23, G.I.D.C. Estate, Phase - III, Vapi-396195, Dist- Valsad, Gujarat, INDIA.

AARTI PHARMALABS LIMITED

Plot E-50, MIDC Tarapur, Boisar

Compliance to the conditions of the Environment Clearance granted to M/s. Aarti Pharmalabs Ltd. Plot E-50, MIDC, Tarapur, Dist: Palghar 401506

(File No : SEIAA STATEMENT 00000000684/ SEIAA- Minutes 0000000374/ SEIAA EC-0000000255 Dated 19th April 2018 for the period October 2023 to March 2024)

| EC Condition NO. | EC condition details | Compliance Status |
|------------------|--|-------------------|
| 2. | It is noted that the proposal is considered by SEAC-I under screening category 'B' Category, schedule 5(f) as per EIA Notification 2006. | Noted and Agreed. |

AARTI PHARMALABS LIMITED

Plot E-50, MIDC Tarapur, Boisar

| | | |
|---|--|--------------------------|
| 3 to 21 | Brief Information of the project submitted by Project Proponent is as: | Noted and Agreed. |
| Name of the Project | Expansion of Bulk Drug Manufacturing Capacity | |
| Type of institution | Private | |
| Name of Project proponent | Mr. Sanjay Vinayak Gokhale | |
| Name of Consultant | Green Circle, Inc. | |
| Type of Project | Industrial project at MIDC Tarapur | |
| New project / expansion in existing projects/ modernization/ diversification in existing project | Expansion in Existing Project. | |
| Location of the Project | Plot No, E-50, MIDC Tarapur, Tehsil: Palghar, District: Palghar, Maharashtra, India | |
| Taluka | Palghar | |
| Village | MIDC Area, Tarapur | |
| Correspondence Name: | Mr. Sanjay Vinayak Gokhale | |
| Room Number: | Plot no, E-50 | |
| Floor: | NA | |
| Building Name: | M/s. Aarti Industries ltd. | |
| Road/Street Name: | MIDC Tarapur | |
| Locality: | MIDC Tarapur | |
| City: | Tehsil- Palghar, Dist - Palghar, State- Maharashtra. | |
| 11.Area of the project | MIDC Area, Tarapur | |
| 12.IOD/IOA/Concession/Plan Approval Number | PLN/184/2006/VAM/2018/Vasai. Date: 28/07/2006 IOD/IOA/Concession/Plan Approval Number: | |

AARTI PHARMALABS LIMITED

Plot E-50, MIDC Tarapur, Boisar

| Sl. No. | Drug Name | Strength | Quantity | Weight | Production MT | | Status |
|---------|--------------------------|----------|----------|--------|---------------|---------------|----------|
| | | | | | Month | Production MT | |
| 05 | Capecitabine | 0.25 | 0.95 | 1.20 | Month | Production MT | Complied |
| | | | | | Oct.-23 | 0.0000 | |
| | | | | | Nov.-23 | 0.0000 | |
| | | | | | Dec.-23 | 0.0000 | |
| | | | | | Jan.-24 | 0.0000 | |
| | | | | | Feb.-24 | 0.0000 | |
| | | | | | Mar.-24 | 0.0000 | |
| 06 | Benazepril Hydrochloride | 0.30 | 4.80 | 5.10 | Month | Production MT | Complied |
| | | | | | Oct.-23 | 0.0000 | |
| | | | | | Nov.-23 | 0.8449 | |
| | | | | | Dec.-23 | 0.0000 | |
| | | | | | Jan.-24 | 0.0000 | |
| | | | | | Feb.-24 | 0.0000 | |
| | | | | | Mar.-24 | 0.0000 | |
| 07 | Perindopril Erbumine | 0.30 | 2.20 | 2.50 | Month | Production MT | Complied |
| | | | | | Oct.-23 | 0.0000 | |
| | | | | | Nov.-23 | 0.0000 | |
| | | | | | Dec.-23 | 0.0000 | |
| | | | | | Jan.-24 | 0.0000 | |
| | | | | | Feb.-24 | 0.0000 | |
| | | | | | Mar.-24 | 0.0000 | |
| 08 | Budesonide | 0.10 | 0.40 | 0.50 | Month | Production MT | Complied |
| | | | | | Oct.-23 | 0.1456 | |
| | | | | | Nov.-23 | 0.1487 | |
| | | | | | Dec.-23 | 0.0560 | |
| | | | | | Jan.-24 | 0.0000 | |
| | | | | | Feb.-24 | 0.1865 | |
| | | | | | Mar.-24 | 0.0333 | |
| 09 | Bicalutamide | 0.30 | 0.70 | 1.00 | Month | Production MT | Complied |
| | | | | | Oct.-23 | 0.0000 | |
| | | | | | Nov.-23 | 0.0000 | |
| | | | | | Dec.-23 | 0.0000 | |
| | | | | | Jan.-24 | 0.0000 | |
| | | | | | Feb.-24 | 0.0000 | |
| | | | | | Mar.-24 | 0.0000 | |

AARTI PHARMALABS LIMITED

Plot E-50, MIDC Tarapur, Boisar

| | | | | | | | |
|----|-------------------------|------|------|------|---------|---------------|----------|
| 10 | Fluticasone Propionate | 0.05 | 0.75 | 0.80 | Month | Production MT | Complied |
| | | | | | Oct.-23 | 0.0704 | |
| | | | | | Nov.-23 | 0.0000 | |
| | | | | | Dec.-23 | 0.0000 | |
| | | | | | Jan.-24 | 0.1073 | |
| | | | | | Feb.-24 | 0.0482 | |
| | | | | | Mar.-24 | 0.0000 | |
| 11 | Mometasone Furoate | 0.15 | 0.35 | 0.50 | Month | Production MT | Complied |
| | | | | | Oct.-23 | 0.1130 | |
| | | | | | Nov.-23 | 0.0780 | |
| | | | | | Dec.-23 | 0.1149 | |
| | | | | | Jan.-24 | 0.1532 | |
| | | | | | Feb.-24 | 0.1167 | |
| | | | | | Mar.-24 | 0.1426 | |
| 12 | Triamcinolone Acetonide | 0.18 | 0.32 | 0.50 | Month | Production MT | Complied |
| | | | | | Oct.-23 | 0.0000 | |
| | | | | | Nov.-23 | 0.0000 | |
| | | | | | Dec.-23 | 0.0000 | |
| | | | | | Jan.-24 | 0.0000 | |
| | | | | | Feb.-24 | 0.0000 | |
| | | | | | Mar.-24 | 0.0000 | |
| 13 | Ifosmide | 0.10 | 0.90 | 1.00 | Month | Production MT | Complied |
| | | | | | Oct.-23 | 0.0000 | |
| | | | | | Nov.-23 | 0.0821 | |
| | | | | | Dec.-23 | 0.0000 | |
| | | | | | Jan.-24 | 0.0000 | |
| | | | | | Feb.-24 | 0.0000 | |
| | | | | | Mar.-24 | 0.0000 | |

AARTI PHARMALABS LIMITED

Plot E-50, MIDC Tarapur, Boisar

| Sl. No. | Drug Name | Demand | Supply | Balance | Production | | Status |
|---------|-------------------------------------|--------|--------|---------|------------|---------------|----------|
| | | | | | Month | Production MT | |
| 14 | Irinotecan Hydrochloride Trihydrate | 0.01 | 0.00 | 0.01 | Month | Production MT | Complied |
| | | | | | Oct.-23 | 0.0000 | |
| | | | | | Nov.-23 | 0.0000 | |
| | | | | | Dec.-23 | 0.0000 | |
| | | | | | Jan.-24 | 0.0000 | |
| | | | | | Feb.-24 | 0.0000 | |
| | | | | | Mar.-24 | 0.0000 | |
| 15 | Mercaptopurine | 0.18 | 2.30 | 2.48 | Month | Production MT | Complied |
| | | | | | Oct.-23 | 0.2062 | |
| | | | | | Nov.-23 | 0.0971 | |
| | | | | | Dec.-23 | 0.0000 | |
| | | | | | Jan.-24 | 0.0000 | |
| | | | | | Feb.-24 | 0.0000 | |
| | | | | | Mar.-24 | 0.3967 | |
| 16 | Mesna | 0.10 | 0.90 | 1.00 | Month | Production MT | Complied |
| | | | | | Oct.-23 | 0.0000 | |
| | | | | | Nov.-23 | 0.1616 | |
| | | | | | Dec.-23 | 0.4921 | |
| | | | | | Jan.-24 | 0.1572 | |
| | | | | | Feb.-24 | 0.2416 | |
| | | | | | Mar.-24 | 0.0000 | |
| 17 | Ranolazine | 0.42 | 5.48 | 5.90 | Month | Production MT | Complied |
| | | | | | Oct.-23 | 4.2722 | |
| | | | | | Nov.-23 | 5.1878 | |
| | | | | | Dec.-23 | 0.8681 | |
| | | | | | Jan.-24 | 4.4181 | |
| | | | | | Feb.-24 | 4.0000 | |
| | | | | | Mar.-24 | 4.0000 | |

AARTI PHARMALABS LIMITED

Plot E-50, MIDC Tarapur, Boisar

| | | | | | | | |
|----|----------------------------|------|------|------|---------|---------------|----------|
| 18 | Lacidipine | 0.10 | 0.00 | 0.10 | Month | Production MT | Complied |
| | | | | | Oct.-23 | 0.0000 | |
| | | | | | Nov.-23 | 0.0000 | |
| | | | | | Dec.-23 | 0.0000 | |
| | | | | | Jan.-24 | 0.0000 | |
| | | | | | Feb.-24 | 0.0000 | |
| | | | | | Mar.-24 | 0.0000 | |
| 19 | R-Salbutamol Sulphate | 0.05 | 0.00 | 0.05 | Month | Production MT | Complied |
| | | | | | Oct.-23 | 0.0000 | |
| | | | | | Nov.-23 | 0.0000 | |
| | | | | | Dec.-23 | 0.0000 | |
| | | | | | Jan.-24 | 0.0000 | |
| | | | | | Feb.-24 | 0.0000 | |
| | | | | | Mar.-24 | 0.0000 | |
| 20 | Levalbuteral Hydrochloride | 0.05 | 0.20 | 0.25 | Month | Production MT | Complied |
| | | | | | Oct.-23 | 0.0243 | |
| | | | | | Nov.-23 | 0.0744 | |
| | | | | | Dec.-23 | 0.0000 | |
| | | | | | Jan.-24 | 0.0000 | |
| | | | | | Feb.-24 | 0.0000 | |
| | | | | | Mar.-24 | 0.0690 | |
| 21 | Salmeterol Xinafoate | 0.01 | 0.09 | 0.10 | Month | Production MT | Complied |
| | | | | | Oct.-23 | 0.0118 | |
| | | | | | Nov.-23 | 0.0000 | |
| | | | | | Dec.-23 | 0.0145 | |
| | | | | | Jan.-24 | 0.0145 | |
| | | | | | Feb.-24 | 0.0146 | |
| | | | | | Mar.-24 | 0.0000 | |

AARTI PHARMALABS LIMITED

Plot E-50, MIDC Tarapur, Boisar

| 22 | Ipratropium Bromide | 0.05 | 0.45 | 0.50 | Month | Production MT | Complied |
|---------|---------------------|------|------|------|---------|---------------|----------|
| | | | | | Oct.-23 | 0.0377 | |
| Nov.-23 | 0.0000 | | | | | | |
| Dec.-23 | 0.0683 | | | | | | |
| Jan.-24 | 0.0000 | | | | | | |
| Feb.-24 | 0.0000 | | | | | | |
| Mar.-24 | 0.0914 | | | | | | |

| 23 | Quetiapine Fumarate | 0.70 | 4.80 | 5.50 | Month | Production MT | Complied |
|---------|---------------------|------|------|------|---------|---------------|----------|
| | | | | | Oct.-23 | 0.0000 | |
| Nov.-23 | 0.0000 | | | | | | |
| Dec.-23 | 0.0000 | | | | | | |
| Jan.-24 | 1.9320 | | | | | | |
| Feb.-24 | 0.0000 | | | | | | |
| Mar.-24 | 0.0000 | | | | | | |

| 24 | Adapalene | 0.05 | 0.45 | 0.50 | Month | Production MT | Complied |
|---------|-----------|------|------|------|---------|---------------|----------|
| | | | | | Oct.-23 | 0.0000 | |
| Nov.-23 | 0.0612 | | | | | | |
| Dec.-23 | 0.0000 | | | | | | |
| Jan.-24 | 0.0318 | | | | | | |
| Feb.-24 | 0.0000 | | | | | | |
| Mar.-24 | 0.0000 | | | | | | |

AARTI PHARMALABS LIMITED

Plot E-50, MIDC Tarapur, Boisar

| Sl. No. | Drug Name | Strength | Quantity | Value | Production Data | | Compliance Status |
|---------|---------------------------------------|----------|----------|-------|-----------------|---------------|-------------------|
| | | | | | Month | Production MT | |
| 25 | Bupropion Hydrochloride | 0.75 | 7.25 | 8.00 | Month | Production MT | Complied |
| | | | | | Oct.-23 | 3.3206 | |
| | | | | | Nov.-23 | 0.0000 | |
| | | | | | Dec.-23 | 0.0000 | |
| | | | | | Jan.-24 | 0.9090 | |
| | | | | | Feb.-24 | 1.9492 | |
| | | | | | Mar.-24 | 0.3204 | |
| 26 | Temozolomide | 0.02 | 0.00 | 0.02 | Month | Production MT | Complied |
| | | | | | Oct.-23 | 0.0000 | |
| | | | | | Nov.-23 | 0.0000 | |
| | | | | | Dec.-23 | 0.0000 | |
| | | | | | Jan.-24 | 0.0000 | |
| | | | | | Feb.-24 | 0.0000 | |
| | | | | | Mar.-24 | 0.0000 | |
| 27 | Azathioprine | 0.50 | 2.00 | 2.50 | Month | Production MT | Complied |
| | | | | | Oct.-23 | 0.0000 | |
| | | | | | Nov.-23 | 0.0000 | |
| | | | | | Dec.-23 | 0.0000 | |
| | | | | | Jan.-24 | 0.0000 | |
| | | | | | Feb.-24 | 0.0000 | |
| | | | | | Mar.-24 | 0.0000 | |
| 28 | Benazapril Hydrochloride polymorph B. | 0.23 | 0.77 | 1.00 | Month | Production MT | Complied |
| | | | | | Oct.-23 | 0.0000 | |
| | | | | | Nov.-23 | 0.0000 | |
| | | | | | Dec.-23 | 0.0000 | |
| | | | | | Jan.-24 | 0.0000 | |
| | | | | | Feb.-24 | 0.0000 | |
| | | | | | Mar.-24 | 0.0000 | |

AARTI PHARMALABS LIMITED

Plot E-50, MIDC Tarapur, Boisar

| Sl. No. | Drug Name | Strength | Quantity | Batch No. | Production Data | | Status |
|---------|-----------------------|----------|----------|-----------|-----------------|---------------|----------|
| | | | | | Month | Production MT | |
| 29 | Ciclesonide | 0.01 | 0.04 | 0.05 | Month | Production MT | Complied |
| | | | | | Oct.-23 | 0.0000 | |
| | | | | | Nov.-23 | 0.0000 | |
| | | | | | Dec.-23 | 0.0000 | |
| | | | | | Jan.-24 | 0.0000 | |
| | | | | | Feb.-24 | 0.0000 | |
| | | | | | Mar.-24 | 0.0000 | |
| 30 | Cyclophosphamide | 0.20 | 0.30 | 0.50 | Month | Production MT | Complied |
| | | | | | Oct.-23 | 0.0000 | |
| | | | | | Nov.-23 | 0.0000 | |
| | | | | | Dec.-23 | 0.0000 | |
| | | | | | Jan.-24 | 0.0000 | |
| | | | | | Feb.-24 | 0.0000 | |
| | | | | | Mar.-24 | 0.0000 | |
| 31 | Diflunisal | 0.23 | 1.57 | 1.80 | Month | Production MT | Complied |
| | | | | | Oct.-23 | 0.0000 | |
| | | | | | Nov.-23 | 0.0000 | |
| | | | | | Dec.-23 | 0.0000 | |
| | | | | | Jan.-24 | 0.0000 | |
| | | | | | Feb.-24 | 0.0000 | |
| | | | | | Mar.-24 | 0.0000 | |
| 32 | Loteprednol Etabonate | 0.05 | 0.20 | 0.25 | Month | Production MT | Complied |
| | | | | | Oct.-23 | 0.0000 | |
| | | | | | Nov.-23 | 0.0000 | |
| | | | | | Dec.-23 | 0.0000 | |
| | | | | | Jan.-24 | 0.0000 | |
| | | | | | Feb.-24 | 0.0000 | |
| | | | | | Mar.-24 | 0.0000 | |

AARTI PHARMALABS LIMITED

Plot E-50, MIDC Tarapur, Boisar

| Sl. No. | Drug Name | Min. Qty | Max. Qty | Target Qty | Production Data | | Compliance |
|---------|--------------------------------|----------|----------|------------|-----------------|---------------|------------|
| | | | | | Month | Production MT | |
| 33 | Mometasone Furoate Monohydrate | 0.01 | 0.09 | 0.10 | Oct.-23 | 0.0000 | Complied |
| | | | | | Nov.-23 | 0.0234 | |
| | | | | | Dec.-23 | 0.0489 | |
| | | | | | Jan.-24 | 0.0364 | |
| | | | | | Feb.-24 | 0.0000 | |
| | | | | | Mar.-24 | 0.0358 | |
| | | | | | | | |
| 34 | Perindopril Arginine | 0.10 | 0.40 | 0.50 | Oct.-23 | 0.0448 | Complied |
| | | | | | Nov.-23 | 0.0241 | |
| | | | | | Dec.-23 | 0.0000 | |
| | | | | | Jan.-24 | 0.0000 | |
| | | | | | Feb.-24 | 0.0000 | |
| | | | | | Mar.-24 | 0.0000 | |
| | | | | | | | |
| 35 | Phenylephrine HCL | 2.50 | 5.00 | 7.50 | Oct.-23 | 0.0000 | Complied |
| | | | | | Nov.-23 | 0.1354 | |
| | | | | | Dec.-23 | 0.0000 | |
| | | | | | Jan.-24 | 0.0000 | |
| | | | | | Feb.-24 | 0.5095 | |
| | | | | | Mar.-24 | 0.5108 | |
| | | | | | | | |
| 36 | Other Bulk Drugs | 0.50 | 0.00 | 0.50 | Oct.-23 | 0.0423 | Complied |
| | | | | | Nov.-23 | 0.0130 | |
| | | | | | Dec.-23 | 0.0340 | |
| | | | | | Jan.-24 | 0.0370 | |
| | | | | | Feb.-24 | 0.1060 | |
| | | | | | Mar.-24 | 0.2144 | |
| | | | | | | | |
| 37 | Desonide | 0.00 | 0.10 | 0.10 | Oct.-23 | 0.0000 | Complied |
| | | | | | Nov.-23 | 0.0000 | |
| | | | | | Dec.-23 | 0.0000 | |
| | | | | | Jan.-24 | 0.0000 | |
| | | | | | Feb.-24 | 0.0572 | |
| | | | | | Mar.-24 | 0.0000 | |
| | | | | | | | |

AARTI PHARMALABS LIMITED

Plot E-50, MIDC Tarapur, Boisar

| Sl. No. | Product Name | Capacity (MT) | Production (MT) | Compliance | Production Data | |
|---------|------------------------|---------------|-----------------|------------|-----------------|---------------|
| | | | | | Month | Production MT |
| 38 | Leval Buterol Tartrate | 0.00 | 0.25 | 0.25 | Oct.-23 | 0.0000 |
| | | | | | Nov.-23 | 0.0000 |
| | | | | | Dec.-23 | 0.0000 |
| | | | | | Jan.-24 | 0.0000 |
| | | | | | Feb.-24 | 0.0000 |
| | | | | | Mar.-24 | 0.0000 |
| | | | | | Complied | |
| 39 | Perindopril A.Polymers | 0.00 | 1.00 | 1.00 | Oct.-23 | 0.0000 |
| | | | | | Nov.-23 | 0.0000 |
| | | | | | Dec.-23 | 0.0000 |
| | | | | | Jan.-24 | 0.0000 |
| | | | | | Feb.-24 | 0.0000 |
| | | | | | Mar.-24 | 0.0210 |
| | | | | | Complied | |

Water Budget:

Total Water Requirement:

Existing = 104 m³/day
 Proposed = 141 m³/day
 Fresh water (CMD): 245
 Source: MIDC, Tarapur.

Use of Water:

Cooling Water (CMD): 138
 Industrial Process (CMD): 90
 Domestic (CMD): 15
 Gardening (CMD): 02

Complied.

Water Consumption Data as per MIDC bills is as below:

| Month | Total water consumption (KL/Month) | Average water consumption (CMD) |
|---------|------------------------------------|---------------------------------|
| Oct.-23 | 2652 | 85.54 |
| Nov.-23 | 2530 | 84.33 |
| Dec.-23 | 2456 | 79.22 |
| Jan.-24 | 2277 | 73.45 |
| Feb.-24 | 2607 | 89.89 |
| Mar.-24 | 3265 | 105.32 |

AARTI PHARMALABS LIMITED

Plot E-50, MIDC Tarapur, Boisar

Effluent Generation :

| | Existing (CMD) | Proposed (CMD) | Total (CMD) |
|---------------------------------|--------------------------|---------------------------|-------------|
| Domestic | 8.80 | 3.20 | 12.00 |
| Industrial | 9.75 (Reaction Water) | 40.15 (Reaction Water) | 49.90 |
| Cooling Tower & Thermopack | 2.84 | 2.86 | 5.52 |
| Total Effluent Generation (CMD) | | | 55.42 |

- Amount of effluent generation is given in the table below.

| Sr. No | Month | Total Effluent Generation (M ³ /Month) | Avg. Total Effluent Generation (CMD) |
|--------|---------|---|--------------------------------------|
| 1 | Oct.-23 | 1147 | 37 |
| 2 | Nov.-23 | 1080 | 36 |
| 3 | Dec.-23 | 1147 | 37 |
| 4 | Jan.-24 | 992 | 32 |
| 5 | Feb.-24 | 1044 | 36 |
| 6 | Mar.-24 | 1178 | 38 |

Effluent generation is well within Limits.

- The Unit has become a Zero Liquid Discharge plant (ZLD), the entire effluent is treated and recycled back as cooling tower make-up.
- Our Unit has become ZLD same as also mentioned in our CTO, is attached as **Annexure-II**. Being a ZLD unit, no effluent is discharged to CETP.

Effluent Characteristics:

| Sr. No. | Parameters (Mg/L. Except pH) | Inlet Effluent | Outlet Effluent | Effluent Discharge Standards |
|---------|------------------------------|----------------|-----------------|------------------------------|
| 1. | pH | 4.42 | 7.74 | 5.5-9.0 |
| 2. | COD | 18400 | 208 | 250 |
| 3. | BOD | 5152 | 41 | 30 |
| 4. | TDS | 7836 | 4408 | 2100 |
| 5. | Oil & Grease | ND | ND | 10 |

Noted and Agree.

- The Unit has become a Zero Liquid Discharge plant (ZLD), the entire effluent is treated and recycled back as cooling tower make-up as per the MPCB parameters limit.
- We regularly analyse the treated effluent and quarterly analysis by MoEF Approved laboratory.
- Refer MoEF approved laboratory analysis results **Annexure-III**.

AARTI PHARMALABS LIMITED

Plot E-50, MIDC Tarapur, Boisar

| | |
|---|--|
| Effluent Treatment System / Technology to be used For 55.42 CMD effluent treatment. | <ul style="list-style-type: none"> ZLD achieved followed by MEE,RO,Primary,Secondary Tertiary and ATFD. |
| Amount of Treated Effluent recycled : 41 CMD | Noted and Agree |
| Amount of water send to the CETP : 0.0 CMD | Not applicable as per CTO condition. Please refer Annexure - II |
| Disposal of the ETP Sludge (Sent to CHWTSDF Facility) | Complied |

| Rain Water Harvesting (RWH) : | | |
|---------------------------------------|---|-------|
| • Level of the ground water table | 3.5 m bgl | Noted |
| • Size of no. Of RWH tanks & Quantity | NA | NA |
| • Location of the RWH Tans | NA | NA |
| • Quantity of recharge pits | NA | NA |
| • Size of recharge pits | NA | NA |
| • Budgetary allocation (capital cost) | NA | NA |
| • Budgetary allocation (O&M cost) | NA | NA |
| • Details of UGRT tanks if any | 1. Toluene storage tanks: 1 No. x 18 KL 2. Methanol storage tanks: 2 Nos. x 18 KL 3. Methanol storage tanks: 3 Nos. x 18 KL 4. Acetone storage tanks: 4 Nos. x 18 KL 5. Toluene storage tanks: 7 Nos. x 18 KL 6. Ethyl acetate storage tanks: 8 Nos. x 18 KL | Noted |

| Storm water drainage : | | |
|----------------------------------|---|----------------|
| • Natural water drainage pattern | The industry is located in Tarapur MIDC area where all the facilities are available by MIDC | Noted |
| • Quantity of storm water | Not Applicable | Not Applicable |
| • Size of SWD | 1.0 m X 0.35 m | Noted & Agree |

AARTI PHARMALABS LIMITED

Plot E-50, MIDC Tarapur, Boisar

| Sewage and waste water : | | |
|---------------------------------------|----------------|----------|
| • Sewage generation in KLD | 12 CMD | Complied |
| • STP Technology | MBBR | Noted |
| • Capacity of STP (CMD) | 1 No. x 15 KLD | Complied |
| • Location & area of the STP | Proposed | Complied |
| • Budgetary allocation (capital cost) | Rs. 14 Lakhs | Complied |
| • Budgetary allocation (O&M cost) | Rs. 4 Lakhs | Complied |

| Solid waste management : | | |
|---|---|--------------------|
| Waste Generation in the pre- construction and construction phase: | | |
| • Waste Generation | Construction debris, Waste concrete, metallic waste, plastics, broken bricks etc. | Noted and complied |
| • Disposal of the construction waste debris | Construction debris, Waste concrete and broken bricks will be utilized in low-land leveling, secondary concrete, below roads. Some quantity of Excavation soil will be use for back-filling and remaining will be hand over to authorized vendor. | Noted and complied |

| Waste Generation in the Operation phase: | | |
|--|--|-----------------|
| • Dry Waste | Empty drums, Carboys, Paper waste, Empty bags etc. | Noted and Agree |
| • Wet Waste | ETP Sludge | Noted and Agree |
| • Hazardous Waste | Spent Carbon, Concentrated slurry from ETP, Residue & Waste , MEE salts etc. | Noted and Agree |
| • Biomedical Waste (If Applicable) | NA | Not Applicable |
| • STP Sludge (Dry Sludge) | 5 Kg/day | Noted and Agree |
| • Others if any | NA | Not Applicable |
| Mode of Disposal of Waste: | | |

AARTI PHARMALABS LIMITED

Plot E-50, MIDC Tarapur, Boisar

| | | |
|---|---|-----------------|
| • Dry Waste | Sale to authorized vendors | Noted and Agree |
| • Wet Waste | Sent to TSDF, Talaja for disposal | Noted and Agree |
| • Hazardous Waste | Sent to TSDF, Talaja for disposal/Sale to Authorized vendor | Noted and Agree |
| • Biomedical Waste (If Applicable) | NA | Not Applicable |
| • STP Sludge (Dry Sludge) | Used as a Bio-manure in gardening | Noted and Agree |
| • Others if any | NA | Not Applicable |
| Area Requirement | | |
| • Locations | NA | Not Applicable |
| • Area for the storage of waste & other material | 25 sq. m | Noted and Agree |
| • Area for Machinery | NA | Not Applicable |
| Budgetary allocation (Capital cost and O&M cost) | | |
| • Capital Cost | Not Applicable | Not Applicable |
| • O&M cost | Not Applicable | Not Applicable |

AARTI PHARMALABS LIMITED

Plot E-50, MIDC Tarapur, Boisar

Hazardous waste Generation and Disposal Details:

| Sr. No. | Description | Cat | UOM | Existing | Proposed | Total | Method of Disposal |
|---------|--------------------------------|------|------------|----------|----------|-------|---------------------------|
| 1 | Residue Waste | 28.1 | kg /day | 10 | 100 | 110 | TSDF, Taloja |
| 2 | Spent Carbon | 28.2 | kg /day | 20 | 120 | 140 | TSDF, Taloja |
| 3 | Chemical sludge from ETP | 34.3 | kg /day | 30 | 50 | 80 | TSDF, Taloja |
| 4 | Sludge from MEE | 37.3 | kg /day | 0 | 778 | 778 | TSDF, Taloja |
| 5 | Plastic bags & fibers | 33.3 | Nos./Month | 60 | 500 | 560 | Sale to authorized vendor |
| 6 | Oil from waste water treatment | 1.7 | Lit/M | 0 | 200 | 200 | Sale to authorized vendor |

Complied.

Our Unit Complying all the standards that are mentioned in Environmental Clearance and also following the online Manifest system of MPCB.

Last Six Month Disposed Hazardous waste details as follows:

| Sr. No. | Description | Cat | UOM | Consent Quantity | Total Quantity disposed (Oct-2023 to Mar - 2024) MT | Method of Disposal |
|---------|--------------------------|------|------------|------------------|---|--------------------------|
| 1 | Residue Waste | 28.1 | kg /day | 110 | 13.3 | CHWTSDF |
| 2 | Spent solvents | 20.2 | MT /M | 90 | 444 | Sale To Authorized Party |
| 3 | Chemical sludge from ETP | 35.3 | kg /day | 80 | 10.95 | CHWTSDF |
| 4 | Sludge from MEE | 37.3 | kg /day | 778 | 74.8 | CHWTSDF |
| 5 | Plastic bags & fibers | 33.3 | Nos./Month | 560 | 0 | Sale To Authorized Party |

AARTI PHARMALABS LIMITED

Plot E-50, MIDC Tarapur, Boisar

3.1.Stacks emission Details

| Sr. No | Section & units | Fuel Used with Quantity | Stack No. | Height from ground level (m) | Internal diameter (m) | Temp. Of Exhaust Gases | |
|--------|---|-------------------------|-----------|------------------------------|-----------------------|------------------------|--------------------------|
| 01 | Existing Boiler 1 - 0.85 TPH | FO & 50 lit/hr | 1 | 30 | 0.8 | 152 °C | Noted & Agree |
| 02 | Existing Boiler 2 - 0.85 TPH | FO & 50 lit/hr | 1 | 30 | 0.8 | 123 °C | |
| 03 | Proposed IBR Boiler - 3 TPH | FO & 180 lit/hr | 1 | 31 | 0.75 | 185 °C | |
| 04 | Proposed IBR Boiler - 5 TPH | FO & 300 lit/hr | 1 | 31 | 0.8 | 185 °C | |
| 05 | Existing D.G 1 - 500 KVA | Diesel & 80 lit/hr | 2 | 14 | 0.3 | 91 °C | |
| 06 | Existing D.G 2 - 625 KVA | Diesel & 80 lit/hr | 3 | 14 | 0.3 | 82 °C | |
| 07 | Existing Thermic fluid heater - 2.0 lacs Kcal | FO & 25 lit/hr | 4 | 30 | 0.8 | 73 °C | |
| 08 | Existing Thermic fluid heater - 2.0 lacs Kcal | FO & 25 lit/hr | 4 | 30 | 0.8 | 73 °C | |
| 09 | Block 1 (Existing) Scrubber 1 | - | 5 | 25 | 0.4 | Ambient | |
| 10 | Block 1 (Proposed) Scrubber 2 | - | 6 | 25 | 0.4 | Ambient | |
| 11 | Block 2 (Existing) - Scrubber 3 | - | 5 | 25 | 0.4 | Ambient | |
| 12 | Block 3 (Existing) - Scrubber 4 | - | 5 | 25 | 0.4 | Ambient | |
| 13 | Block 3 (Proposed) - Scrubber 5 | - | 6 | 25 | 0.4 | Ambient | |
| 14 | Block 3 (Proposed) - Scrubber 6 | - | 6 | 25 | 0.4 | Ambient | |
| 15 | Block 4 (Existing) - Scrubber 7 | - | 5 | 25 | 0.4 | Ambient | |

AARTI PHARMALABS LIMITED

Plot E-50, MIDC Tarapur, Boisar

3.2 Details of Fuel to be used:

| Sr. No. | Type of Fuel | Existing | Proposed | Total | Last Six Month Data of Coal Consumption | | | | | | | | | | | | | | | | | | | | | |
|-----------|--------------|---------------|---------------|---------------|---|-------|-------|--------------|-----------|-------|------|-----------|-------|-------|-----------|-------|-------|-----------|-------|------|-----------|------|------|-----------|-------|------|
| 1. | Furnace Oil | 1365 L/day | 4000 L/day | 5365 L/day | Complied ,we are using Biodiesel. | | | | | | | | | | | | | | | | | | | | | |
| 2. | HSD | 85 L/day | 500 L/day | 585 L/day | <p>Complied, our D.G. Set HSD fuel consumption is well within limit the data as follows:</p> <table border="1" style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th>Month</th> <th>Lit/M</th> <th>Lit/D (Avg.)</th> </tr> </thead> <tbody> <tr> <td>Oct.-2023</td> <td>59.52</td> <td>1.92</td> </tr> <tr> <td>Nov.-2023</td> <td>46.44</td> <td>1.548</td> </tr> <tr> <td>Dec.-2023</td> <td>36.60</td> <td>1.180</td> </tr> <tr> <td>Jan.-2024</td> <td>855.6</td> <td>27.6</td> </tr> <tr> <td>Feb.-2024</td> <td>0.00</td> <td>0.00</td> </tr> <tr> <td>Mar.-2024</td> <td>35.71</td> <td>1.15</td> </tr> </tbody> </table> | Month | Lit/M | Lit/D (Avg.) | Oct.-2023 | 59.52 | 1.92 | Nov.-2023 | 46.44 | 1.548 | Dec.-2023 | 36.60 | 1.180 | Jan.-2024 | 855.6 | 27.6 | Feb.-2024 | 0.00 | 0.00 | Mar.-2024 | 35.71 | 1.15 |
| Month | Lit/M | Lit/D (Avg.) | | | | | | | | | | | | | | | | | | | | | | | | |
| Oct.-2023 | 59.52 | 1.92 | | | | | | | | | | | | | | | | | | | | | | | | |
| Nov.-2023 | 46.44 | 1.548 | | | | | | | | | | | | | | | | | | | | | | | | |
| Dec.-2023 | 36.60 | 1.180 | | | | | | | | | | | | | | | | | | | | | | | | |
| Jan.-2024 | 855.6 | 27.6 | | | | | | | | | | | | | | | | | | | | | | | | |
| Feb.-2024 | 0.00 | 0.00 | | | | | | | | | | | | | | | | | | | | | | | | |
| Mar.-2024 | 35.71 | 1.15 | | | | | | | | | | | | | | | | | | | | | | | | |

3.3 ENERGY

Power Requirement:

| | | |
|--|---|-----------------|
| • Source of power Supply | From MSEDCL | Complied |
| • During Construction phase: (Demand load) | NA | Complied |
| • DG set as power back up during construction phase. | NA | Noted and Agree |
| • During Operation phase (Connected load): | 1200 KVA | Noted and Agree |
| • During Operation phase (Demand load): | Existing:1200KVA, proposed:800 KVA,Total:2000 KVA | Noted and Agree |
| • Transformer | Yes | Complied |
| • DG set as power back-up during operation phase: | 1 No. x 500 KVA & 1 No. x 625 KVA (Existing) | Noted and Agree |

AARTI PHARMALABS LIMITED

Plot E-50, MIDC Tarapur, Boisar

| | | |
|--|------------------|-----------------|
| ● Fuel Used | HSD : 85 Lit/Day | Complied |
| ● Details of high tension line passing through the plot if any | NA | Noted and Agree |
| Energy: Source: MSEB. Existing: 1200 KVA Proposed: 800 KVA. The maximum demand of power is 2000 KVA required. Existing: 1. DG Sets of 500 KVA. 2. DG Set of 625 KVA | Complied. | |

3.4 Energy saving by non-conventional method:

| | |
|--|--------------------------|
| Purchase of energy efficient appliances ? Constant monitoring of energy consumption and defining targets for energy conservation ? Adjusting the settings and illumination levels to ensure minimum energy used for desired comfort levels ? Economizers will be provided to utilize heat. ? Condensate will be recovered and will send back to boiler. ? Proper temperature controls will be provided to reduce load on heating systems. ? Proper load factor will be maintained by the company. ? Company will adopt good maintenance practices and will maintain good housekeeping which will help in better illumination levels with least number of fixtures. ? On most of roofs transparent acrylic sheets will be provided to use day light and to stop use of lights during day time. ? CFL/LED lamps will be provided. ? To the extent possible and technically feasible, energy efficient equipment will be selected. ? Gravity flow will be preferred wherever possible to save pumping energy. ? Recycling of water will done. | Noted & Agree |
|--|--------------------------|

Details Of Pollution Control System :

| Source | Existing Pollution Control System | Proposed To Be Installed | Status |
|-----------------------------------|---|---|----------|
| ● Air | Stack | Wet Scrubber | Complied |
| ● Water | ETP plant & STP | RO unit, MEE unit | Complied |
| ● Noise | Enclosure/PEE | Enclosure/PEE | Complied |
| ● Hazardous & Non Hazardous Waste | Proper collection/storage/disposal to TSDF, Taloja or Sale to authorized vendor | Proper collection/storage/disposal to TSDF, Taloja or Sale to authorized vendor | Complied |

AARTI PHARMALABS LIMITED

Plot E-50, MIDC Tarapur, Boisar

| | | |
|--|----------------------------------|---------------|
| Budgetary allocation (Capital Cost and O&M cost): NA | Capital Cost :NA O&M Cost: NA | Noted & Agree |
|--|----------------------------------|---------------|

Environmental Management plan Budgetary Allocation

a) Construction phase (with Break-up):

| Sr. No | Attributes | Parameter | Total Cost per annum (Rs. In Lacs) | Status |
|--------|------------------------|---|------------------------------------|---------------|
| 1 | Dust suppression | Water sprinkling, Dust mask | 0.5 | Noted & Agree |
| 2 | Green Belt development | Tree plantation | 1.0 | Complied |
| 3 | Solid waste management | Collection and disposal facility | 0.5 | Complied |
| 4 | Environment Monitoring | Monitoring charges for air, water, noise | 0.25 | Complied |
| 5 | Occupational Health | Cost of medical checkup, PPE & first aid kit and PPE, first aid facility, safe drinking water plant & sanitation measures | 1.2 | Complied |

b) Operation Phase (with Break-up):

| Sr. No | Component | Description | Capital cost Rs. In Lacs | Operational land Maintenance cost (Rs. in Lacs/yr) | Status |
|--------|---------------------------------------|--|--------------------------|--|----------|
| 1 | Air Pollution Control | Installation of wet scrubber and stacks | 40 | 10 | |
| 2 | Water Pollution Control | Installation of RO, MEE | 50 | 50 | Complied |
| 3 | Noise Pollution Control | Acoustic enclosure | 0.0 | 0.5 | Complied |
| 4 | Environment Monitoring and Management | Monitoring charges for air, water, noise | - | 2.05 | Complied |
| 5 | Storm Water Management | Storm water drainage | 2 | 0.5 | Complied |

AARTI PHARMALABS LIMITED

Plot E-50, MIDC Tarapur, Boisar

| | | | | | |
|---|------------------------|---|-----|-----|--------------------------|
| 6 | Occupational Health | Cost of medical checkup, PPE & first aid kit and PPE, first aid facility, safe drinking water plant & sanitation measures | 3 | 1 | Complied |
| 7 | Green Belt | Tree plantation | 1.5 | 2.2 | Complied |
| 8 | Solid waste management | Collection and disposal facility | 5 | 1.5 | Complied |
| 9 | CSR Activity | CSR work | 10 | - | Complied Annexure - V |

AARTI PHARMALABS LIMITED

Plot E-50, MIDC Tarapur, Boisar

The proposal has been considered by SEIAA in its 126th meeting & decided to accord environmental clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of the following terms and conditions:

Specific Conditions:

| Sr No | Terms and conditions in EC | Compliance |
|-------|--|--|
| I | (i)PP to achieve Zero Liquid Discharge ; PP shall ensure that there is no increase in the effluent load to CETP. | Yes, CETP line disconnected |
| II | Proposed expansion project involves 5 TPH boiler with 31 M height | Adequate stack height provided |
| III | No additional land shall be used /acquired for any activity of the project without obtaining proper permission. | No additional land is used for any activity of the project. |
| IV | PP to take utmost precaution for the health and safety of the people working in the unit as also for protecting the environment. | Yes,work area monitoring done periodically |
| V | Proper Housekeeping programmers shall be implemented. | Proper Housekeeping Program were implemented. |
| VI | In the event of the failure of any pollution control system adopted by the unit, the unit shall be immediately put out of operation and shall not be restarted until the desired efficiency has been achieve. | Yes, agreed & noted. |
| VII | A stack of adequate height based on DG set capacity shall be provided for control and dispersion of pollutant from DG set. (If applicable). | A stack of adequate height based on DG set capacity is provided for control and dispersion of pollutant from DG set. |
| VIII | A detailed scheme for rainwater harvesting shall be prepared and implemented to recharge ground water. | Noted |
| IX | Arrangement shall be made that effluent and storm water does not get mixed. | We have made separate drainage system so that effluent & storm water does not get mixed. |
| X | Periodic monitoring of ground water shall be undertaken and results analyzed to ascertain any change in the quality of water. Results shall be regularly submitted to the Maharashtra Pollution Control Board. | Not applicable as source of water is MIDC. |

AARTI PHARMALABS LIMITED

Plot E-50, MIDC Tarapur, Boisar

| | | |
|------|--|---|
| XI | Noise level shall be maintained as per standards. For people working in the high noise area, requisite personal protective equipment like earplugs etc. shall be provided. | Noise levels are maintained as per standards by implementing various control measures. Proper PPE are provided for people working in high noise areas |
| XII | The overall noise levels in and around the plant are shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures, etc on all sources of noise generation. The ambient noise levels shall confirm to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989. | Noise levels in and around the plant are well within the standards. Noise monitoring is being done regularly. Reports for the same are attached. All reports are well within standards prescribed by MPCB. Annexure - VI |
| XIII | Green belt shall be developed & maintained around the plant periphery. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept. | Noted |
| XIV | Adequate safety measures shall be provided to limit the risk zone within the plant boundary, in case of an accident. Leak detection devices shall also be installed at strategic places for early detection and warning. | Company has full-fledged safety department with implementation & monitoring of adequate safety measures. Risk Analysis, On - Site Emergency plan is prepared and regularly updated. Leak detection system is installed at strategic places |
| XV | Occupational health surveillance of the workers shall be done on a regular basis and record maintained as per Factories Act. | Medical checkup of the all workers are regularly done. |
| XVI | The company shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. | Complied, Fire fighting system is available at project site. |
| XVII | The project authorities must strictly comply with the rules and regulations with regard to handling and disposal of hazardous wastes in accordance with the Hazardous Waste (Management and Handling) Rules, 2003 (amended). Authorization from the MPCB shall be obtained for collections/treatment/storage/disposal of hazardous wastes. | The company is strictly complying with the rules and regulations with regard to handling and disposal of hazardous waste in accordance with the Hazardous Waste (Management and Handling) Rules, 2003. We have already taken permission from CHWTSDF. Consent to establish & operate obtained from MPCB. (We have received the CTO & CTE from MPCB and we are strictly adhered to the stipulations, terms & conditions mentioned herein.) |

AARTI PHARMALABS LIMITED

Plot E-50, MIDC Tarapur, Boisar

| | | |
|-------|---|---|
| XVIII | Regular mock drills for the on-site emergency management plan shall be carried out. Implementation of changes / improvements required, if any, in the on-site management plan shall be ensured. | Regular fire and safety training's, mock drills are carried out. |
| XIX | A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards. | We have separate environment management cell for implementation of the stipulated environmental safeguards. |
| XX | Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise breaks-up. These cost shall be included as part of the project cost. The funds earmarked for the environment protection measures shall not be diverted for other purposes and year-wise expenditure should reported to the MPCB & this department | Complied |
| XXI | The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at http://ec.maharashtra.gov.in | The advertisement of the obtained Environmental clearance was published in the newspapers, Lokmat and Times of India. |
| XXII | Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year. | Noted & being done. |
| XXIII | A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent. | Noted & Agreed We have not received any suggestions and representations while processing the proposals from concerned Panchayat, Zilla Parishad/ Municipal Corporation, Urban local and the local NGO. EC letter published on website. Hence this clearance copy not given to them but informed in the various meetings. |
| XXIV | The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely: SPM, RSPM, SO ₂ , NO _x (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location | Noted & being done. |

AARTI PHARMALABS LIMITED

Plot E-50, MIDC Tarapur, Boisar

| | | |
|------|---|--|
| | monitored and displayed at a convenient location near the main gate of the company in the public domain. | |
| XXV | The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCB. | Noted & being done. |
| XXVI | The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail. | We are regularly submitting environment statement (Form -V) to MPCB. |

Encl. : Annexures

Annexure I : Environmental Clearance copy

Annexure II : MPCB Consent to Operate

Annexure III : Effluent Analysis Reports (MoEF approved Lab)

Annexure IV : Ambient Air & Stack Emission Monitoring Report (MoEF approved Lab)

Annexure V : CSR Activity

Annexure VI : Noise Monitoring Reports (MoEF approved Lab)



सत्यमेव जयते

STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

Environment department,
Room No. 217, 2nd floor,
Mantralaya, Annexe,
Mumbai- 400 032,
Date: April 25, 2018

To,
Mr. Sanjay Vinayak Gokhale
at Plot No. E-50, MIDC Tarapur, Tehsil: Palghar, District: Palghar, Maharashtra, India

Subject: Environment Clearance for Aarti Industries Limited Unit-IV, Plot No. E-50, MIDC Tarapur, Tehsil: Palghar-401506, District: Palghar, Maharashtra, India

Sir,

This has reference to your communication on the above mentioned subject. The proposal was considered as per the EIA Notification - 2006, by the State Level Expert Appraisal Committee-I, Maharashtra in its 136th meeting and recommend the project for prior environmental clearance to SEIAA. Information submitted by you has been considered by State Level Environment Impact Assessment Authority in its 126th meetings.

2. It is noted that the proposal is considered by SEAC-I under screening category 'B' Category, schedule 5(f) as per EIA Notification 2006.

Brief Information of the project submitted by you is as below :-

| | |
|--|---|
| 1.Name of Project | Expansion of Bulk Drug Manufacturing Capacity |
| 2.Type of Institution | Private |
| 3.Name of Project Proponent | Mr. Sanjay Vinayak Gokhale |
| 4.Name of Consultant | Green Circle, Inc. |
| 5.Type of project | Industrial project at MIDC Tarapur |
| 6.New project/expansion in existing project/modernization/diversification in existing project | Expansion project |
| 7.If expansion/diversification, whether environmental clearance has been obtained for existing project | Yes, Environmental clearance has been obtained vide File No. J-11011/141/2006-III-II (I) dated 20th July, 2006 |
| 8.Location of the project | Plot No. E-50, MIDC Tarapur, Tehsil: Palghar, District: Palghar, Maharashtra, India |
| 9.Taluka | Palghar |
| 10.Village | MIDC Area, Tarapur |
| Correspondence Name: | Mr. Sanjay Vinayak Gokhale |
| Room Number: | Plot no. E-50 |
| Floor: | NA |
| Building Name: | M/s. Aarti Industries Ltd. |
| Road/Street Name: | MIDC Tarapur |
| Locality: | MIDC Tarapur |
| City: | Tehsil- Palghar, Dist- Palghar, State-Maharashtra. |
| 11.Area of the project | MIDC Area, Tarapur |
| 12.IOD/IOA/Concession/Plan Approval Number | PLN/184/2006/VAM/2018/Vasai, Date: 28/07/2006 IOD/IOA/Concession/Plan Approval Number: PLN/184/2006/VAM/2018/Vasai, Date: 28/07/2006 Approved Built-up Area: 10628.77 |
| 13.Note on the Initiated work (if applicable) | NA |
| 14.LOI / NOC / IOD from MHADA/ Other approvals (if applicable) | NA |
| 15.Total Plot Area (sq. m.) | 13057 sq. m |
| 16.Deductions | Not applicable |
| 17.Net Plot area | Not applicable |

SEIAA Meeting No: 126 Meeting Date: April 19, 2018 (SEIAA-STATEMENT-000000684)
SEIAA-MINUTES-000000374
SEIAA-PC-000000755

Page 1 of 77

Shri Satish.M.Gawai (Member Secretary) SEIAA

| | |
|--|---------------------------------------|
| 18 (a). Proposed Built-up Area (FSI & Non-FSI) | FSI area (sq. m.): Not applicable |
| | Non FSI area (sq. m.): Not applicable |
| | Total BUA area (sq. m.): 106,21.77 |
| 18 (b). Approved Built up area as per DCR | Approved FSI area (sq. m.): |
| | Approved Non FSI area (sq. m.): |
| | Date of Approval: |
| 19. Total ground coverage (m ²) | Not applicable |
| 20. Ground-coverage Percentage (%) (Note: Percentage of plot not open to sky) | Not applicable |
| 21. Estimated cost of the project | 250000000 |

22. Production Details

| Serial Number | Product | Existing (MT/M) | Proposed (MT/M) | Total (MT/M) |
|---------------|--------------------------------------|-----------------|-----------------|--------------|
| 1 | Quinapril Hydrochloride | 1.00 | 0.60 | 1.60 |
| 2 | Bambutanol Hydrochloride | 0.05 | 1.45 | 1.50 |
| 3 | Venlafaxine Hydrochloride | 4.00 | 6.00 | 10.00 |
| 4 | Ramipril | 0.50 | 1.50 | 2.00 |
| 5 | Capecitabine | 0.25 | 0.95 | 1.20 |
| 6 | Benazepril Hydrochloride | 0.30 | 4.00 | 5.10 |
| 7 | Perindopril Erbumine | 0.30 | 2.20 | 2.50 |
| 8 | Budesonide | 0.10 | 0.40 | 0.50 |
| 9 | Bicalutamide | 0.30 | 0.70 | 1.00 |
| 10 | Fluticasone Propionate | 0.05 | 0.75 | 0.80 |
| 11 | Mometasone Furoate | 0.15 | 0.35 | 0.50 |
| 12 | Triamcinolone Acetonide | 0.18 | 0.32 | 0.50 |
| 13 | Ifosmide | 0.10 | 0.90 | 1.00 |
| 14 | Irinotecan Hydrochloride Trihydrate | 0.01 | 0.00 | 0.01 |
| 15 | Mercaptopurine | 0.18 | 2.30 | 2.48 |
| 16 | Mosna | 0.10 | 0.90 | 1.00 |
| 17 | Ranofazone | 0.42 | 5.48 | 5.90 |
| 18 | Lacidipine | 0.10 | 0.00 | 0.10 |
| 19 | R-Salbutamol Sulphate | 0.05 | 0.00 | 0.05 |
| 20 | Levalbutamol Hydrochloride | 0.05 | 0.20 | 0.25 |
| 21 | Salmeterol Xinafoate | 0.01 | 0.09 | 0.10 |
| 22 | Ipratropium Bromide | 0.05 | 0.45 | 0.50 |
| 23 | Quetiapine Fumarate | 0.70 | 4.80 | 5.50 |
| 24 | Adapalene | 0.05 | 0.45 | 0.50 |
| 25 | Bupropion Hydrochloride | 0.75 | 7.25 | 8.00 |
| 26 | Temozolomide | 0.02 | 0.00 | 0.02 |
| 27 | Azathioprine | 0.50 | 2.00 | 2.50 |
| 28 | Benazepril Hydrochloride polymorph B | 0.23 | 0.77 | 1.00 |
| 29 | Ciclesonide | 0.01 | 0.04 | 0.05 |
| 30 | Cyclophosphamide | 0.20 | 0.30 | 0.50 |
| 31 | Diffunisal | 0.23 | 1.57 | 1.80 |
| 32 | Loteprednol Etabonate | 0.05 | 0.20 | 0.25 |
| 33 | Mometasone Furoate Monohydrate | 0.01 | 0.09 | 0.10 |
| 34 | Perindopril Arginine | 0.10 | 0.40 | 0.50 |
| 35 | Phenylephrine HCL | 2.50 | 5.00 | 7.50 |
| 36 | Other Bulk Drugs | 0.50 | 0.00 | 0.50 |
| 37 | Desonide | 0.00 | 0.10 | 0.10 |
| 38 | Leval Buterol Tartrate | 0.00 | 0.25 | 0.25 |

| | | | | |
|--------------------------------------|--|-------------------|------|------|
| 39 | Perindopril A.Polymera | 0.00 | 1.00 | 1.00 |
| 23.Total Water Requirement | | | | |
| Dry season: | Source of water | MIDC water supply | | |
| | Fresh water (CMD): | Not applicable | | |
| | Recycled water - Flushing (CMD): | Not applicable | | |
| | Recycled water - Gardening (CMD): | Not applicable | | |
| | Swimming pool make up (Cum): | Not applicable | | |
| | Total Water Requirement (CMD) : | Not applicable | | |
| | Fire fighting - Underground water tank(CMD): | Not applicable | | |
| | Fire fighting - Overhead water tank(CMD): | Not applicable | | |
| | Excess treated water | Not applicable | | |
| Wet season: | Source of water | MIDC water supply | | |
| | Fresh water (CMD): | Not applicable | | |
| | Recycled water - Flushing (CMD): | Not applicable | | |
| | Recycled water - Gardening (CMD): | Not applicable | | |
| | Swimming pool make up (Cum): | Not applicable | | |
| | Total Water Requirement (CMD) : | Not applicable | | |
| | Fire fighting - Underground water tank(CMD): | Not applicable | | |
| | Fire fighting - Overhead water tank(CMD): | Not applicable | | |
| | Excess treated water | Not applicable | | |
| Details of Swimming pool (If any) | Not applicable | | | |

24. Details of Total water consumed

| Particulars | Consumption (CMD) | | | Loss (CMD) | | | Effluent (CMD) | | |
|----------------------------|-------------------|----------|--------|------------|----------|--------|----------------|----------|-------|
| | Existing | Proposed | Total | Existing | Proposed | Total | Existing | Proposed | Total |
| Domestic | 11.00 | 4.00 | 15.00 | 2.20 | 0.80 | 3.00 | 8.80 | 3.20 | 12.00 |
| Gardening | 2.00 | 0.00 | 2.00 | 2.00 | 0.00 | 2.00 | 0.00 | 0.00 | 0.00 |
| Industrial Process | 20.00 | 70.00 | 90.00 | 10.25 | 28.85 | 40.10 | 9.75 | 40.15 | 49.90 |
| Cooling tower & Ehermopack | 71.00 | 67.00 | 138.00 | 68.16 | 61.32 | 132.46 | 2.84 | 2.68 | 5.52 |

| | | |
|---------------------------------|---|-----------|
| 25. Rain Water Harvesting (RWH) | Level of the Ground water table: | 3.5 m bgl |
| | Size and no of RWH tank(s) and Quantity: | NA |
| | Location of the RWH tank(s): | NA |
| | Quantity of recharge pits: | NA |
| | Size of recharge pits: | NA |
| | Budgetary allocation (Capital cost): | NA |
| | Budgetary allocation (O & M cost): | NA |
| Details of UGT tanks if any: | 1. Toluene storage tanks: 1 No. x 18 KL 2. Methanol storage tanks: 2 Nos. x 18 KL 3. Methanol storage tanks: 3 Nos. x 18 KL 4. Acetone storage tanks: 4 Nos. x 18 KL 5. Toluene storage tanks: 7 Nos. x 18 KL 6. Ethyl acetate storage tanks: 8 Nos. x 18 KL | |

| | | |
|--------------------------|---------------------------------|--|
| 26. Storm water drainage | Natural water drainage pattern: | The industry is located in Tarapur MIDC area where all the facilities are available by MIDC. |
| | Quantity of storm water: | NA |
| | Size of SWD: | 1 m x 0.35 m |

| | | |
|----------------------------|--------------------------------------|----------------|
| 27. Sewage and Waste water | Sewage generation in KLD: | 12 |
| | STP technology: | MBBR |
| | Capacity of STP (CMD): | 1 No. x 15 KLD |
| | Location & area of the STP: | Proposed |
| | Budgetary allocation (Capital cost): | Rs. 14 Lakhs |
| | Budgetary allocation (O & M cost): | Rs. 4 Lakhs |

28. Solid waste Management

| | | |
|--|---|---|
| Waste generation in the Pre Construction and Construction phase: | Waste generation: | Construction debris, Waste concrete, metallic waste, plastics, broken bricks etc. |
| | Disposal of the construction waste debris: | Construction debris, Waste concrete and broken bricks will be utilized in low-land leveling, secondary concrete, below roads. Some quantity of Excavation soil will be use for back-filling and remaining will be hand-over to authorized vendor. |
| Waste generation in the operation Phase: | Dry waste: | Empty drums, Carboys, Paper waste, Empty bags etc. |
| | Wet waste: | ETP Sludge |
| | Hazardous waste: | Spent Carbon, Concentrated slurry from ETP, Residue & Waste, MEE salts etc. |
| | Biomedical waste (If applicable): | NA |
| | STP Sludge (Dry sludge): | 5 Kgs/day |
| | Others if any: | NA |
| Mode of Disposal of waste: | Dry waste: | Sale to authorized vendors |
| | Wet waste: | Sent to TSDP, Talaja for disposal |
| | Hazardous waste: | Sent to TSDP, Talaja for disposal/Sale to Authorized vendor |
| | Biomedical waste (If applicable): | NA |
| | STP Sludge (Dry sludge): | Used as a Bio-manure in gardening |
| | Others if any: | NA |
| Area requirement: | Location(s): | NA |
| | Area for the storage of waste & other material: | 25 sq. m. |
| | Area for machinery: | NA |
| Budgetary allocation (Capital cost and O&M cost): | Capital cost: | NA |
| | O & M cost: | NA |

29. Effluent Characteristics

| Serial Number | Parameters | Unit | Inlet Effluent Characteristics | Outlet Effluent Characteristics | Effluent discharge standards (MPCB) |
|---------------------------------------|----------------------------------|--|--------------------------------|---------------------------------|-------------------------------------|
| 1 | pH | - | 4.42 | 7.74 | 5.5-9 |
| 2 | COD | mg/L | 18,400 | 208 | 250 |
| 3 | BOD | mg/L | 5,152 | 41 | 30 |
| 4 | NH ₄ ⁺ - N | mg/L | 162 | 00 | 50 |
| 5 | Oil & Grease | mg/L | ND | ND | 10 |
| 6 | TDS | mg/L | 7,036 | 4408 | 2100 |
| Amount of effluent generation (CMD): | | 55.42 | | | |
| Capacity of the ETP: | | 70 KLD | | | |
| Amount of treated effluent recycled : | | 41 KLD | | | |
| Amount of water send to the GETP: | | NA | | | |
| Membership of GETP (if require): | | Yes | | | |
| Note on ETP technology to be used | | 1) Effluent from Process has high COD load are generated 25.9 KL in a day & Low COD load are generated 24.01 KL in a day. 2) Effluent having more volatile organic compounds (solvents) had high pollutant load will treated in to stripper and M&E then conventional treatment. 3) Effluent having Low COD Load mixed with M&E Condensate then conventional treatment required for reducing the pollutant load i.e. primary, secondary and tertiary. 4) Reverse Osmosis treatment suggested for reuse of treated ef | | | |
| Disposal of the ETP sludge | | Send to CHWTSDF for disposal. | | | |

| 30.Hazardous Waste Details | | | | | | | |
|----------------------------|--------------------------|------|------------|----------|----------|-------|---------------------------|
| Serial Number | Description | Cat | UOM | Existing | Proposed | Total | Method of Disposal |
| 1 | Residue Waste | 28.1 | kg /day | 10 | 100 | 110 | TSDf, Talaja |
| 2 | Spent Carbon | 28.2 | kg /day | 20 | 120 | 140 | TSDf, Talaja |
| 3 | Chemical sludge from ETP | 34.3 | kg /day | 30 | 50 | 80 | TSDf, Talaja |
| 4 | Sludge from MEE | 37.3 | kg /day | 0 | 778 | 778 | TSDf, Talaja |
| 5 | Plastic bags & fibers | 33.3 | Nos./Month | 60 | 500 | 560 | Sale to authorized vendor |

| 31.Stacks emission Details | | | | | | |
|----------------------------|---|-------------------------|-----------|------------------------------|-----------------------|------------------------|
| Serial Number | Section & units | Fuel Used with Quantity | Stack No. | Height from ground level (m) | Internal diameter (m) | Temp. of Exhaust Gases |
| 1 | Existing Boiler 1 - 0.85 TPH | FO & 50 lit/hr | 1 | 30 | 0.3 | 152 °C |
| 2 | Existing Boiler 2 - 0.85 TPH | FO & 50 lit/hr | 1 | 30 | 0.3 | 123 °C |
| 3 | Proposed IBR Boiler - 3 TPH | FO & 180 lit/hr | 1 | 31 | 0.75 | 185 °C |
| 4 | Existing D.G 1 - 500 KVA | Diesel & 80 lit/hr | 2 | 14 | 0.3 | 91 °C |
| 5 | Existing D.G 2 - 625 KVA | Diesel & 80 lit/hr | 3 | 14 | 0.3 | 82 °C |
| 6 | Existing Thermic fluid heater - 2.0 lacs Kcal | FO & 25 lit/hr | 4 | 30 | 0.8 | 73 °C |
| 7 | Existing Thermic fluid heater - 2.0 lacs Kcal | FO & 25 lit/hr | 4 | 30 | 0.8 | 73 °C |
| 8 | Block 1 (Existing) - Scrubber 1 | - | 5 | 25 | 0.4 | Ambient |
| 9 | Block 1 (Proposed) - Scrubber 2 | - | 6 | 25 | 0.4 | Ambient |
| 10 | Block 2 (Existing) - Scrubber 3 | - | 5 | 25 | 0.4 | Ambient |
| 11 | Block 3 (Existing) - Scrubber 4 | - | 5 | 25 | 0.4 | Ambient |
| 12 | Block 3 (Proposed) - Scrubber 5 | - | 6 | 25 | 0.4 | Ambient |
| 13 | Block 3 (Proposed) - Scrubber 6 | - | 6 | 25 | 0.4 | Ambient |
| 14 | Block 4 (Existing) - Scrubber 7 | - | 5 | 25 | 0.4 | Ambient |

| 32.Details of Fuel to be used | | | | |
|--|--------------|----------------|------------|------------|
| Serial Number | Type of Fuel | Existing | Proposed | Total |
| 1 | Furnace Oil | 1365 L/day | 4000 L/day | 5365 L/day |
| 2 | Diesel | 85 L/day | 500 L/day | 585 L/day |
| Source of Fuel | | Local/Import | | |
| Mode of Transportation of fuel to site | | Road Transport | | |
| 33.Energy | | | | |

| | | |
|---------------------------|---|---|
| Power requirement: | Source of power supply : | MSEDCL |
| | During Construction Phase: (Demand Load) | NA |
| | DG set as Power back-up during construction phase | NA |
| | During Operation phase (Connected load): | 1200 KVA |
| | During Operation phase (Demand load): | Existing: 1200 KVA , Proposed: 800 KVA, Total: 2000 KVA |
| | Transformer: | Yes |
| | DG set as Power back-up during operation phase: | 1 No. x 500 KVA & 1 No. x 625 KVA (Existing) |
| | Fuel used: | Diesel |
| | Details of high tension line passing through the plot if any: | NA |

34. Energy saving by non-conventional method:

- ? Purchase of energy efficient appliances
- ? Constant monitoring of energy consumption and defining targets for energy conservation
- ? Adjusting the settings and illumination levels to ensure minimum energy used for desired comfort levels
- ? Economizers will be provided to utilize heat.
- ? Condensate will be recovered and will send back to boiler.
- ? Proper temperature controls will be provided to reduce load on heating systems.
- ? Proper load factor will be maintained by the company.
- ? Company will adopt good maintenance practices and will maintain good housekeeping which will help in better illumination levels with least number of fixtures.
- ? On most of roofs transparent acrylic sheets will be provided to use day light and to stop use of lights during day time.
- ? CFL/LED lamps will be provided.
- ? To the extent possible and technically feasible, energy efficient equipment will be selected.
- ? Gravity flow will be preferred wherever possible to save pumping energy.
- ? Recycling of water will done.

36. Detail calculations & % of saving:

| Serial Number | Energy Conservation Measures | Saving % |
|---------------|------------------------------|----------|
| 1 | NA | NA |

37. Details of pollution control Systems

| Source | Existing pollution control system | Proposed to be installed |
|------------------------|---|---|
| Air Pollution | Stack | Wet Scrubber |
| Water pollution | ETP & STP | RO & MEE |
| Noise pollution | Acoustic enclosers & PPEs | Acoustic enclosers & PPEs |
| Solid waste generation | Proper collection/storage/disposal to TSDF, Talaja or Sale to authorized vendor | Proper collection/storage/disposal to TSDF, Talaja or Sale to authorized vendor |

| | | |
|---|---------------|----|
| Budgetary allocation (Capital cost and O&M cost): | Capital cost: | NA |
| | O & M cost: | NA |

38. Environmental Management plan Budgetary Allocation

a) Construction phase (with Break-up):

| Serial Number | Attributes | Parameter | Total Cost per annum (Rs. in Lacs) |
|---------------|------------|-----------|------------------------------------|
|---------------|------------|-----------|------------------------------------|

| | | | |
|---|------------------------|--|------|
| 1 | Dust suppression | Water sprinkling, Dust mask | 0.5 |
| 2 | Green Belt development | Tree plantation | 1.0 |
| 3 | Solid waste management | Collection and disposal facility | 0.5 |
| 4 | Environment Monitoring | Monitoring charges for air, water, noise | 0.25 |
| 5 | Occupational Health | Cost of medical checkup, PPE & first aid kit, and PPE, first aid facility, safe drinking water plant & sanitation measures | 1.2 |

b) Operation Phase (with Break-up):

| Serial Number | Component | Description | Capital cost Rs. in Lacs | Operational and Maintenance cost (Rs. in Lacs/yr) |
|---------------|---------------------------------------|---|--------------------------|---|
| 1 | Air Pollution Control | Installation of wet scrubber and stacks | 40 | 10 |
| 2 | Water Pollution Control | Installation of RO, MBR | 50 | 50 |
| 3 | Noise Pollution Control | Acoustic enclosures | 0.0 | 0.5 |
| 4 | Environment Monitoring and Management | Monitoring charges for air, water, noise | - | 2.05 |
| 5 | Storm Water Management | Storm water drainage | 2 | 0.5 |
| 6 | Occupational Health | Cost of medical checkup, PPE & first aid kit and PPE, first aid facility, safe drinking water plant & sanitation measures | 3 | 1 |
| 7 | Green Belt | Tree plantation | 1.5 | 2.2 |
| 8 | Solid waste management | Collection and disposal facility | 5 | 1.5 |
| 9 | CSR Activity | CSR work | 10 | - |

39.Storage of chemicals (inflammable/explosive/hazardous/toxic substances)

| Description | Status | Location | Storage Capacity in MT | Maximum Quantity of Storage at any point of time in MT | Consumption / Month in MT | Source of Supply | Means of Transportation |
|------------------|--------|----------|------------------------|--|---------------------------|------------------|-------------------------|
| Refer EIA Report | NA | NA | NA | NA | NA | NA | NA |

40.Any Other Information

No information Available

| | | |
|--|---|-----------------------------|
| | CRZ/ RRZ clearance obtain, if any: | NA |
| | Distance from Protected Areas / Critically Polluted areas / Eco-sensitive areas/ Inter-State boundaries | NA |
| | Category as per schedule of EIA Notification sheet | 'B' Category, schedule 5(i) |
| | Court cases pending if any | NA |
| | Other Relevant informations | NA |
| | Have you previously submitted Application online on MOEF Website. | No |
| | Date of online submission | |

3. The proposal has been considered by SEIAA in its 126th meeting & decided to accord environmental clearance to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of the following terms and conditions:

Specific Conditions:

General Conditions:

| | |
|-------|--|
| I | Effort to achieve Zero Liquid Discharge : PP shall ensure that there is no increase in the effluent load to CETP. |
| II | 7.5 TPH boiler should have stack height of 60m and flue gases shall be passed through an ESP of 99.9% efficiency before being led into the 60 m stack. |
| III | No additional land shall be used /acquired for any activity of the project without obtaining proper permission. |
| IV | PP to take utmost precaution for the health and safety of the people working in the unit as also for protecting the environment. |
| V | Proper Housekeeping programmes shall be implemented. |
| VI | In the event of the failure of any pollution control system adopted by the unit, the unit shall be immediately put out of operation and shall not be restarted until the desired efficiency has been achieved. |
| VII | A stack of adequate height based on DG set capacity shall be provided for control and dispersion of pollutant from DG set. (if applicable) |
| VIII | A detailed scheme for rainwater harvesting shall be prepared and implemented to recharge ground water. |
| IX | Arrangement shall be made that effluent and storm water does not get mixed. |
| X | Periodic monitoring of ground water shall be undertaken and results analyzed to ascertain any change in the quality of water. Results shall be regularly submitted to the Maharashtra Pollution Control Board. |
| XI | Noise level shall be maintained as per standards. For people working in the high noise area, requisite personal protective equipment like earplugs etc. shall be provided. |
| XII | The overall noise levels in and around the plant area shall be kept well within the standards by providing noise control measures including acoustic hoods, silencers, enclosures, etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under Environment (Protection) Act, 1986 Rules, 1989. |
| XIII | Green belt shall be developed & maintained around the plant periphery. Green Belt Development shall be carried out considering CPCB guidelines including selection of plant species and in consultation with the local DFO/ Agriculture Dept. |
| XIV | Adequate safety measures shall be provided to limit the risk zone within the plant boundary, in case of an accident. Leak detection devices shall also be installed at strategic places for early detection and warning. |
| XV | Occupational health surveillance of the workers shall be done on a regular basis and record maintained as per Factories Act. |
| XVI | (The company shall make the arrangement for protection of possible fire hazards during manufacturing process in material handling. |
| XVII | The project authorities must strictly comply with the rules and regulations with regard to handling and disposal of hazardous wastes in accordance with the Hazardous Waste (Management and Handling) Rules, 2003 (amended). Authorization from the MPCB shall be obtained for collection/treatment/storage/disposal of hazardous wastes. |
| XVIII | Regular mock drills for the on-site emergency management plan shall be carried out. Implementation of changes / improvements required, if any, in the on-site management plan shall be ensured. |
| XIX | A separate environment management cell with qualified staff shall be set up for implementation of the stipulated environmental safeguards. |

| | |
|-------|--|
| XX | Separate funds shall be allocated for implementation of environmental protection measures/EMP along with item-wise break-up. These cost shall be included as part of the project cost. The funds earmarked for the environmental protection measures shall not be diverted for other purposes and year-wise expenditure should reported to the MPCB & this department. |
| XXI | The project management shall advertise at least in two local newspapers widely circulated in the region around the project, one of which shall be in the marathi language of the local concerned within seven days of issue of this letter, informing that the project has been accorded environmental clearance and copies of clearance letter are available with the Maharashtra Pollution Control Board and may also be seen at Website at http://ec.maharashtra.gov.in |
| XXII | Project management should submit half yearly compliance reports in respect of the stipulated prior environment clearance terms and conditions in hard & soft copies to the MPCB & this department, on 1st June & 1st December of each calendar year. |
| XXIII | A copy of the clearance letter shall be sent by proponent to the concerned Municipal Corporation and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the proponent. |
| XXIV | The proponent shall upload the status of compliance of the stipulated EC conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCE. The criteria pollutant levels namely: SPM, RSPM, SO ₂ , NO _x ambient levels as well as stack emissions and critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the main gate of the company in the public domain. |
| XXV | The project proponent shall also submit six monthly reports on the status of compliance of the stipulated EC conditions including results of monitored data (both in hard copies as well as by e-mail) to the respective Regional Office of MoEF, the respective Zonal Office of CPCB and the SPCE. |
| XXVI | The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of EC conditions and shall also be sent to the respective Regional Offices of MoEF by e-mail. |

4. The environmental clearance is being issued without prejudice to the action initiated under EP Act or any court case pending in the court of law and it does not mean that project proponent has not violated any environmental laws in the past and whatever decision under EP Act or of the Hon'ble court will be binding on the project proponent. Hence this clearance does not give immunity to the project proponent in the case filed against him, if any or action initiated under EP Act.

5. In case of submission of false document and non-compliance of stipulated conditions, Authority/ Environment Department will revoke or suspend the Environment clearance without any intimation and initiate appropriate legal action under Environmental Protection Act, 1986.


6. The Environment department reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated are not implemented to the satisfaction of the department or for that matter, for any other administrative reason.

7. Validity of Environment Clearance: The environmental clearance accorded shall be valid as per EIA Notification, 2006, and amendments by MoEF&CC Notification dated 29th April, 2015.

8. In case of any deviation or alteration in the project proposed from those submitted to this department for clearance, a fresh reference should be made to the department to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.

9. The above stipulations would be enforced among others under the Water (Prevention and Control of Pollution) Act, 1974, the Air (Prevention and Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986 and rules there under, Hazardous Wastes (Management and Handling) Rules, 1989 and its amendments, the public Liability Insurance Act, 1991 and its amendments.

10. Any appeal against this Environment clearance shall lie with the National Green Tribunal (Western Zone Bench, Pune), New Administrative Building, 1st Floor, D- Wing, Opposite Council Hall, Pune, if preferred, within 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.


Shri Satish M. Gaval (Member Secretary SEIAA)

Copy to:

1. SHRI JOHNY JOSEPH, CHAIRMAN-SEIAA
2. SHRI UMAKANT DANGAT, CHAIRMAN-SEAC-I
3. SHRI M.M.ADTANI, CHAIRMAN-SEAC-II
4. SHRI ANIL D. KALE, CHAIRMAN SEAC-III
5. SECRETARY MOEF & CC
6. IA- DIVISION MOEF & CC
7. MEMBER SECRETARY MAHARASHTRA POLLUTION CONTROL BOARD MUMBAI
8. REGIONAL OFFICE MOEF & CC NAGPUR
9. REGIONAL OFFICE MIDC TARAPUR
10. MAHARASHTRA STATE ELECTRICITY DISTRIBUTION CO. LTD
11. COLLECTOR OFFICE PALGHAR

STATE LEVEL ENVIRONMENT IMPACT ASSESSMENT AUTHORITY

No. SEIAA-2019/CR-133/SEIAA.
Environment Department
Room No. 217, 2nd Floor,
Mantralaya, Mumbai- 400032.
Date: 01/10/2019.

To
Mr. Sanjay Vinayak Gokhale,
at Plot No : E-50, MIDC Tarapur,
Tal. Palghar, Dist Palghar.

Sub: Correction in Environmental Clearance for Proposed Expansion of Bulk Drug Manufacturing Capacity at Unit-IV, Plot No, E-50, MIDC Tarapur, Tehsil: Palghar-401506 by M/s. Aarti Industries Ltd.

Ref: 1. Application received from PP dated 09.01.2019.
2. Environment Clearance No. SEIAA-EC-0000000255, dated 26.04.2018.

With reference to above subject matter, it is noted that, you have received Environment Clearance vide letter dated 26.04.2018. You have further applied for correction in EC vide above ref. (1). You have requested to correct EC dated 26.04.2018 as below-

| Sr. No. | Details Mentioned in EC vide above ref. (2) | Correction shall be read as | | | | | | | | | | | | | | | | | | | | | | | | |
|---------|--|---|---------|-------------|----------|-------|---------------------------|----------|-------|--------------------|---|---------------|------|---------|---|------|------|---------------------------|---|--------------------------------|-----|-------|---|-----|-----|---------------------------|
| 1 | Fresh water (CMD): Not applicable | Fresh water (CMD):204 CMD | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | General Condition II- 73 TPH Boiler should have stack height of 68 m and flue gases shall be passed through ESP of 99.9% efficiency before being lead into 68 m stack. | General Condition II- Proposed expansion project involves 5 TPH boilers with 31 m stack height. | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | Hazardous Waste Details Point No -6 Point No-7 | <p align="center">Hazardous Waste Details-</p> <table border="1"> <thead> <tr> <th>S.N</th> <th>Description</th> <th>Qty</th> <th>DOM</th> <th>Existing</th> <th>Proposed</th> <th>Total</th> <th>Method of Disposal</th> </tr> </thead> <tbody> <tr> <td>6</td> <td>Spent Solvent</td> <td>28.6</td> <td>Ltr/day</td> <td>0</td> <td>3000</td> <td>3000</td> <td>Sale to authorised Vendor</td> </tr> <tr> <td>7</td> <td>Oil from Waste Water Treatment</td> <td>1.7</td> <td>Ltr/M</td> <td>0</td> <td>200</td> <td>200</td> <td>Sale to authorised Vendor</td> </tr> </tbody> </table> | S.N | Description | Qty | DOM | Existing | Proposed | Total | Method of Disposal | 6 | Spent Solvent | 28.6 | Ltr/day | 0 | 3000 | 3000 | Sale to authorised Vendor | 7 | Oil from Waste Water Treatment | 1.7 | Ltr/M | 0 | 200 | 200 | Sale to authorised Vendor |
| S.N | Description | Qty | DOM | Existing | Proposed | Total | Method of Disposal | | | | | | | | | | | | | | | | | | | |
| 6 | Spent Solvent | 28.6 | Ltr/day | 0 | 3000 | 3000 | Sale to authorised Vendor | | | | | | | | | | | | | | | | | | | |
| 7 | Oil from Waste Water Treatment | 1.7 | Ltr/M | 0 | 200 | 200 | Sale to authorised Vendor | | | | | | | | | | | | | | | | | | | |

After detailed scrutiny of documents submitted by you, Environment Clearance issued vide letter dated 26.04.2018 is corrected as above.

The terms and conditions stipulated in the EC letter dt.26.04.2018 vide above ref. (2) shall remain the same.


 (Anil Diggikar)
 Principle Secretary &
 Member Secretary, SEIAA

MAHARASHTRA POLLUTION CONTROL BOARD

Phone : 24010437/24020781/24014701

Fax : 24023516/24024068/24044531

Email : ast@mpcb.gov.inVisit At : <http://mpcb.gov.in>Kalptaru point, 2nd, 3rd & 4th Floor,

Opp. Cine Planet,

Near Sion Circle, Sion (E),

Mumbai - 400 022

Consent Order No: Format1.0/UAN No. 0000009554/Amend- 2211000028**Date: 10/11/2022****Amendment of Consent**

**Sub: Amendment in Consent to Operate for change in name of
M/s. Aarti Industries Ltd.,
Plot No. E - 50, MIDC Tarapur,
Tal. & Dist. Palghar**

- Ref: 1. Consent granted by Board vide No.: Format1.0/CC/UAN No.:
00000102589/CR2104000482 dtd: 09/04/2021 valid upto 30/11/2025
2. Hon'ble National Company Law Tribunal Order dtd: 21/09/2022**

The Consent to Operate granted under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the consent is granted to M/s. Aarti Industries Ltd., Plot No. E - 50, MIDC Tarapur, Tal. & Dist. Palghar is hereby amended as:

1. The name of the Industry shall be read as:
M/s. Aarti Pharamalabs Ltd. Unit IV,
Plot No. E - 50, MIDC Tarapur,
Tal. & Dist. Plaghar.
2. This amendment for change in name is issued pursuant to the order issued by Hon'ble National Company Law Tribunal referred at Sr. No. 2.
3. All other conditions of the consent referred above at Sr. No. 1 shall be remain unchanged.
4. The Amendment is valid only along with the consent referred at Ref. No. 1.
5. The amendment in consent to operate for change in name is issued as per Communication Letter dtd: 03/11/2022; which is approved by the competent authority of the Board.

**For and on behalf of the
Maharashtra Pollution Control Board**

(Dr. V. M. Motghare) 9/11/22
Assistant Secretary (Technical)

To,
M/s. Aarti Pharamalabs Ltd. Unit IV,
Plot No. E - 50, MIDC Tarapur,
Tal. & Dist. Palghar.

Copy to:

1. Regional Officer - Thane / SRO - Tarapur - I, MPCB
2. Chief Accounts Officer, M.P.C. Board, Mumbai

M/s. Aarti Pharamalabs Ltd. Unit IV, MPCB-CONSENT_AMMENDMENT-0000009554

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437
Fax: 24023516
Website: <http://mpcb.gov.in>
Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd and
4th floor, Opp. Cine Planet
Cinema, Near Sion Circle,
Sion (E), Mumbai-400022

RED/L.S.I (R58)

No:- Format 1.0/CC/UAN No.0000102589/CR 2104000482

Date: 09/04/2021

To,
M/s. AARTI INDUSTRIES LIMITED
Plot NO:- E-50, TARAPUR MIDC
TAL & DIST:- PALGHAR.



Your Service is Our Duty

Sub: Renewal of Consent to Operate in RED/LSI Category.

- Ref:**
1. Consent to Operate accorded by Board vide Format 1.0/BO/CAC-Cell/UAN No-0000050778/5th CAC-1901001335 dtd. 18.01.2019 which was valid upto 30.11.2020.
 2. Environmental Clearance obtained from Government of Maharashtra on 26.04.2018.
 3. Your application No.MPCB-CONSENT-0000102589 Dated 20.11.2020
 4. Minutes of the 15th Consent committee meeting held on 17.03.2021

Your application No.MPCB-CONSENT-0000102589 Dated 20.11.2020

For: grant of Consent to Operate under Section 26 of the Water (Prevention & Control of Pollution) Act, 1974 & under Section 21 of the Air (Prevention & Control of Pollution) Act, 1981 and Authorization under Rule 6 of the Hazardous & Other Wastes (Management & Transboundary Movement) Rules 2016 is considered and the consent is hereby granted subject to the following terms and conditions and as detailed in the schedule I, II, III & IV annexed to this order:

1. The consent to renewal is granted for a period up to 30/11/2025
2. The capital investment of the project is Rs.119.5 Crs. (As per C.A Certificate submitted by industry)
3. Consent is valid for the manufacture of:

| Sr No | Product | Maximum Quantity | UOM |
|----------|---------------------------|------------------|------|
| Products | | | |
| 1 | Quinapril Hydrochloride | 1.6 | MT/M |
| 2 | Bambuterol Hydrochloride | 1.5 | MT/M |
| 3 | Venlafaxine Hydrochloride | 10 | MT/M |
| 4 | Ramipril | 2 | MT/M |
| 5 | Capecitabine | 1.2 | MT/M |
| 6 | Benazepril Hydrochloride | 5.1 | MT/M |
| 7 | Perindopril Erbumine | 2.5 | MT/M |
| 8 | Budesonide | 0.5 | MT/M |



Maharashtra Pollution Control Board
606ff069c8ae785842a6f912

| Sr No | Product | Maximum Quantity | UOM |
|-------|---------------------------------------|------------------|------|
| 9 | Bicalutamide | 1 | MT/M |
| 10 | Fluticasone Propionate | 0.8 | MT/M |
| 11 | Mometasone Furoate | 0.5 | MT/M |
| 12 | Triamcinolone Acetonide | 0.5 | MT/M |
| 13 | Ifosmide | 1 | MT/M |
| 14 | Irinotecan Hydrochloride Trihydrate | 0.01 | MT/M |
| 15 | Mercaptopurine | 2.48 | MT/M |
| 16 | Mesna | 1 | MT/M |
| 17 | Ranolazine | 5.9 | MT/M |
| 18 | Lacidipine | 0.1 | MT/M |
| 19 | R-Salbutamol Sulphate | 0.05 | MT/M |
| 20 | Levalbuteral Hydrochloride | 0.25 | MT/M |
| 21 | Salmeterol Xinafoate | 0.101 | MT/M |
| 22 | Ipratropium Bromide | 0.5 | MT/M |
| 23 | Quetiapine Fumarate | 5.5 | MT/M |
| 24 | Adapalene | 0.5 | MT/M |
| 25 | Bupropion Hydrochloride | 8 | MT/M |
| 26 | Temozolomide | 0.02 | MT/M |
| 27 | Azathioprine | 2.5 | MT/M |
| 28 | Benazapril Hydrochloride polymorph B. | 1 | MT/M |
| 29 | Ciclesonide | 0.05 | MT/M |
| 30 | Cyclophosphamide | 0.5 | MT/M |
| 31 | Diflunisal | 1.8 | MT/M |
| 32 | Loteprednol Etabonate | 0.25 | MT/M |
| 33 | Mometasone Furoate Monohydrate | 0.101 | MT/M |
| 34 | Phenylephrine HCL | 7.5 | MT/M |
| 35 | Perindopril Arginine | 0.5 | MT/M |
| 36 | Desonide | 0.1 | MT/M |
| 37 | Leval Buterol Tartrate | 0.25 | MT/M |
| 38 | Perindopril A.Polymers | 1 | MT/M |
| 39 | Injection (by formulation only) | 600000 | No/M |
| 40 | Other Bulk Drugs | 0.5 | MT/M |

4. Conditions under Water (P&CP), 1974 Act for discharge of effluent:

| Sr No | Description | Permitted (in CMD) | Standards to | Disposal Path |
|-------|----------------|--------------------|-------------------|-----------------------------|
| 1. | Trade effluent | 55.42 | As per Schedule-I | Recycle 100% to achieve ZLD |



Maharashtra Pollution Control Board

606ff069c8ae785842a6f912

| Sr No | Description | Permitted | Standards to | Disposal |
|-------|-------------------|-----------|-------------------|-----------------------------|
| 2. | Domestic effluent | 12.0 | As per Schedule-I | Recycle 100% to achieve ZLD |

5. Conditions under Air (P& CP) Act, 1981 for air emissions:

| Sr No. | Stack No. | Description of stack / source | Number of Stack | Standards to be achieved |
|--------|-----------|---|-----------------|--------------------------|
| 1 | S-1 | Boiler-1 (0.85 TPH) | 1 | As per Schedule -II |
| 2 | S-2 | Boiler-2 (0.85 TPH) | 1 | As per Schedule -II |
| 3 | S-3 | Boiler-3 (3 TPH) | 1 | As per Schedule -II |
| 4 | S-4 | Boiler-4 (5 TPH) | 1 | As per Schedule -II |
| 5 | S-5 | THERMIC FLUID HEATER -I (2 Lakh KCal/Hr) | 1 | As per Schedule -II |
| 6 | S-6 | THERMIC FLUID HEATER -II (2 Lakh KCal/Hr) | 1 | As per Schedule -II |
| 7 | S-7 | D. G. Set-1 (500 kVA) | 1 | As per Schedule -II |
| 8 | S-8 | D. G. Set-2 (625 kVA) | 1 | As per Schedule -II |
| 9 | S-9 | Block-I Scrubber-101 | 1 | As per Schedule -II |
| 10 | S-10 | Block-I Scrubber-102 | 1 | As per Schedule -II |
| 11 | S-11 | Block-II Scrubber-301 | 1 | As per Schedule -II |
| 12 | S-12 | Block-II Scrubber-302 | 1 | As per Schedule -II |
| 13 | S-13 | Block-III Scrubber-401 | 1 | As per Schedule -II |
| 14 | S-14 | Block-III Scrubber-402 | 1 | As per Schedule -II |
| 15 | S-15 | Block-III Scrubber-403 | 1 | As per Schedule -II |
| 16 | S-16 | Block-III Scrubber-404 | 1 | As per Schedule -II |
| 17 | S-17 | Block-IV Scrubber-501 | 1 | As per Schedule -II |
| 18 | S-18 | Block-IV Scrubber-502 | 1 | As per Schedule -II |

6. Non-Hazardous Wastes:

| Sr No | Type of Waste | Quantity | UoM | Treatment | Disposal |
|-------|---------------|----------|----------|-----------|--------------------------|
| 1 | MS SCRAP | 119832 | Kg/Annum | Sale | Sale to authorized party |
| 2 | SS SCRAP | 75000 | Kg/Annum | Sale | Sale to authorized party |
| 3 | GI SCRAP | 4500 | Kg/Annum | Sale | Sale to authorized party |
| 4 | RUBBER | 1000 | Kg/Annum | Sale | Sale to authorized party |
| 5 | PAPER | 1000 | Kg/Annum | Sale | Sale to authorized party |
| 6 | GLASS | 2021 | Kg/Annum | Sale | Sale to authorized party |
| 7 | CORNGATED BOX | 200 | Kg/M | Sale | Sale to authorized party |
| 8 | EMPTY CARBOO | 500 | No/M | Sale | Sale to authorized party |
| 9 | EMPTY DRUMS | 1500 | No/M | Sale | Sale to authorized party |



Maharashtra Pollution Control Board

606ff069c8ae785842a6f912

7. Conditions under Hazardous & Other Wastes (M & T M) Rules 2016 for treatment and disposal of hazardous waste:

| Sr No | Category No./ Type | Quantity | UoM | Treatment | Disposal |
|-------|--|----------|------|-------------------------|---|
| 1 | 28.1 Process Residue and wastes | 3.3 | MT/M | Incineration | CHWTSDF |
| 2 | 35.3 Chemical sludge from waste water treatment | 2.4 | MT/M | Incineration | CHWTSDF |
| 3 | 37.3 Concentration or evaporation residues | 23.3 | MT/M | Incineration | CHWTSDF |
| 4 | 33.1 Empty barrels/containers/liners contaminated with hazardous chemicals /wastes | 560 | No/M | Reconditioner | Sale to authorized reconditioner /CHWTSDF |
| 5 | 20.2 Spent solvents | 90.0 | MT/M | Recycle* / Incineration | Sale to authorized reconditioner /CHWTSDF |
| 6 | 1.7 Oil from wastewater treatment | 6.0 | KL/M | Recycle*/ Incineration | Sale to authorized reconditioner /CHWTSDF |

8. Conditions under E-Waste Management:

| Sr No | Type of Waste | Quantity | UoM | Disposal Path |
|-------|---------------|----------|----------|-------------------------------------|
| 1 | E-Waste | 500.00 | Kg/Annum | Sale to authorized E-waste recycler |

- The Board reserves the right to review, amend, suspend, revoke this consent and the same shall be binding on the industry.
- This consent should not be construed as exemption from obtaining necessary NOC/ permission from any other Government authorities.
- The applicant shall not carry out any excess production or produce new products without Consent of the Board and without Environmental Clearance wherever it requires.
- The applicant shall properly collect, transport & regularly dispose-off the Hazardous Waste to CHWTSDF, in compliance of the Hazardous and other Waste (M & TH) Rule-2016 and keep proper manifest thereof.
- This Consent is issued subject to an order passed or may be passed by Hon'ble NGT, order dtd 23.08.2019 in the matter of O.A. No. 1038/2018.
- The industry shall obtain necessary permission from the Directorate of Industrial Safety and Health (DISH).
- Industry shall switchover to the cleaner Fuel instead of F.O. in compliance of Board Circular dated 05/2/2020.



Maharashtra Pollution Control Board
606ff069c8ae785842a6f912

- 16 The applicant shall make an application for renewal of consent 60 days prior to date of expiry of the consent. (Operate/Renewal)
- 17 This consent is issued pursuant to the decision of the 15th Consent Committee Meeting held on 17.03.2021

For and on behalf of the
Maharashtra Pollution Control Board.

(Ashok Shingare IAS),
Member Secretary

Received Consent fee of -

| Sr.No | Amount(Rs.) | Transaction/DR.No. | Date | Transaction Type |
|-------|-------------|--------------------|------------|------------------|
| 1 | 1195000.00 | TXN2011001861 | 24/11/2020 | Online Payment |

Copy to:

1. Regional Officer, MPCB, Thane and Sub-Regional Officer, MPCB, Tarapur I
- They are directed to ensure the compliance of the consent conditions.
2. Chief Accounts Officer, MPCB, Sion, Mumbai



SCHEDULE-I

Terms & conditions for compliance of Water Pollution Control:

1. A) As per your application, you have segregated trade effluent into weak stream & strong stream and provided Effluent Treatment Plant (ETP) comprising of:
 - i) **Strong COD/TDS stream of 25.9 CMD** - Treatment system comprising of Primary (Collection tank, Neutralization tank, Equalization tank) , Stripper, Multi effect evaporator with design capacity of 50.0 CMD followed by ATFD.
 - ii) **Weak COD/TDS stream of 29.52 CMD** - Treatment system comprising of Primary (Collection tank, Neutralization tank, Equalization tank, Primary Clarifier/Primary Settling Tank), Secondary (Activated sludge process), Tertiary (Pressure sand filter, Activated carbon filter), Advance treatment (Reverse osmosis), Sludge treatment (Sludge drying bed) with design capacity of 50.0 CMD.
- B) The Applicant shall operate the effluent treatment plant (ETP) to treat the trade effluent and recycle the entire treated effluent into the process for various purposes such as for cooling, process & Scrubbing so as to achieve Zero Liquid Discharge. There shall be no discharge on land or outside factory premises.
- C) The Industry shall install online monitoring system i.e. IP Camera and flow meter to ensure the Zero Liquid Discharge and it connectivity to the MPCB server.
- D) Industry shall install separate energy meter to the pollution control devices.
2. A) As per your application, you have provided Septic Tank followed by Soak pit for the treatment of 12.0 CMD of sewage.
- B) The Applicant shall operate the sewage treatment system to treat the sewage so as to achieve the following standards.

| Sr.No | Parameters | Standards | |
|-------|--------------------|---------------|----------|
| 1 | BOD (3 days 27°C) | Not to exceed | 30 mg/l |
| 2 | Suspended solids | Not to exceed | 100 mg/l |

- C) The treated sewage shall be soaked in soak pit and overflow if any shall be discharged on land for gardening within premise after confirming above standards.
3. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification there of & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
4. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.



Maharashtra Pollution Control Board

606ff069c8ae785842a6f912

5. The Applicant shall comply with the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and as amended, by installing water meters and other provisions as contained in the said act:

| Sr. No. | Purpose for water consumed | Water consumption quantity (CMD) |
|---------|--|----------------------------------|
| 1. | Industrial Cooling, spraying in mine pits or boiler feed | 138.00 |
| 2. | Domestic purpose | 15.00 |
| 3. | Processing whereby water gets polluted & pollutants are easily biodegradable | 90.00 |
| 4. | Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic | 0.00 |
| 5. | Gardening | 2.0 |

6. The Applicant shall provide Specific Water Pollution control system as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance/ CREP guidelines.

SCHEDULE-II

Terms & conditions for compliance of Air Pollution Control:

1. As per your application, you have provided the Air pollution control (APC) system and erected following stack (s) to observe the following fuel pattern:

| Stack No. | Stack Attached To | APC System | Height in Mtrs. | Type of Fuel | Quantity & UoM | S% | SO ₂ (kg/day) |
|-----------|---|--------------------|-----------------|--------------|----------------|------|--------------------------|
| S-1 | Boiler-1 | Stack | 30.0 | FO | 50 Kg/Hr | 4.50 | 108.00 |
| S-2 | Boiler-2 | Stack | 30.0 | FO | 50 Kg/Hr | 4.50 | 108.00 |
| S-3 | Boiler-3 | Stack | 30.0 | FO | 180 Kg/Hr | 4.50 | 388.80 |
| S-4 | Boiler-4 | Stack | 30.0 | FO | 300 Kg/Hr | 4.50 | 648.00 |
| S-5 | Thermic Fluid Heater-I (2 Lakh KCal/Hr) | Stack | 30.0 | FO | 25 Kg/Hr | 4.50 | 54.00 |
| S-6 | Thermic Fluid Heater -II (2 Lakh KCal/Hr) | Stack | 30.0 | FO | 25 Kg/Hr | 4.50 | 54.00 |
| S-7 | D. G. Set-1 (500 kVA) | Acoustic enclosure | 14.0 | HSD | 80 Ltr/Hr | 1.00 | 38.00 |
| S-8 | D. G. Set-2 (625 kVA)-2 | Acoustic enclosure | 14.0 | HSD | 100 Ltr/Hr | 1.00 | 50.00 |
| S-9 | Block-1 SCRUBBER -101 | Alkali Scrubber | 25.0 | - | -- | -- | -- |
| S-10 | Block-I SCRUBBER -102 | Acid Scrubber | 25.0 | - | -- | -- | -- |
| S-11 | Block-II SCRUBBER -301 | Alkali Scrubber | 25.0 | - | -- | -- | -- |



Maharashtra Pollution Control Board
606ff069c8ae785842a6f912

| Stack No. | Stack Attached To | APC System | Height in Mtrs. | Type of Fuel | Quantity & UoM | S% | SO ₂ (kg/day) |
|-----------|--------------------------|-----------------|-----------------|--------------|----------------|----|--------------------------|
| S-12 | Block-II SCRUBBER -302 | Acid Scrubber | 25.0 | - | -- | -- | -- |
| S-13 | Block-III SCRUBBER -401 | Alkali Scrubber | 25.0 | - | -- | -- | -- |
| S-14 | Block-III SCRUBBER -402 | Acid Scrubber | 25.0 | - | -- | -- | -- |
| S-15 | Block -III SCRUBBER -403 | Alkali Scrubber | 25.0 | - | -- | -- | -- |
| S-16 | Block-III SCRUBBER -404 | Acid Scrubber | 25.0 | - | -- | -- | -- |
| S-17 | Block-IV SCRUBBER -501 | Alkali Scrubber | 25.0 | - | -- | -- | -- |
| S-18 | Block-IV SCRUBBER -502 | Acid Scrubber | 25.0 | - | -- | -- | -- |

- The Applicant shall provide Specific Air Pollution control equipments as per the conditions of EP Act, 1986 and rule made there under from time to time/ Environmental Clearance / CREP guidelines.
- The applicant shall operate and maintain above mentioned air pollution control system, so as to achieve the level of pollutants to the following standards:

| Parameters | Standards | |
|--------------------------|---------------|-------------------------|
| Total Particulate Matter | Not to exceed | 150 mg/ Nm ³ |
| Acid Mist/ HCl | Not to exceed | 35 mg/ Nm ³ |
| Sulphur Trioxide | Not to exceed | 50 ppm |
| H ₂ S | Not to exceed | 10 mg/ Nm ³ |

- The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
- The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
- Solvent Management shall be carried out as follows:
 - Reactors shall be connected to Chilled Brine Condenser system
 - Reactors and solvent handling pumps shall have mechanical seals to prevent the leakages.
 - The condensers shall be provided with adequate Heat transfer area (HTA) and residence time so as to achieve more than 95% overall recovery
 - Solvents shall be stored in a separate space specified with all safety measures.
 - Proper earthing shall be provided in all the equipment's, wherever solvent handling is done.



Maharashtra Pollution Control Board

606ff069c8ae785842a6f912

- f. Entire plant shall be flame proof. The solvent storage tanks shall be provided with breather valve to prevent losses.
- g. All the solvent storage tanks shall be connected with vent condensers with chilled Brine circulation.
- h. Fugitive emissions shall be controlled at 99.95% with effective chillers.
- i. Solvent transfer shall be through pump.
- j. Metering and control of quantities of active ingredients to minimize wastes.
- k. Use of automatic filling to minimize spillage.
- l. Use of close feed system into batch reactors.
- m. Venting equipment through vapour recovery system.

SCHEDULE-III Details of Bank Guarantees:

| Sr. No | Consent (C2E/C2O/C2R) | Amt of BG Imposed | Submission Period | Purpose of BG | Compliance Period | Validity Date |
|--------|----------------------------------|-------------------|-------------------|--|-------------------|---------------|
| 1 | Restart Direction dtd.31.10.2013 | Rs. 5.0/- Lakh | Existing | Condition a) Towards reducing total daily effluent generation in a staggered manner. | 30.11.2025 | 30.03.2026 |

****Existing BG obtained for above purpose if any, may be extended for period of validity as above.**

BG Forfeiture History

| Srno. | Consent (C2E/C2O/C2R) | Amount of BG Imposed | Submission Period | Purpose of BG | Amount of BG Forfeiture | Reason of BG Forfeiture |
|-------|-----------------------|----------------------|-------------------|---------------|-------------------------|-------------------------|
| NA | | | | | | |

BG Return details

| Srno. | Consent (C2E/C2O/C2R) | BG Imposed | Purpose of BG | Amount of BG Returned |
|-------|-----------------------|------------|---------------|-----------------------|
| NA | | | | |

SCHEDULE-IV General Conditions:

1. Consumers or bulk consumers of electrical and electronic equipment listed in Schedule I shall ensure that e-waste generated by them is channelised through collection centre or dealer of authorised producer or dismantler or recycler or through the designated take back service provider of the producer to authorised dismantler or recycler
2. Bulk consumers of electrical and electronic equipment listed in Schedule I shall maintain records of e-waste generated by them in Form-2 and make such records available for scrutiny by the concerned State Pollution Control Board



Maharashtra Pollution Control Board

606ff069c8ae785842a6f912

3. Consumers or bulk consumers of electrical and electronic equipment listed in Schedule I shall ensure that such end-of-life electrical and electronic equipment are not admixed with e-waste containing radioactive material as covered under the provisions of the Atomic Energy Act, 1962 (33 of 1962) and rules made there under;
4. Bulk consumers of electrical and electronic equipment listed in Schedule I shall file annual returns in Form-3, to the concerned State Pollution Control Board on or before the 30th day of June following the financial year to which that return relates. In case of the bulk consumer with multiple offices in a State, one annual return combining information from all the offices shall be filed to the concerned State Pollution Control Board on or before the 30th day of June following the financial year to which that return relates.
5. The Energy source for lighting purpose shall preferably be LED based
6. The PP shall harvest rainwater from roof tops of the buildings and storm water drains to recharge the ground water and utilize the same for different industrial applications within the plant
7. Conditions for D.G. Set
 - a) Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically.
 - b) Industry should provide acoustic enclosure for control of noise. The acoustic enclosure/ acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB (A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c) Industry should make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper siting and control measures.
 - d) Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e) A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f) D.G. Set shall be operated only in case of power failure.
 - g) The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h) The applicant shall comply with the notification of MoEFCC, India on Environment (Protection) second Amendment Rules vide GSR 371(E) dated 17.05.2002 and its amendments regarding noise limit for generator sets run with diesel.
8. The applicant shall maintain good housekeeping.
9. The non-hazardous solid waste arising in the factory premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
10. The applicant shall not change or alter the quantity, quality, the rate of discharge, temperature or the mode of the effluent/emissions or hazardous wastes or control equipments provided for without previous written permission of the Board. The industry will not carry out any activity, for which this consent has not been granted/without prior consent of the Board.
11. The industry shall ensure that fugitive emissions from the activity are controlled so as to maintain clean and safe environment in and around the factory premises.
12. The industry shall submit quarterly statement in respect of industries obligation towards consent and pollution control compliance's duly supported with documentary evidences (format can downloaded from MPCB official site).



Maharashtra Pollution Control Board

606ff069c8ae785842a6f912

13. The industry shall submit official e-mail address and any change will be duly informed to the MPCB.
14. The industry shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification No. B-29016/20/90/PCI-L dated. 18.11.2009 as amended.
15. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions. The Applicant shall obtain prior consent of the Board to take steps to establish the unit or establish any treatment and disposal system or an extension or addition thereto.
16. The industry shall ensure replacement of pollution control system or its parts after expiry of its expected life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.
17. The PP shall provide personal protection equipment as per norms of Factory Act
18. Industry should monitor effluent quality, stack emissions and ambient air quality monthly/quarterly.
19. Whenever due to any accident or other unforeseen act or even, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith Reported to Board, concerned Police Station, office of Directorate of Health Services, Department of Explosives, Inspectorate of Factories and Local Body. In case of failure of pollution control equipments, the production process connected to it shall be stopped.
20. The applicant shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control production to abide by terms and conditions of this consent.
21. The industry shall recycle/reprocess/reuse/recover Hazardous Waste as per the provision contain in the Hazardous and Other Wastes (M & TM) Rules 2016, which can be recycled /processed /reused /recovered and only waste which has to be incinerated shall go to Incineration and waste which can be used for land filling and cannot be recycled/reprocessed etc. should go for that purpose. In order to reduce load on incineration and landfill site/environment.
22. An inspection book shall be opened and made available to the Board's officers during their visit to the applicant.
23. Industry shall strictly comply with the Water (P&CP) Act, 1974, Air (P&CP) Act, 1981 and Environmental Protection Act, 1986 and industry specific standard under EP Rules 1986 which are available on MPCB website (www.mpcb.gov.in).
24. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the terminal manholes. No effluent shall find its way other than in designed and provided collection system.
25. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the factory.
26. The industry should not cause any nuisance in surrounding area.




Maharashtra Pollution Control Board

606ff069c8ae785842a6f912

27. The industry shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.
28. The industry shall create the Environmental Cell by appointing an Environmental Engineer, Chemist and Agriculture expert for looking after day to day activities related to Environment and irrigation field where treated effluent is used for irrigation.
29. The applicant shall provide ports in the chimney/(s) and facilities such as ladder, platform etc. for monitoring the air emissions and the same shall be open for inspection to/and for use of the Board's Staff. The chimney(s) vents attached to various sources of emission shall be designated by numbers such as S-1, S-2, etc. and these shall be painted/ displayed to facilitate identification.
30. The industry should comply with the Hazardous and Other Wastes (M & TM) Rules, 2016 and submit the Annual Returns as per Rule 6(5) & 20(2) of Hazardous and Other Wastes (M & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year.
31. The applicant shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
32. The applicant shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted by September end.
33. The Board reserves its rights to review plans, specifications or other data relating to plant setup for the treatment of waterworks for the purification thereof & the system for the disposal of sewage or trade effluent or in connection with the grant of any consent conditions.
34. The firm shall submit to this office, the 30th day of September every year, the Environment Statement Report for the financial year ending 31st March in the prescribed FORM-V as per the provisions of Rule 14 of the Environment (Protection) (second Amendment) Rules, 1992.
35. The Applicant shall obtain necessary prior permission for providing additional control equipment with necessary specifications and operation thereof or alteration or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
36. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, other in whole or in part is necessary).
37. The applicant shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.

For and on behalf of the
Maharashtra Pollution Control Board.


(Ashok Shingare IAS),
Member Secretary

Sadekar Enviro Engineers Private Limited

Plot No. A-85, Road No. 16, Kisan Nagar Road, M.I.D.C. Waghe Industrial Area, Thane - 400 604, Maharashtra State, India
 ☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prj@sadekarenviro.com / tsadekar5@gmail.com
 Lab. Accredited by **NRBL**, Valid up to 00-09-2025



TC-12207

ANALYSIS TEST REPORT

| | | | | |
|--------------------------------|---|-----------------------|------------------------|----|
| Report Number | SEETL240001039 | Report Date | 15/03/2024 | |
| Name of Client | M/s. Aarti Pharamlabs Ltd. Unit IV, (Formerly M/s. Aarti Industries Ltd.) | | | |
| Address of Client | Plot No. E-50, M.I.D.C, Tarapur, Tal & Dist. Palghar - 401506 | | | |
| Order / Reference | As per Agreement Dated: 18.06.2021 | | | |
| Sample Collection Date | 27/02/2024 | Sample Receipt Date | 28/02/2024 | |
| Analysis Started On | 28/02/2024 | Analysis Completed On | 15/03/2024 | |
| ULR Number | TC-122072400000795F | | | |
| Sampling Plan | SEETL/LD/F-03 | Sampling SOP No. | SEETL/LD/SOP/WA-62 | |
| Environmental Condition of Lab | Temp °C | 25.1 | Humidity % | 51 |
| Sampling Point | ETP | | | |
| Sample Details | I – Raw Effluent | | II – Treated Effluent | |
| Sample Container | PVC Can & Glass Bottle | Sample Quantity | 1000 ml + 1000 ml Each | |
| Sample Collected By | SEETL Representative | | | |

Chemical Parameters

| Sr. No. | Parameters | Results | | Unit | Method |
|---------|---|----------|--------|--------|--|
| | | I | II | | |
| 1. | pH | 6.01 | 8.13 | - | IS 3025 (Part 11) : 2022 |
| 2. | Chemical Oxygen Demand | 13374.00 | 229.00 | mg/lit | APHA (24 th Edition) 5220 B : 2023 |
| 3. | Biochemical Oxygen Demand 3 days at 27°C | 4112.00 | 60.00 | mg/lit | IS 3025 (Part 44) : 2023 |
| 4. | Total Suspended Solids | 1160 | 20 | mg/lit | APHA (24 th Edition) 2540-D : 2023 |
| 5. | Total Dissolved Solids | 13145 | 297 | mg/lit | APHA (24 th Edition) 2540-C : 2023 |
| 6. | Oil & Grease | <1.0 | <1.0 | mg/lit | IS 3025 (Part 39/5) : 2021 |
| 7. | Total Ammonical Nitrogen | 64.96 | 35.11 | mg/lit | APHA (24 th Edition) 4500-NH ₃ -B-C : 2023 |
| 8. | Chloride as Cl | 4149 | 93.97 | mg/lit | APHA (24 th Edition) 4500-Cl-B : 2023 |
| 9. | Sulphate as SO ₄ | 76.36 | 33.66 | mg/lit | APHA (24 th Edition) 4500-SO ₄ -E : 2023 |

Note: Test results related only to the sample tested.

- : This certificate may not be reproduced without the permission of this Laboratory.
- : Retention Period of Sample is 8 days from the date of Analysis report.

*****END OF THE REPORT*****



Trupti Mayekar
 Authorized Signatory
 Trupti Mayekar

Page 1 of 1

Format No: SEETL/LD/F-72

GOA OFF : 310, Dempo Towers, EDC Pato, Panaji-403 001, Goa State, India ☎ : (0832) 2437048 / 2437164
 E-mail : sadekarenviro@rediffmail.com • Website : www.sadekarenviro.com

LABORATORY : B-308/307, Plot No. 61, Patel Estate, Reis Magos, Verem, Alto, Old Betim Road, Bantez, Porvorim, Panaji-Goa-403 101, Goa State, India ☎ : (0832) 2411322 / 23 • E-mail : starlabgoa@rediffmail.com • CIN No. U45209MH1998PTC-116379



TC-12207

ANALYSIS TEST REPORT

| | | | | |
|--------------------------------|--|-----------------------|--------------------|----|
| Report No | SEETL240000603 | Report Date | 08/02/2024 | |
| Name of Client | M/s. Aarti Pharamalabs Ltd. | | | |
| Address of Client | Plot No. E-50, M.I.D.C., Tarapur, Tal & Dist. Palghar- 401506. | | | |
| Order / Reference | As per Agreement Dated- 18/06/2021 | | | |
| Date Of sampling | 02/02/2024 | Sample Receipt Date | 03/02/2024 | |
| Analysis Started on | 03/02/2024 | Analysis Completed On | 07/02/2024 | |
| ULR No. | TC-122072400000484F | | | |
| Sample Collected By | SEETL Representative | | | |
| Sampling Plan | SEETL/LD/F-03 | Sampling SOP No. | SEETL/LD/SOP/AA-32 | |
| Environmental Condition of Lab | Temperature(°C) | 24.8 | Humidity (%) | 50 |

AMBIENT AIR STATION

| | | | |
|-------------------------|---|------------------------------------|--------|
| Location of H.V.S. | Near Main Gate | | |
| Lateral Distance | 5.0 Meter from Main Gate | | |
| Receptor Distance | 1.5 Meters from Ground Level | | |
| Ambient Temperature(°C) | 29 | Humidity (%) | 38 |
| Wind Speed (km/hr) | 08 | Wind Direction (deg ^o) | NW 310 |
| Instruments Used | R.D.S. (APM- 460), F.P.S.(APM – 550), G.P.S.(APM – 411) & Benzene Sampler (GTI-177) | | |

POLLUTIONAL PARAMETERS

| Parameters | Result | Units | NAAQS Limits | Method |
|--|--------|-------------------|--------------|---|
| PM ₁₀ | 66 | µg/m ³ | 100.00 | IS 5182 (Part 23) 2006 RA: 2022 |
| PM _{2.5} | 32 | µg/m ³ | 60.00 | EPA Quality assurance guidance document 2.12, based on CPCB- 2011 |
| Sulphur dioxide (SO ₂) | 18 | µg/m ³ | 80.00 | IS 5182(Part 2/Sec 1): 2023 |
| Nitrogen dioxide (NO ₂) | 21 | µg/m ³ | 80.00 | IS 5182 (Part 6): 2006 RA: 2022 |
| Ozone (O ₃) | 17 | µg/m ³ | 180.00 | IS 5182 (Part 9): 1974 RA: 2019 |
| Carbon monoxide (CO) | 1.13 | mg/m ³ | 04.00 | IS 5182 (Part 10) : 1999 RA 2019 |
| Ammonia (NH ₃) | <20 | µg/m ³ | 400.00 | CPCB guidelines for measurement of ambient air pollutants volume-I:2011 |
| Lead as Pb | <0.1 | µg/m ³ | 01.00 | EPA compendium method IO 3.5: 2012 |
| Benzene (C ₆ H ₆) | <4 | µg/m ³ | 5.00 | IS 5182 (Part 11) :2006 RA 2022 |
| Arsenic (As) | <5 | ng/m ³ | 6.00 | EPA compendium method IO 3.5: 2012 |
| Nickel (Ni) | <5 | ng/m ³ | 20.00 | EPA compendium method IO 3.5: 2012 |
| Benzo(a)Pyrene (BaP) | <0.1 | ng/m ³ | 1.00 | IS 5182 (Part 12): 2004 RA: 2019 |

- NOTE:** 1) The above results relate only to the item tested & the condition prevailing at the time of sampling
 2) PM₁₀-Particulate Matter of size < 10 µm, PM_{2.5} - Particulate Matter of size < 2.5 µm
 3) NAAQS-National Ambient Air Quality Standards
 4) BDL: Below Detection Limit (NH₃<20 µg/m³), (Pb<0.10 µg/m³), (C₆H₆<4 µg/m³), (As <5 ng/m³), (NI <5ng/m³), (Benzo(a)Pyrene< 0.1 ng/m³)
 5) This certificate may not be reproduced without the permission of this Laboratory.

***** END OF THE REPORT*****



Trupti Mayekar
 Authorized Signatory
 Trupti Mayekar

Page 1 of 1

Format No. SEETL/LD/F-72

BRANCH OFF: : 310, Dempo Towers, EDC Patto, Panaji-403 001, Goa State, India ☎ : (0832) 2437048 / 2437164
 E-mail : sadekarenviro@rediffmail.com • Website : www.sadekarenviro.com

LABORATORY : B-306/307, Plot No. 61, Patel Estate, Reis Magos, Verem, Alto, Old Belim Road, Bantez, Porvorim, Panaji-Goa-403 101,
 Goa State, India ☎ : (0832) 2411322 / 23 • E-mail : starlabgoa@rediffmail.com • CIN No. U45209MH1998PTC-116379

ANALYSIS TEST REPORT

| | | | | |
|--------------------------------|--|-----------------------|--------------------|----|
| Report No | SEETL240000604 | Report Date | 08/02/2024 | |
| Name of Client | M/s. Aarti Pharamlabs Ltd. | | | |
| Address of Client | Plot No. E-50, M.I.D.C., Tarapur, Tal & Dist. Palghar- 401506. | | | |
| Order / Reference | As per Agreement Dated- 18/06/2021 | | | |
| Date Of sampling | 02/02/2024 | Sample Receipt Date | 03/02/2024 | |
| Analysis Started on | 03/02/2024 | Analysis Completed On | 07/02/2024 | |
| ULR No. | TC-122072400000485F | | | |
| Sample Collected By | SEETL Representative | | | |
| Sampling Plan | SEETL/LD/F-03 | Sampling SOP No. | SEETL/LD/SOP/AA-32 | |
| Environmental Condition of Lab | Temperature(°C) | 24.8 | Humidity (%) | 50 |

AMBIENT AIR STATION

| | | | |
|-------------------------|--|------------------------------------|--------|
| Location of H.V.S. | Near ETP | | |
| Lateral Distance | 4.0 Meter from ETP | | |
| Receptor Distance | 1.5 Meters from Ground Level | | |
| Ambient Temperature(°C) | 29 | Humidity (%) | 38 |
| Wind Speed (km/hr) | 08 | Wind Direction (deg ^o) | NW 310 |
| Instruments Used | R.D.S.(APM- 460), F.P.S.(APM – 550), G.P.S.(APM – 411) & Benzene Sampler (GTI-177) | | |

POLLUTIONAL PARAMETERS

| Parameters | Result | Units | NAAQS Limits | Method |
|--|--------|-------------------|--------------|---|
| PM ₁₀ | 61 | µg/m ³ | 100.00 | IS 5182 (Part 23) 2006 RA: 2022 |
| PM _{2.5} | 29 | µg/m ³ | 60.00 | EPA Quality assurance guidance document 2.12, based on CPCB- 2011 |
| Sulphur dioxide (SO ₂) | 16 | µg/m ³ | 80.00 | IS 5182(Part 2/Sec 1): 2023 |
| Nitrogen dioxide (NO ₂) | 22 | µg/m ³ | 80.00 | IS 5182 (Part 6): 2006 RA: 2022 |
| Ozone (O ₃) | 15 | µg/m ³ | 180.00 | IS 5182 (Part 9): 1974 RA: 2019 |
| Carbon monoxide (CO) | 1.18 | mg/m ³ | 04.00 | IS 5182 (Part 10) : 1999 RA 2019 |
| Ammonia (NH ₃) | <20 | µg/m ³ | 400.00 | CPCB guidelines for measurement of ambient air pollutants volume-I:2011 |
| Lead as Pb | <0.1 | µg/m ³ | 01.00 | EPA compendium method IO 3.5: 2012 |
| Benzene (C ₆ H ₆) | <4 | µg/m ³ | 5.00 | IS 5182 (Part 11) :2006 RA 2022 |
| Arsenic (As) | <5 | ng/m ³ | 6.00 | EPA compendium method IO 3.5: 2012 |
| Nickel (Ni) | <5 | ng/m ³ | 20.00 | EPA compendium method IO 3.5: 2012 |
| Benzo(a)Pyrene (BaP) | <0.1 | ng/m ³ | 1.00 | IS 5182 (Part 12): 2004 RA: 2019 |

- NOTE:** 1) The above results relate only to the item tested & the condition prevailing at the time of sampling
 2) PM₁₀-Particulate Matter of size < 10 µm, PM_{2.5}- Particulate Matter of size < 2.5 µm
 3) NAAQS-National Ambient Air Quality Standards
 4) BDL: Below Detection Limit (NH₃<20 µg/m³), (Pb<0.10 µg/m³), (C₆H₆<4 µg/m³), (As <5 ng/m³), (Ni <5ng/m³), (Benzo(a)Pyrene< 0.1 ng/m³)
 5) This certificate may not be reproduced without the permission of this Laboratory.

***** END OF THE REPORT*****



Trupti Mayekar
 Authorized Signatory
 Trupti Mayekar

Page 1 of 1

Format No. SEETL/LD/F-72

ANALYSIS TEST REPORT

| | | | | |
|--------------------------------|---|-----------------------|--------------------|----|
| Report No | SEETL240000605 | Report Date | 08/02/2024 | |
| Name of Client | M/s. Aarti Pharamalabs Ltd. | | | |
| Address of Client | Plot No. E-50, M.I.D.C, Tarapur, Tal & Dist. Palghar- 401506. | | | |
| Order / Reference | As per Agreement Dated- 18/06/2021 | | | |
| Date Of sampling | 02/02/2024 | Sample Receipt Date | 03/02/2024 | |
| Analysis Started on | 03/02/2024 | Analysis Completed On | 07/02/2024 | |
| ULR No. | TC-122072400000486F | | | |
| Sample Collected By | SEETL Representative | | | |
| Sampling Plan | SEETL/LD/F-03 | Sampling SOP No. | SEETL/LD/SOP/AA-32 | |
| Environmental Condition of Lab | Temperature(°C) | 24.8 | Humidity (%) | 50 |

AMBIENT AIR STATION

| | | | |
|-------------------------|--|------------------------------------|--------|
| Location of H.V.S. | Near Utility Area | | |
| Lateral Distance | 4.0 Meter from Utility Area | | |
| Receptor Distance | 1.5 Meters from Ground Level | | |
| Ambient Temperature(°C) | 29 | Humidity (%) | 38 |
| Wind Speed (km/hr) | 08 | Wind Direction (deg ^o) | NW 310 |
| Instruments Used | R.D.S.(APM- 460), F.P.S.(APM - 550), G.P.S.(APM - 411) & Benzene Sampler (GTI-177) | | |

POLLUTIONAL PARAMETERS

| Parameters | Result | Units | NAAQS Limits | Method |
|--|--------|-------------------|--------------|---|
| PM ₁₀ | 59 | µg/m ³ | 100.00 | IS 5182 (Part 23) 2006 RA: 2022 |
| PM _{2.5} | 27 | µg/m ³ | 60.00 | EPA Quality assurance guidance document 2.12, based on CPCB- 2011 |
| Sulphur dioxide (SO ₂) | 16 | µg/m ³ | 80.00 | IS 5182(Part 2/Sec 1): 2023 |
| Nitrogen dioxide (NO ₂) | 20 | µg/m ³ | 80.00 | IS 5182 (Part 6): 2005 RA: 2022 |
| Ozone (O ₃) | 17 | µg/m ³ | 180.00 | IS 5182 (Part 9): 1974 RA: 2019 |
| Carbon monoxide (CO) | 1.04 | mg/m ³ | 04.00 | IS 5182 (Part-10) : 1999 RA 2019 |
| Ammonia (NH ₃) | <20 | µg/m ³ | 400.00 | CPCB guidelines for measurement of ambient air pollutants volume-I:2011 |
| Lead as Pb | <0.1 | µg/m ³ | 01.00 | EPA compendium method IO 3.5: 2012 |
| Benzene (C ₆ H ₆) | <4 | µg/m ³ | 5.00 | IS 5182 (Part 11) :2006 RA 2022 |
| Arsenic (As) | <5 | ng/m ³ | 6.00 | EPA compendium method IO 3.5: 2012 |
| Nickel (Ni) | <5 | ng/m ³ | 20.00 | EPA compendium method IO 3.5: 2012 |
| Benzo(a)Pyrene (BaP) | <0.1 | ng/m ³ | 1.00 | IS 5182 (Part 12): 2004 RA: 2019 |

- NOTE:** 1) The above results relate only to the item tested & the condition prevailing at the time of sampling
 2) PM₁₀-Particulate Matter of size < 10 µm, PM_{2.5} - Particulate Matter of size < 2.5 µm
 3) NAAQS-National Ambient Air Quality Standards
 4) BDL: Below Detection Limit (NH₃<20 µg/m³), (Pb<0.10 µg/m³), (C₆H₆<4 µg/m³), (As <5 ng/m³), (Ni <5ng/m³), (Benzo(a)Pyrene< 0.1 ng/m³)
 5) This certificate may not be reproduced without the permission of this Laboratory.

***** END OF THE REPORT*****



Trupti Mayekar
 Authorized Signatory
 Trupti Mayekar

ANALYSIS TEST REPORT

| | | | |
|--------------------------------|---|-----------------------|--------------------|
| Report No | SEETL240000610 | Report Date | 08/02/2024 |
| Name of Client | M/s. Aarti Pharmalabs Ltd. | | |
| Address of Client | Plot No. E-50, M.I.D.C, Tarapur, Tal & Dist. Paighar- 401506. | | |
| Order / Reference | As per Agreement Dated- 18/06/2021 | | |
| Date Of sampling | 02/02/2024 | Sample Receipt Date | 03/02/2024 |
| Analysis Started on | 03/02/2024 | Analysis Completed On | 07/02/2024 |
| ULR No. | TC-122072400000489F | | |
| Sample Collected By | SEETL Representative | | |
| Sampling Plan | SEETL/LD/F-03 | Sampling SOP No. | SEETL/LD/SOP/AA-32 |
| Environmental Condition of Lab | Temperature(°C) | 24.8 | Humidity (%) 50 |

DETAILS OF STACK

| Attached To | DG Set No. 105 (500 KVA) | DG Set No. 102- 625KVA |
|---|--------------------------|------------------------|
| Shape | Round | Round |
| Diameter (mm) | 300 | 300 |
| Height From Ground Level (Mtr) | 9 Mtr | 13Mtr |
| Temperature (°C) | 162.00 | 171.00 |
| Velocity of Flue Gases (m/sec) | 7.54 | 8.15 |
| Volume of Flue Gases (m ³ /hour) | 1919.75 | 2073.75 |
| Type of Fuel | HSD | HSD |

POLLUTIONAL PARAMETERS

| Parameters | Result | | Units | MPCB Limit | Method |
|-------------------------------------|--------|-------|--------------------|------------|---------------------------------|
| | I | II | | | |
| Total Particulate Matter | 43 | 48 | mg/Nm ³ | 150.00 | IS 11255 (Part 1):1985 RA: 2019 |
| Sulphur dioxide (SO ₂) | 10.6 | 15.2 | Kg/Day | - | IS 11255 (Part 2):1985 RA: 2019 |
| MPCB Limit | 38.00 | 50.00 | | | |
| Nitrogen dioxide (NO ₂) | BDL | BDL | mg/Nm ³ | - | IS 11255 (Part 7):2005 RA: 2022 |

- NOTE:** 1) The above results relate only to the condition prevailing at the time of sampling.
 2) The above results relate only to the item tested.
 3) BDL : Below Detection Limit (NO₂ <2.0 mg/Nm³)
 4) This certificate may not be reproduced without the permission of this Laboratory.

***** END OF THE REPORT*****



gmayekar
 Authorized Signatory
 Trupti Mayekar

ANALYSIS TEST REPORT

| | | | |
|--------------------------------|---|-----------------------|--------------------|
| Report No | SEETL240000609 | Report Date | 08/02/2024 |
| Name of Client | M/s. Aarti Pharamalabs Ltd. | | |
| Address of Client | Plot No. E-50, M.I.D.C, Tarapur, Tal & Dist. Palghar- 401506. | | |
| Order / Reference | As per Agreement Dated- 18/06/2021 | | |
| Date Of sampling | 02/02/2024 | Sample Receipt Date | 03/02/2024 |
| Analysis Started on | 03/02/2024 | Analysis Completed On | 07/02/2024 |
| ULR No. | TC-122072400000488F | | |
| Sample Collected By | SEETL Representative | | |
| Sampling Plan | SEETL/LD/F-03 | Sampling SOP No. | SEETL/LD/SOP/AA-32 |
| Environmental Condition of Lab | Temperature(°C) | 24.8 | Humidity (%) 50 |

DETAILS OF STACK

| | Boiler (BH-105) | Boiler (BH-106) |
|---|-----------------|-----------------|
| Attached To | Boiler (BH-105) | Boiler (BH-106) |
| Shape | Round | Round |
| Diameter (mm) | 800 | 800 |
| Height From Ground Level (Mtr) | 30 Mtr | 30 Mtr |
| Temperature (°C) | 143.00 | 151.00 |
| Velocity of Flue Gases (m/sec) | 5.12 | 4.91 |
| Volume of Flue Gases (m ³ /hour) | 9267.95 | 8876.26 |
| Type of Fuel | Biofuel | Biofuel |

POLLUTIONAL PARAMETERS

| Parameters | Result | | Units | MPCB Limit | Method |
|-------------------------------------|--------|--------|--------------------|------------|---------------------------------|
| | I | II | | | |
| Total Particulate Matter | 42 | 48 | mg/Nm ³ | 150.00 | IS 11255 (Part 1):1985 RA: 2019 |
| Sulphur dioxide (SO ₂) | BDL | BDL | Kg/Day | - | IS 11255 (Part 2):1985 RA: 2019 |
| MPCB Limit | 388.80 | 648.00 | | | |
| Nitrogen dioxide (NO ₂) | 1.18 | 1.30 | ppm | - | IS 11255 (Part 7):2005 RA: 2022 |

- NOTE: 1) The above results relate only to the condition prevailing at the time of sampling.
 2) The above results relate only to the item tested.
 3) BDL : Below Detection Limit (SO₂ <3.0 mg/Nm³)
 4 This certificate may not be reproduced without the permission of this Laboratory.

***** END OF THE REPORT*****



Trupti Mayekar
 Authorized Signatory
 Trupti Mayekar

Date: -08/04/2022

To,
Collector & District Magistrate,
Dist. Palghar

Subject - Approval for Corporate Environment Responsibility (CER) activities expenditure mentioned in Environment Clearance EC for Aarti Industries Limited, located at Tal:Tarapur, Dist Palghar (Unit-III, Unit-IV Plot No E-50 & E 59-1 & SPACK Division)

Respected Sir,

We, Aarti Industries Limited, have received the EC for proposed expansion by addition of new products for manufacturing of Active Pharmaceutical Ingredients & intermediates at existing units at Unit -III (Plot No K-17,18,19), Unit-IV (Plot No E 50 & E 59-1) & SPACK Division (Plot No. D-18) (Please refer Annex-1).

As per EC condition & OM issued by MoEF&CC dated 01.05.2018 (Please refer Annex-2), we have to allocate & utilize the CER (Corporate Environmental Responsibility) activity along with the timeline. The Budget allocated for CER activity as per EC condition is as follows,

| | |
|----------------------|----------------------|
| 1. Unit -III | : Rs. 30 Lacs. |
| 2. Unit -IV (E 50) | : Rs. 25 Lacs |
| 3. Unit -IV (E 59-1) | : Rs 90 Lacs |
| 4. SPACK Division | : Rs 30 Lacs |
| Total | : Rs 175 Lacs |

Subsequently, We have spent the budget in the following activities for CER compliance.

Contribution to Maharashtra State Disaster Management - 205 Lacs [dated 25.03.2021] - (Please refer Annex-3)

So, considering the above expenditure, kindly give your approval to comply with the EC condition regarding CER activity & provide us the compliance certificate. In the event, if you require any further information or clarification in this regard, kindly let us know.

Waiting for your reply.

Thanking you,

Yours Faithfully
for Aarti Industries Limited

Authorized Signatory

Encl-

Annex-1: Environment Clearance Copy of Unit-III, Unit- IV (E-50 & E 59-1) & SPACK Division

Annex-2: OM issued by MoEF&CC dated 01.05.2018

Annex-3: Maharashtra State Disaster Management Receipt



TC-12207

ANALYSIS TEST REPORT

| | | | |
|--------------------|---|------------------|--------------------|
| Report No. | SEETL240000615 | Report Date | 08/02/2024 |
| Name of Client | M/s. Aarti Pharmalabs Ltd. | | |
| Address of Client | Plot No. E-50, M.I.D.C, Tarapur, Tal & Dist. Palghar- 401506. | | |
| Order / Reference | As per Agreement Dated- 18/06/2021 | | |
| Date Of Monitoring | 02/02/2024 | Time of Sampling | Day/Night |
| ULR No. | TC-122072400000494F | | |
| Monitored By | SEETL Representative | | |
| Sampling Plan | SEETL/LD/F-03 | Sampling SOP No. | SEETL/LD/SOP/AA-31 |

DAY NIGHT TIME NOISE LEVEL MONITORING

| Sr. No. | Sampling Location (From 1 meter away) | Noise Levels in dB(A) Leq* Day Time | Noise Levels in dB(A) Leq* Night Time |
|---------|--|--|--|
|---------|--|--|--|

AMBIENT NOISE LEVEL MONITORING

| | | | |
|----|----------------------|------|------|
| 1. | Near Main gate | 65.9 | 62.9 |
| 2. | Near ETP | 69.1 | 61.7 |
| 3. | Near Compressor room | 70.9 | 65.2 |
| 4. | Near DG Room | 71.4 | 66.5 |
| 5. | Near Boiler House | 68.4 | 66.5 |
| 6. | Material Entry Gate | 69.7 | 63.2 |
| 7. | FBD-502 Inlet | 70.5 | 65.8 |
| 8. | FBD-502 Outlet | 68.6 | 65.4 |

Method: IS:9989-1981 (RA 2023)

- NOTE: 1) MPCB Limit During Day time < 75. (Day time shall mean from 6.00 am to 10.00 pm.)
 2) MPCB Limit During Night time < 70. (Night time shall mean from 10.00 pm to 6.00 am.)
 3) A "decibel" is a unit in which noise is measured.
 4) "A", in dB (A) Leq, denotes the frequency weighting in the measurement of noise and corresponds to frequency response characteristics of the human hear.
 5) Leq: It is the energy mean of the noise level over a specified period.
 6) This certificate may not be reproduced without the permission of this Laboratory

***** END OF THE REPORT*****



Trupti Mayekar
 Authorized Signatory
 Trupti Mayekar



Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Klean Nager Road, M.I.D.C. Wagale Industrial Area, Thane - 400 504, Maharashtra State, India
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prs@sadekarenviro.com / psadekar5@gmail.com

2011-12-31
1706 187

ANALYSIS TEST REPORT

| | | | |
|--------------------|--|------------------|--------------------|
| Report No. | SEETL240000616 | Report Date | 08/02/2024 |
| Name of Client | M/s. Aarti Pharamalabs Ltd. | | |
| Address of Client | Plot No. E-50, M.I.D.C., Tarapur, Tal & Dist. Palghar- 401506. | | |
| Order / Reference | As per Agreement Dated- 18/06/2021 | | |
| Date Of Monitoring | 02/02/2024 | Time of Sampling | Day/Night |
| Monitored By | SEETL Representative | | |
| Sampling Plan | SEETL/LD/F-03 | Sampling SOP No. | SEETL/LD/SOP/AA-31 |

DAY NIGHT TIME NOISE LEVEL MONITORING

| Sampling Location (From 1 meter away) | Noise Levels in dB(A) Leq* | |
|--|----------------------------|------------|
| | Day Time | Night Time |
| WORKPLACE NOISE LEVEL MONITORING | | |
| 10. Block No. 1 Reaction Area 1st Floor | 58.7 | 55.6 |
| 11. Block No. 1 Reaction Area Level 2nd Floor | 60.2 | 56.9 |
| 12. Block No. 1 Reaction Area Level 3 rd G- Floor | 61.3 | 57.2 |
| 13. Block No. 2 Reaction Area 1st Floor | 62.3 | 61.3 |
| 14. Block No. 2 Reaction Area Ground Floor | 63.0 | 60.4 |

Method:-IS:9989-1981 (RA 2023)

- NOTE: 1) *As per Factory Act Rules, 1963 scheduled XXIV Noise Limit 90dB(A) *dB(A) Leq denotes the time weighted average of the level of sound in decibels on scale A which is relatable to human hearing.
2) A "decibel" is a unit in which noise is measured.
3) "A", in dB (A) Leq, denotes the frequency weighting in the measurement of noise and corresponds to frequency response characteristics of the human hear.
4) Leq: It is the energy mean of the noise level over a specified period.
5) This certificate may not be reproduced without the permission of this Laboratory

***** END OF THE REPORT*****




Authorized Signatory
Nilesch Naik

Page 2 of 2

Format No. SEETL/LD/F-72

HIGH COD/TDS FACILITY : Plot No. E-133 & P-196, Tarapur MIDC, Boisar, Dist. Palghar - 401506 ☎: 8591159165 / 7304633668
E-mail: evaporationsystem@sadekarenviro.com • Website : www.sadekarenviro.com

GOA UNIT : 310, Dempo Towers, EDC Patto, Panaji-403 001, Goa State, India ☎ : (0832) 2437048 / 2437164
E-mail : sadekarenviro@rediffmail.com • CIN No. U45209MH1996PTC-116379



Sadekar Enviro Engineers Private Limited

Plot No. A-95, Road No. 16, Kisan Nagar Road, M.I.D.C. Waghe Industrial Area, Thane - 400 604, Maharashtra State, India.
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : prj@sadekarenviro.com / peadekar5@gmail.com

SAVE EUPHORIA
SAVE LIFE

ANALYSIS TEST REPORT

| | | | |
|--------------------|---|------------------|--------------------|
| Report No. | SEETL240000616 | Report Date | 08/02/2024 |
| Name of Client | M/s. Aarti Pharmalabs Ltd. | | |
| Address of Client | Plot No. E-50, M.I.D.C, Tarapur, Tal & Dist. Palghar- 401506. | | |
| Order / Reference | As per Agreement Dated- 18/06/2021 | | |
| Date Of Monitoring | 02/02/2024 | Time of Sampling | Day/Night |
| Monitored By | SEETL Representative | | |
| Sampling Plan | SEETL/LD/F-03 | Sampling SOP No. | SEETL/LD/SOP/AA-31 |

DAY NIGHT TIME NOISE LEVEL MONITORING

| Sampling Location (From 1 meter away) | Noise Levels in dB(A) Leq* Day Time | Noise Levels in dB(A) Leq* Night Time |
|--|--|--|
|--|--|--|

WORKPLACE NOISE LEVEL MONITORING

| | | |
|---|------|------|
| 1. Block No. 3 Reaction Area Line A Ground Floor | 61.1 | 56.4 |
| 2. Block No. 3 Reaction Area Line A 1 st Floor | 57.8 | 55.4 |
| 3. Block No. 3 Reaction Area Line B Ground Floor | 56.9 | 53.8 |
| 4. Block No. 3 Reaction Area Line B 1 st Floor | 58.9 | 56.2 |
| 5. Block No. 3 Reaction Area Line C Ground Floor | 61.3 | 57.0 |
| 6. Block No. 3 Reaction Area Line C 1 st Floor | 60.4 | 57.9 |
| 7. Block No. 4 Reaction Area 1st Floor | 61.0 | 56.8 |
| 8. Block No. 4 Reaction Area 2nd Floor | 59.9 | 56.3 |
| 9. Block No. 4 Reaction Area level II FBD Room | 61.4 | 58.5 |

Method:-IS:9989-1981 (RA 2023)

- NOTE: 1) *As per Factory Act Rules ,1963 scheduled XXIV Noise Limit 90dB(A) *dB(A) Leq denotes the time Weighted average of the level of sound in decibels on scale A which is relatable to human hearing.
2) A "decibel" is a unit in which noise is measured.
3) "A", in dB (A) Leq, denotes the frequency weighting in the measurement of noise and corresponds to frequency response characteristics of the human hear.
4) Leq: It is the energy mean of the noise level over a specified period.
5) This certificate may not be reproduced without the permission of this Laboratory



Authorized Signatory
Nilesh Naik



Sadekar Enviro Engineers Private Limited

Plot No. A-66, Road No. 16, Klean Nagar Road, M.I.D.C. Wagle Industrial Area, Thane - 400 604, Maharashtra State, India
☎ : (91-22) 2583 3321 / 2583 3322 / 2583 3323 / 2583 3324 • E-mail : env@sadekarenviro.com / psadekar5@gmail.com

SFM/LUP/TER
SFM/UP

ANALYSIS TEST REPORT

| | | | |
|----------------------|---|------------------|--------------------|
| Report No. | SEETL240000617 | Report Date | 08/02/2024 |
| Name of Client | M/s. Aarti Pharmalabs Ltd. | | |
| Address of Client | Plot No. E-50, M.I.D.C, Tarapur, Tal & Dist. Paighar- 401506. | | |
| Order / Reference | As per Agreement Dated- 18/06/2021 | | |
| Date Of Monitoring | 02/02/2024 | Time of Sampling | Day |
| ULR No. | - | | |
| Monitored By | SEETL Representative | | |
| Sampling Plan | SEETL/LD/F-03 | Sampling SOP No. | SEETL/LD/SOP/AA-31 |
| Instrument Use | Noise Meter | | |
| Duration of sampling | 10 Mins for each location | | |

DG NOISE LEVEL MONITORING

Noise Levels in dB(A) Leq*

| Sr. No | Sampling Location | DG Set No. 105 (500 KVA) | Distance | From DG 0.5 mtr Away |
|---|-------------------------|---|---|------------------------|
| | | DG is Acoustic Open & Running Condition [dB(A)] | DG is Acoustic Closed & Running Condition [dB(A)] | Insertion Loss [dB(A)] |
| 1. | DG Set No. 105 Corner 1 | 99.2 | 73.6 | 25.6 |
| 2. | DG Set No. 105 Corner 2 | 99.5 | 72.6 | 26.9 |
| 3. | DG Set No. 105 Corner 3 | 98.4 | 72.6 | 25.8 |
| 4. | DG Set No. 105 Corner 4 | 99.8 | 72.3 | 27.5 |
| Average DG Set No. 105 (500 KVA) Insertion Loss | | | | 26.4 |

| Sr. No | Sampling Location | DG Set No. (625KVA) | Distance | From DG 0.5 mtr Away |
|---|-------------------------|---|---|------------------------|
| | | DG is Acoustic Open & Running Condition [dB(A)] | DG is Acoustic Closed & Running Condition [dB(A)] | Insertion Loss [dB(A)] |
| 1. | DG Set No. 625 Corner 1 | 99.6 | 72.5 | 27.1 |
| 2. | DG Set No. 625 Corner 2 | 98.6 | 72.9 | 25.7 |
| 3. | DG Set No. 625 Corner 3 | 101.2 | 73.5 | 27.7 |
| 4. | DG Set No. 625 Corner 4 | 99.2 | 73.1 | 26.1 |
| Average DG Set No. (625 KVA) Insertion Loss | | | | 26.7 |

Method:-IS:9989-1981 (RA 2023)

MPCB Limit :- Insertion loss minimum 25 dB(A)

1) This certificate may not be reproduced without the permission of this Laboratory

***** END OF THE REPORT*****



Authorized Signatory
Nilesch Naik